



Corticon Deployment

Copyright

© 2020 Progress Software Corporation and/or its subsidiaries or affiliates. All rights reserved.

These materials and all Progress[®] software products are copyrighted and all rights are reserved by Progress Software Corporation. The information in these materials is subject to change without notice, and Progress Software Corporation assumes no responsibility for any errors that may appear therein. The references in these materials to specific platforms supported are subject to change.

Corticon, DataDirect (and design), DataDirect Cloud, DataDirect Connect, DataDirect Connect64, DataDirect XML Converters, DataDirect XQuery, DataRPM, Defrag This, Deliver More Than Expected, Icenium, Ipswitch, iMacros, Kendo UI, Kinvey, MessageWay, MOVEit, NativeChat, NativeScript, OpenEdge, Powered by Progress, Progress, Progress Software Developers Network, SequeLink, Sitefinity (and Design), Sitefinity, SpeedScript, Stylus Studio, TeamPulse, Telerik, Telerik (and Design), Test Studio, WebSpeed, WhatsConfigured, WhatsConnected, WhatsUp, and WS_FTP are registered trademarks of Progress Software Corporation or one of its affiliates or subsidiaries in the U.S. and/or other countries. Analytics360, AppServer, BusinessEdge, DataDirect Autonomous REST Connector, DataDirect Spy, SupportLink, DevCraft, Fiddler, iMail, JustAssembly, JustDecompile, JustMock, NativeScript Sidekick, OpenAccess, ProDataSet, Progress Results, Progress Software, ProVision, PSE Pro, SmartBrowser, SmartComponent, SmartDataBrowser, SmartDataObjects, SmartDataView, SmartDialog, SmartFolder, SmartFrame, SmartObjects, SmartPanel, SmartQuery, SmartViewer, SmartWindow, and WebClient are trademarks or service marks of Progress Software Corporation and/or its subsidiaries or affiliates in the U.S. and other countries. Java is a registered trademark of Oracle and/or its affiliates. Any other marks contained herein may be trademarks of their respective owners.

Last updated with new content: Corticon 6.1.1

Updated: 2020/09/23

Table of Contents

Introduction to Corticon deployment	7
How to prepare Studio files for deployment.....	11
XML and JSON mapping.....	11
How to package and deploy Decision Services	17
Deployment related files	18
Rule asset files	18
Test asset files	18
Corticon Deployment Descriptor files.....	18
Decision Service files.....	19
Schema files.....	19
Datasource Configuration files.....	19
Use Studio to package and deploy Decision Services	19
Deploy to a Corticon Server	20
Deploy to Corticon Web Console	23
Package and save for later deployment.....	26
Adding additional JARs for selected projects.....	26
Use Web Console to deploy Decision Services.....	27
Use Deployment Descriptors to deploy Decision Services.....	27
Structure of a Deployment Descriptor file.....	28
How to set properties in a CDD file.....	28
Example of a complete CDD file.....	29
Setting the autoloaddir property.....	30
Automate packaging and testing of Decision Services.....	30
Creating a build process in Ant.....	31
Syntax of the compile and test commands.....	32
Use Server API to compile and deploy Decision Services.....	42
Properties that impact Decision Service compilation.....	43
Properties that are incorporated into Decision Services.....	43
How to integrate Corticon Decision Services.....	45
Service contract options.....	46
Service contract output.....	48
Properties that tune service contract output.....	49
Extended service contracts: newOrModified.....	50
Generate service contracts in Corticon Studio.....	52

Generate service contracts in Corticon Web Console.....	57
Request and response examples.....	59
JSON request and response messages.....	59
About creating a JSON request message for a Decision Service.....	60
How to pass null values in a JSON request.....	66
How to control the format of associations in a JSON response.....	66
Sample JSON request and response messages.....	66
XML request and response messages.....	69
Sample XML CorticonRequest content.....	70
Sample XML CorticonResponse content.....	72
Decision Service versioning and effective dating.....	73
How to deploy Decision Services with identical Decision Service names.....	73
How to invoke a Decision Service by version number.....	74
How to create samples of versioned Ruleflows.....	74
How to specify a version in a SOAP request message.....	78
Default behavior with no target version.....	80
How to invoke a Decision Service by date.....	81
Modifying the sample Rulesheets and Ruleflows.....	81
How to specify Decision Service effective timestamp in a SOAP request message.....	82
How to specify both major version and effective timestamp.....	84
Default behavior with no timestamp.....	84
Summary of major version and effective timestamp behavior.....	85
Enable Server handling of locales languages and time zones.....	87
How to handle requests and replies across locales.....	88
Examples of cross-locale processing.....	88
Example of cross-locale literal dates.....	91
Example of requests that cross time zones.....	95
Sample client applications.....	97

Introduction to Corticon deployment

Choose the deployment architecture

When choosing how to deploy Decision Services you first need to consider how they will be called by your application. Corticon supports both webservice and in-process deployment. Webservice deployment allows your Decision Services to be called as a REST or SOAP service. This is the most common way of deploying and integrating Corticon. In-process deployment allows you to embed Corticon in your application. This requires custom code within your application but has the performance advantage of not making a network call to execute rules.

Corticon Decision Services are deployed into a Corticon Server. For both webservice and in-process deployment you first deploy the Corticon Server and then deploy your Decision Services to it. Once deployed to the server, they become available to your application.

Deploying as a webservice requires deploying the Corticon axis.war to your application server. Once deployed you can configure security and access control using the services of your application server. When accessing your Decision Services as a REST service, you will pass the data to process as a JSON payload. When accessing them as a SOAP service, you will pass the data as an XML payload. *See the Web Services guide for more information.*

Deploying in-process requires custom code in your application to instantiate a Corticon server, load Decision Services, and invoke them with your application data. When deployed in-process you can pass data to your Decision Services either as JSON or XML, or as Business Objects using Corticon's Java Object Messaging. *See the In-Process Guide for more information.*

Packaging the Decision Service

To deploy your rules to a Corticon Server you must package them as a Decision Service. Packaging takes all the required rule assets to produce an **.eds** file ready for deployment. Corticon provides multiple options for packaging your rule assets into Decision Services including:

- Packaging Decision Services from Corticon Studio
- Packaging using ant macros or command line utilities

Once packaged, you can deploy your Decision Service to either a Corticon Server deployed to an application server or a Corticon Server instantiated in-process in a custom application.

Deploying the Decision Service

The options available for deploying your Decision Service to a Corticon Server depend on how the server is deployed.

If deployed to an application server:

- Deploy using cdd files. A cdd file is a text file identifying one or more Decision Services to be deployed and properties to be set on the Decision Service. The Corticon Server has the option to scan for new or updated cdd files, allowing a running Corticon Server to automatically load new or updated Decision Services.
- Deploy using Corticon Web Console. The Web Console provides a web UI for managing your Corticon Servers. It allows you to deploy Decision Services as well as get metrics on their operation.
- Deploy using REST APIs. The Corticon Server provides a set of REST APIs for managing the server and the Deployment of Decision Services. These APIs allow you to integrate the management of Corticon Servers with other applications.
- Deploy using command line tools. The Corticon Server provides command line tools for the deployment of Decision Services. This allows the deployment to be scripted.
- Deploy from Corticon Studio. From Corticon Studio you can package Decision Services for deployment as well as deploy them directly to a Corticon Server. This is useful in development environments but is not recommended for production.

If deployed in-process:

- Deploy using APIs. When using Corticon in-process you have access to a rich set of APIs for managing the Corticon Server and the deployment of Decision Services. These APIs are available for both Java and .NET applications.
- Deploy using cdd files. The option to use cdd files for deployment is also available when deploying in-process. The advantage of using cdd with in-process deployment is it externalizes the deployment of your decision services from your application.

Deployment Best Practices

Corticon provides multiple options for packaging and deploying Decision Services, giving you flexibility in managing the process. What counts as best practice can vary by organization but here are recommendations to follow:

- Keep your rule assets in a source control. Using a source control system such as git allows you to manage access to rule assets, track changes, and track the revisions used when packaging a Decision Service for deployment.
- Automate the packaging of your Decision Services. Corticon provides ant macros and command line tools for packaging your rule assets into eds files for deployment. Automating the packaging of your Decision Services will give you greater control and reproducibility of your deployment process.
- Automate the testing of your Decision Services. Corticon provides ant macros allowing you to script the execution of rule tests created by your rule modelers. Automating the execution of these test allows you to establish a quality gate where you don't deploy Decision Services until rule tests have passed.
- Automate the deployment of your Decision Services. Corticon provides command line tools and REST APIs for the deployment of Decision Services. You can also script the deployment when using cdd files

Following these best practices allows you to adhere to Continuous Integration/Continuous Deployment (CI/CD) practices and fully automate the package, testing and deployment of your Decision Services and to use automation management tools such as Jenkins and Teamcity.

Cloud and Container Deployment

Corticon Server can be deployed to any cloud platform supporting deployment of webservices or custom applications. This includes deployment to Amazon AWS and Microsoft Azure. When deploying to a cloud platform the considerations above for choosing the deployment architecture and methods still apply.

Corticon Server can be deployed using containers such as Docker. Deploying to a container typically involves basic the configuration on an existing appserver config such as tomcat and adding to it your Corticon license and Decision Services to create a config definition ready to run.

About Corticon's Bundled Tomcat

Corticon Server and Web Console install a standard Tomcat distribution to help you quickly get started. This is a standard Tomcat distribution at the time of Corticon release. It may not have the latest security patches or other security configuration changes recommended for production use. When moving to production, it is recommended to deploy Corticon Server and Web Console to a supported application server that you have supplied and secured. If you choose to use the bundled Tomcat in production, you assume responsibility for applying Tomcat security patches and performing security configuration.

How to prepare Studio files for deployment

Prior to packaging a Decision Service for deployment you need to ensure the Vocabulary used aligns with the naming of data which will be passed to the Decision Service when its invoked.

The Corticon Studio tasks in this section require that you set the Vocabulary to its **Advanced View** to expose the properties related to the mappings. Adding a mapping to your Corticon vocabulary allows you to view and customize the mapping.

For details, see the following topics:

- [XML and JSON mapping](#)

XML and JSON mapping

If the data payload of your call will be in the form of an XML or JSON document, then your Vocabulary may need to be configured to match the naming convention of the elements in your XML/JSON payload.

Displaying XML/JSON Mapping

On the Vocabulary menu, choose **Add Document Mapping > Add XML/JSON Mapping**.

Entity Mapping

When XML/JSON mapping has been added to the Vocabulary, its Entity properties are displayed.


Table 1: XML/JSON Mapping Entity Properties

Property	Value
----------	-------

XML Namespace	Specifies the full namespace of XML Element Name when there is no exact match.
XML Element Name	Specifies the XML Element Name when there is no exact match.

Vocabulary entities correspond to XML complex elements (`complexType`). If the `complexType` matches exactly (spelling, case, special characters, *everything*), then no mapping is necessary. However, if the `complexType` name differs in any way from the Vocabulary entity name, then the `complexType` name must be entered in the **Element Name** property, as shown:

Figure 1: Mapping a Vocabulary Entity to an XML complexType



In the example shown in this figure, the Vocabulary entity name (`Aircraft`) does not *exactly* match the name of the external XML Class (`Plane`), so the mapping entry is required. If the two names were identical, then no mapping entry would be necessary.

If XML Namespaces vary within the document, then use the **Namespace** field to enter the full namespace of the XML Element Name. If no XML Namespace value is entered, then it is assumed that all XML Elements use the same namespace.

Attribute Mapping


When XML/JSON mapping has been added to the Vocabulary, its Attribute properties are displayed.

Table 2: XML/JSON Mapping Attribute Properties

Property	Value
XML Namespace	Specifies the full namespace of XML Element Name when there is no exact match.
XML Element Name	Specifies the XML Element Name when there is no exact match.

Vocabulary attributes correspond to XML simple elements. If the element name matches exactly (spelling, case, spaces, and non-alphanumeric characters), then no mapping is necessary. However, if the element name differs in *any* way from the Vocabulary attribute name, then the element name must be entered in the **Element Name** property, as shown in the following figure.

Figure 2: Mapping a Vocabulary Attribute to an XML SimpleType



If Namespaces vary within the document, then use the **Namespace** field to enter the full namespace of the Element Name. If no Namespace value is entered, then it is assumed that all Elements use the same namespace.

Association Mapping

When the Vocabulary has added XML/JSON mapping, you set their properties on the properties page of the Association.


>

Table 3: XML Mapping Association Properties

Property	Value
XML Property Name	Specifies the XML Element Name when there is no exact match to the Vocabulary association name.

Vocabulary associations correspond to references between XML complex elements. If the element name matches exactly (spelling, case, special characters, *everything*), then no mapping is necessary. However, if the element name differs in any way from the Vocabulary association name, then the element name must be entered in the **Property Name** property, as shown below.

Figure 3: Mapping a Vocabulary Association to an XML ComplexType



XML Namespace Mapping

Corticon Server assumes that incoming XML requests are loosely compliant with the XSD/WSDL generated for a specific Decision Service so the Corticon XSD/WSDLs that are generated have a generic targetNamespace of urn:Corticon, as illustrated:

Figure 4: XSD with generic Namespace

```
<?xml version="1.0" encoding="UTF-8"?>
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:tns="urn:Corticon"
targetNamespace="urn:Corticon" elementFormDefault="qualified">
  <xsd:element name="CorticonRequest" type="tns:CorticonRequest" />
  <xsd:element name="CorticonResponse" type="tns:CorticonResponse" />
</xsd:schema>
```

Figure 5: WSDL with generic Namespace

```
<?xml version="1.0" encoding="UTF-8"?>
<definitions xmlns="http://schemas.xmlsoap.org/wsdl/" xmlns:tns="urn:CorticonService"
xmlns:cc="urn:Corticon" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:soap="
http://schemas.xmlsoap.org/wsdl/soap/" targetNamespace="urn:CorticonService">
  <types>
    <xsd:schema xmlns:tns="urn:Corticon" targetNamespace="urn:Corticon" elementFormDefault="qualified">
      <xsd:element name="CorticonRequest" type="tns:CorticonRequest" />
      <xsd:element name="CorticonResponse" type="tns:CorticonResponse" />
    </xsd:schema>
  </types>
</definitions>
```

Setting XML Namespace Mapping preference for unique target namespaces

Systems that are strict about XML validation might require a unique targetNamespace -- ideally globally unique.

You can choose to have unique names by setting the deployment property `com.corticon.deployment.ensureUniqueTargetNamespace` in respective `brms.properties` files to tell the XSD and WSDL Generators to create unique Target Namespaces inside the output document.

When the property is set to `true`, the following template will be used to create the Target Namespaces for the XSD and WSDL Documents:

- XSD: `urn:decision/<Decision Service Name>`
- WSDL: `<soap binding uri>/<Decision Service Name>`

When the property is set to `false`, the following template will be used to create the Target Namespaces for the XSD and WSDL Documents:

- XSD: `urn:Corticon`
- WSDL: `urn:CorticonService`

The default value is `false`. If changed, a restart of the Server is required.

The following images are examples of unique namespaces:

Figure 6: XSD with unique Namespace

```
<?xml version="1.0" encoding="UTF-8"?>
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:tns=
"urn:decision:tutorial_example" targetNamespace="urn:decision:tutorial_example"
elementFormDefault="qualified">
  <xsd:element name="CorticonRequest" type="tns:CorticonRequest" />
  <xsd:element name="CorticonResponse" type="tns:CorticonResponse" />
```

Figure 7: WSDL with unique Namespace

```
<?xml version="1.0" encoding="UTF-8"?>
<definitions xmlns="http://schemas.xmlsoap.org/wsdl/"
xmlns:tns="http://localhost:8850/axis/services/Corticon/tutorial_example"
xmlns:cc="urn:decision:tutorial_example" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
targetNamespace="http://localhost:8850/axis/services/Corticon/tutorial_example">
  <types>
    <xsd:schema xmlns:tns="urn:decision:tutorial_example"
      targetNamespace="urn:decision:tutorial_example"
      elementFormDefault="qualified">
```


How to package and deploy Decision Services

This section discusses the different approaches for packaging and deploying rules for use in test and production environments. Depending on your experience and your production status, you should start with the fastest and easiest way, and -- as your solution moves toward production -- refine your approach to better manage your deployed rules and Corticon Servers.

When you are developing rules in Corticon Studio, within Studio you can:

- Package and deploy Decision Services directly to a Corticon Server, a good idea for developer integration testing.
- Create deployable Decision Service files that can be delivered to other Corticon servers for later deployment through Server tools.

When you are managing and administering a Corticon Server, you can:

- Deploy Decision Service files which can be deployed with the Web Console or Server APIs.
- Deploy through a CDD (Corticon Deployment Descriptor) file, a text file that identifies one or more Decision Service files to be deployed and their respective properties to be set on the Decision Service. This is a good idea when you want a file manifest of the deployment.

When you want to run Corticon Server in-process, you can:

- Use the Server API to add and manage Decision Services. See the Deploy Corticon Server in an Application topic for more details.

The next section reviews the file types that are involved in deployment.

For details, see the following topics:

- [Deployment related files](#)

- [Use Studio to package and deploy Decision Services](#)
- [Use Web Console to deploy Decision Services](#)
- [Use Deployment Descriptors to deploy Decision Services](#)
- [Automate packaging and testing of Decision Services](#)
- [Use Server API to compile and deploy Decision Services](#)
- [Properties that impact Decision Service compilation](#)
- [Properties that are incorporated into Decision Services](#)

Deployment related files

The path from creating your first Vocabulary to deploying a Decision Service on a production Corticon Server involves several types of files. This section takes a quick overview of the files created in a project to build and test rules all the way through to the deployment files and associated schemas. As the section gets into deployment, it provides links to relevant topics in this guide.

Rule asset files

In Corticon, *rule assets* are the essential files that meld the Corticon Rule Language with the structure and typing you created in a vocabulary (`.ecore`) onto worksheets (`.ers`) that define the rules and embeds other worksheets into a Ruleflow (`.erf`) that can be packaged and deployed. Some designs have hundreds of rules in dozens of Ruleflows that use an elaborate Vocabulary of entities, attributes, and associations to define a single Decision Service.

A Corticon Decision Service has all its rule assets embedded in a compiled Decision Service.

Test asset files

Testing a project is a key aspect of the Corticon Studio's toolset. Once a project is packaged and prepared for deployment, it is a good practice to create and run the Ruletests (`.ert`) after building your Decision Service to identify any anomalies, and to confirm that the Decision Service behaves correctly.

Corticon Deployment Descriptor files

One option for deploying Decision Services is through CDD (Corticon Deployment Descriptor) files. These files let you package Ruleflows compiled into Decision Services, and their deployment parameters in an XML-formatted text file.

When Corticon Server reads a CDD file, it reads in each instance defined in the file to load its Decision Service, and then sets its execution and configuration parameters.

(See [Setting the autoloaddir property](#) on page 30 for additional information.)

Note: If you are using the bundled Apache Tomcat to test and deploy, copy the Deployment Descriptor file to the Corticon Server installation's `[CORTICON_WORK_DIR]\cdd` directory. When Corticon Server starts, it reads all `.cdd` files in that default location.

Decision Service files

A Decision Service file (.eds) is a self-contained, complete deployment asset that includes compiled versions of all its component rule assets and any extensions used. Only the EDS file needs to be deployed to Corticon Server. The related rule assets are not needed. If using CDD deployment, Corticon Server will automatically reload updated EDS files.

Note: If your Ruleflow uses custom Extensions or Service Call-Outs (SCOs), be sure to add their classes to the project as described in *"How to use extensions when creating Decision Services"* in the *Extensions Guide*.

Schema files

Schema files define a *service contract* -- the interface to a service for client applications, telling them what can be sent and in what format. Two service contract formats are the Web Services Description Language (.wsdl), and the XML Schema (.xsd).

This section includes [Generate WSDL and XSD schema files](#) on page 35 as part of the command line utilities, while [Service contract options](#) on page 46 discusses its usage as part of the section "Integrating Corticon Decision Services."

Datasource Configuration files


If your Decision Service integrates with databases or REST services, you will need a Datasource Configuration File when deploying the Decision Service. This is an XML file which defines the connection parameters for the data sources used by your Decision Service. It can be exported from the Vocabulary editor and modified for deployment. Separating Datasource connection parameters from the EDS file for your Decision Service allows you to easily change these parameters when, for example, moving from a test to a production environment.

Use Studio to package and deploy Decision Services

Within Corticon Studio you can package and deploy Decision Services. This is particularly useful during development and testing. In production, you typically would not deploy from Studio.


Starting the Package and Deploy Decision Services wizard

To package and deploy a Decision Service, choose the **Project** menu's **Package and Deploy Decision Services** action, as shown:



Note: You can choose the same action in the right-click menu of the Project Explorer.

The **Package and Deploy Decision Services** wizard opens:



The packaged Decision Services can be deployed directly to a Corticon Server, deployed to the Web Console which will then deploy it to one or more Corticon Servers, or saved as an EDS file for later deployment. Select your preference, and then click **Next**.

Deploy to a Corticon Server

When you choose to deploy to a Corticon Server, you first define a valid server connection, and then select Ruleflows to compile and deploy to that server.


To connect to a Corticon Server from the Server Connection panel:

1. Enter the **Server URL** of the Corticon Server.
2. Enter the **Username** and **Password** for the server. For administrative permissions on the application server, try the default credentials `admin` and `admin`.
3. Click **Test Connection**.
 - On successful connection, the system displays: **Server connection test was successful.**
 - If the username or password is invalid, the system displays: **User does not have rights to upload/download content to/from the server.**
 - On errors such as the server being unavailable, the system displays: **Server connection test failed. Server may be off-line, unreachable, not listening on specified port, or incorrect Server URL, security certificate not registered, or username/password is incorrect.**
 - On an unexpected 'Hard' failure, the system unwraps the **Axis Fault** and finds the underlying cause, such as **404** when the user specifies URL incorrectly.

Once the connection test is successful, you can proceed.

4. Click **Next**.

The **Decision Services** panel lists the Ruleflows in the context you specified.



The columns on this panel show the following about each Ruleflow:

- The wizard copies the **Decision Service Name** from the Ruleflow file name. You can change any **Decision Service Name** to publish the Decision Service with a preferred name. When you do that, the wizard might toggle the **Status** field between New and Update depending on whether that name is already deployed.
 - **Version** is read from the "Ruleflow" properties (see the Quick Reference Guide). It is not modifiable here.
 - **Status** indicates whether the Decision Service version is New or Update (that is, whether that Decision Service name with that version identity is already deployed on the server).
 - **Database mode** for a Ruleflow that will have a database connection.
 - **Return entities** for a Ruleflow that will have a database connection.
 - **Ruleflow** location within the current workspace.
5. Click the check box for each Ruleflow to be packaged and deployed to the server as Decision Services.

The wizard does not enable the **Finish** button if any selected Decision Service has the Status 'Update'. You can override this condition by renaming each such Decision Service, or by selecting the **Redeploy** checkbox to override and redeploy all such Ruleflows under the existing name and version.

6. Click **Finish**.

The packaging and deployment progress is shown. It can be stopped (although what has been completed is not backed out) by clicking the **Stop** button adjacent to the progress bar.


When all the packaging and deployment processes are successful, the wizard alerts you with a **Compilation Success** message. If there are problems, the wizard lists the errors.

Deploy to Corticon Web Console

You can deploy from Studio to servers managed by a Web Console. The Corticon Web Console provides a browser UI for managing and monitoring your Corticon Servers. Deploying to the Web Console from Studio will add the Decision Services to an Application on the Web Console and deploy them to the Corticon Servers specified for the Application in the Web Console.


To deploy Ruleflows in Corticon Studio as Decision Services on servers managed by the Web Console:

1. Confirm that the Web Console server you want to use is running. Also confirm that the servers that will run the deployed Decision Services are running.
2. In Corticon Studio, choose **Project > Package and Deploy Decision Services**:




When a project is selected or there is an active file in its editor, the Ruleflows of only that project will be listed. When no projects are selected and no files are in their editor, the Ruleflows of all projects in the workspace will be listed. If one or more Ruleflows are selected in Project Explorer, only those Ruleflows will be displayed in the Package and Deploy wizard. If you have many Ruleflows in a project, you may want to organize them into folders to make it easy to identify the main Ruleflows which should be deployed.

3. In the **Package and Deploy Decision Services** dialog, choose the deployment target **Deploy to Corticon Web Console**.



4. Click **Next**.


5. Enter the server connection URL with its port and /corticon, then the username and password for that Web Console. The administrative username is admin with the initial password admin.



The connection information is persisted locally, so that it can be offered for subsequent publishing to known Web Console locations.


6. Select whether to use an existing Application or to create a new one:

- To add to an existing Application, choose **Add to Existing Application**, select an Application on the pull-down list, and then click **Next**.
- To create a new Application, choose **Create New Application**, and then enter a new Application name and its description.



In the **Server Group**'s dropdown menu, choose the server or server group that will host the Application, and then click **Next**.

7. The **Decision Services** panel opens:



Select the Ruleflows to deploy as Decision Services. You can edit the **Decision Service Name** to make it a distinct deployment even though the same Ruleflow Version might already be deployed under another name.

Note: When deploying EDC-enabled Decision Services you must set Database Mode to **Read Only** or **Read/Update** for the Decision Services to access the database once deployed.


When your selections are complete, click **Finish**.

The wizard then compiles the Ruleflows locally, creates a new Application (if required) on the Web Console, and then adds (or updates) the Decision Services in the Application. Then, the Application is updated automatically to deploy/update the Decision Services in Servers and all active server members in Server Groups hosting the Application.

Package and save for later deployment

When you choose to package and save for later deployment, the wizard lists the Ruleflows selected to compile and save to local storage.

The **Package Ruleflows** panel lists the Ruleflows in the context you specified:



The columns on this panel show the following about each Ruleflow:

- The wizard copies the **Decision Service Name** from the Ruleflow file name.
 - **Version** from the Ruleflow properties.
 - **Database mode** for a Ruleflow that will have a database connection.
 - **Ruleflow** location within the current workspace.
1. You can change any **Decision Service Name** to save the Decision Service with a preferred name.
 2. Click the selection box for each Ruleflow to be packaged and stored at a network-accessible disk location as a Decision Service.
 3. In the **To directory** entry area, either enter or browse to a folder location where the packaged Decision Services will be saved.
 4. Click **Finish**.

The packaging and save progress is shown. It can be stopped (although what has been completed is not backed out) by clicking the **Stop** button adjacent to the progress bar.


When the processes are successful, the wizard alerts you with a **Compilation Success** message. If there are problems, the wizard lists the errors.

Adding additional JARs for selected projects

When projects require additional JARS, they can be included in the Decision Service package. These could be for extended operators, service callouts, or business object JARs for Java Object Messaging.

To add JARs to a project:

1. Right-click on a project name in the Studio's Project Explorer that requires additional JARs, and then choose **Properties**.
2. Click **Corticon Extensions**.
3. Navigate in the panel to locate and list all the JAR files used by the project, as illustrated:



All the listed JARs will be added to compiled EDS as *dependent* JARs, but only the ones that are checked will also be *included* in the compiled EDS file.

4. Click **OK** to save the project properties.

It is a good idea to include a JAR in the package as it ensures that it won't be affected by any variations of that JAR elsewhere. However, there are cases -- such as where many Decision Services are dependent on the same large JAR -- where it is more efficient to reference it at a common location on servers.

Use Web Console to deploy Decision Services

You can use features in the Corticon Web Console to deploy and manage Decision Services from a browser. For more information, see "*Decision Services and Applications*" in the *Web Console Guide*.

Use Deployment Descriptors to deploy Decision Services

A [Deployment Descriptor file](#) is an XML text file that identifies one or more Decision Services to be deployed, and the properties to be set on each Decision Service.

You can them with the Corticon management command line utility, or create them in a text editor.

Open a `.cdd` file in a text editor to see how it is formatted. The `TradeAllocation.cdd` sample located at a server installation's `[WORK_DIR]\Samples\Rule Projects\Trade Allocation` is a good example.

Structure of a Deployment Descriptor file

The following code segment shows the general pattern of two Decision Services in a CDD file:

```
<cdd soap_server_binding_url="http://localhost:8850/axis/services/Corticon">
  <decisionService>
    <name>AllocateTrade</name>
    <path>AllocateTrade.eds</path>
    <options>
      <option name="PROPERTY_AUTO_RELOAD" value="true" />
      <option name="PROPERTY_MAX_POOL_SIZE" value="1" />
    </options>
  </decisionService>

  <decisionService>
    <name>Candidates</name>
    <path>Candidates.eds</path>
    <options>
      <option name="PROPERTY_AUTO_RELOAD" value="true" />
      <option name="PROPERTY_MAX_POOL_SIZE" value="1" />
    </options>
  </decisionService>
</cdd>
```

For each Decision Service you must specify a name and the EDS file. The options, if any, specified allow you to configure properties of a Decision Services. A CDD file can contain one or more Decision Services.

Note: The path names to the Decision Service (.eds) files can be expressed *relative* to the location of the Deployment Descriptor file (indicated by the . ./ syntax). That's a good practice, as the explicit path on deployment Servers might be different. These paths can be edited if changes are required. If the saved location of the Deployment Descriptor file has its path in common with the location of the Decision Service (.eds) file, then the path is typically expressed in relative terms. If the two locations have no path in common (for example, they are saved to separate machines), then the path must be expressed in absolute terms. UNC paths can also be used to direct Corticon Server to look in remote directories.

How to set properties in a CDD file

When deploying with Corticon Deployment Descriptor (CDD) files, you might want to set deployment properties, such as controlling rule messages, in the CDD file so that the CDD fully describes the deployment configuration.

The properties in CDD file are set in name-value pairs, as shown:

```
<option name "name1" value="value1">
<option name "name2" value="value2">
```

The valid options in a CDD file and their values are as follows (each applicable default value is underlined):

Option name	Value
PROPERTY_AUTO_RELOAD	<u>false</u> true
PROPERTY_MAX_POOL_SIZE	<u>1</u> [positive integer]
PROPERTY_MESSAGE_STRUCTURE_TYPE	<u><null></u> HIER FLAT
PROPERTY_DATABASE_ACCESS_MODE	<u><null></u> R RW

Option name	Value
PROPERTY_DATABASE_ACCESS_RETURN_ENTITIES_MODE	<u>ALL</u> IN
PROPERTY_DATASOURCE_CONFIG_FILE_PATH	[explicit or relative path] to datasource.xml
PROPERTY_DATABASE_ACCESS_CACHING_ENABLED	<u>false</u> (default) true
PROPERTY_EXECUTION_RESTRICT_RULEMESSAGES_INFO	<u>false</u> true
PROPERTY_EXECUTION_RESTRICT_RULEMESSAGES_WARNING	<u>false</u> true
PROPERTY_EXECUTION_RESTRICT_RULEMESSAGES_VIOLATION	<u>false</u> true
PROPERTY_EXECUTION_RESTRICT_RESPONSE_TO_RULEMESSAGES_ONLY	<u>false</u> true

Note: The default values of the RULEMESSAGES options can be overridden by settings in a server's `brms.properties` file. However, a payload can dynamically override these properties for each execution by adding execution properties to its payload.

Example of a complete CDD file

The first Decision Service in this CDD shows all options and the second accepts all defaults.

```
<cdd soap_server_binding_url="http://localhost:8850/axis/services/Corticon">
  <decisionservice>
    <name>AllocateTrade</name>
    <path>../AllocateTrade.eds</path>
    <options>
      <option name="PROPERTY_AUTO_RELOAD"
        value="true" />
      <option name="PROPERTY_MAX_POOL_SIZE"
        value="1" />
      <option name="PROPERTY_MESSAGE_STRUCTURE_TYPE"
        value="HIER" />
      <option name="PROPERTY_DATABASE_ACCESS_MODE"
        value="R" />
      <option name="PROPERTY_DATABASE_ACCESS_RETURN_ENTITIES_MODE"
        value="ALL" />
      <option name="PROPERTY_DATASOURCE_CONFIG_FILE_PATH"
        value="../datasource.xml" />
      <option name="PROPERTY_DATABASE_ACCESS_CACHING_ENABLED"
        value="true" />
      <option name="PROPERTY_EXECUTION_RESTRICT_RULEMESSAGES_INFO"
        value="true" />
      <option name="PROPERTY_EXECUTION_RESTRICT_RULEMESSAGES_WARNING"
        value="true" />
      <option name="PROPERTY_EXECUTION_RESTRICT_RULEMESSAGES_VIOLATION"
        value="true" />
      <option name="PROPERTY_EXECUTION_RESTRICT_RESPONSE_TO_RULEMESSAGES_ONLY"
        value="true" />
    </options>
  </decisionservice>
  <decisionservice>
    <name>Candidates</name>
```

```
<path>../Candidates.eds</path>
<options/>
</decisionsservice>
</cdd>
```

In the Deployment Descriptor file shown above, note the following:

- There are two `<decisionsservice>` sections.
- The first `<decisionsservice>` specifies that it uses EDC database access by choosing the value `R`, the Read-Only setting, and the database related entities returned option, the option to enable database caching, and the location of the Database Access Properties file that defines the database connection.

Important: If you are using the bundled Apache Tomcat to test and deploy your Decision Service, copy the Deployment Descriptor file to the Corticon Server installation's `[CORTICON_WORK_DIR]\cdd` directory. When Corticon Server starts, it reads all `.cdd` files in that default location.

Updating and extending older CDD files

If you have CDD files that list deployment of ERF files, those ERF files must be compiled into EDS files prior to deployment. You can generate EDS files with Corticon Studio, Corticon command line utilities, or Corticon ant macros.

Setting the autoloaddir property

The default setting of the `autoloaddir` property is `[CORTICON_WORK_DIR]/cdd` where `[CORTICON_WORK_DIR]` is the absolute path of the work directory, typically `C:/Users/{username}/Progress/Corticon x.x`

You can specify a preferred location in the `brms.properties` file in the form:

```
com.corticon.ccserver.autoloaddir=path
```

where *path* is your absolute path delimited with forward slashes.

Automate packaging and testing of Decision Services

Users wanting to automate the building and testing of Decision Services can use the `corticonManagement` utility to compile Ruleflows into Decision Services ready for deployment, create XSD and WSDL files for clients who will call the Decision Services, and to run Rulereports to validate that the Decision Services perform as expected.

The commands can be used to script these processes and integrate them with other automated processes such as the "build" procedure for a larger project. To make this integration easier, a set of ANT macros are provided that make it easy to perform the building and testing of Decision Services within a custom ANT build script.

Note: When the target for deployment is the Corticon Server for .NET, you can use the `corticonManagement` utilities and ANT scripts to build `.eds` files and run tests.

Creating a build process in Ant

Corticon provides Ant macros for the `corticonManagement` command line utilities in the file `[CORTICON_HOME]\Server\lib\corticonAntMacros.xml`. You can download and install [Apache Ant](#), and then add its `/lib` to your global path and set its `/bin` to `ANT_HOME`.

Note: The Ant process needs to set the environment for `CORTICON_HOME` and `CORTICON_WORK_DIR` so that the macros can locate the necessary libraries and have the scratch location for temporary files. To do this, either start Corticon Command Prompt or just running `corticon_env.bat` before running Ant.

Compile

Arguments for the compile macro:

```
<attribute name="input" default=""/>
<attribute name="output" default="" />
<attribute name="service" default="" />
<attribute name="version" default="false" />
<attribute name="edc" default="false" />
<attribute name="failonerror" default="false" />
```

Example of a call to the compile macro:

```
<corticon-compile
  input="${project.home}/Order.erf"
  output="${project.home}"
  service="OrderProcessing" />
```

Multicompile

Arguments for the multiCompile macro:

```
<attribute name="input" default=""/>
<attribute name="failonerror" default="false"/>
```

Schema

Arguments for the schema macro:

```
<attribute name="input" default=""/>
<attribute name="output" default="" />
<attribute name="service" default="" />
<attribute name="type" default="" />
<attribute name="messagestyle" default="" />
<attribute name="url" default="" />
<attribute name="failonerror" default="false" />
```

Example of a call to the schema macro:

```
<corticon-schema
  input="${project.home}/Order.erf"
  output="${project.home}"
  service="OrderProcessing"
  type="WSDL"
  url="http://localhost:8850/axis"
  messagestyle="HIER"
/>
```

Test

Arguments for the test macro:

```
<attribute name="input" default="" />
<attribute name="output" default="" />
<attribute name="all" default="false" />
<attribute name="sheet" default="" />
<attribute name="loglevel" default="" />
<attribute name="logpath" default="" />
<attribute name="failonerror" default="false" />
```

Example of a call to the test macro:

```
<corticon-test
  input="${project.home}/Order.ert"
  output="${project.home}/TestResults.xml"
  all="true" />
```

Additional properties

```
<property name="corticon.compile.maxmem" value="512m" />
<property name="corticon.compile.permgen" value="64m" />
```

Loading the macros into another build file

You can load the macro file into another build file by using the following `import` syntax:

```
<import file="${env.CORTICON_HOME}/Server/lib/corticonAntMacros.xml" />
```

Syntax of the compile and test commands

The `corticonManagement` utility is located at `[CORTICON_HOME]\Server\bin`. To run the utility, choose **Start > Progress > Corticon 6.x Command Prompt**, and then type `corticonManagement` to display its usage:

Table 4: usage: corticonManagement

Argument	Description
<code>-c, --compile</code>	Compile a Ruleflow into a Decision Service
<code>-cdd, --createcdd</code>	Create new CDD
<code>-e, --extractDiagnostics</code>	Extract diagnostic data from a log file
<code>-en, --encryptstring</code>	Encrypt supplied string according to be used in Data Access
<code>-h, --help</code>	Print this message
<code>-m, --multicompile</code>	Compile Ruleflows in the specified input file

Argument	Description
<code>-s, --schema</code>	Generate the WSDL/XSD schema for a vocabulary or Ruleflow
<code>-t, --test</code>	Execute tests for a Ruleflow or Rulesheet

To use `corticonManagement` in a script you need to add the Corticon `bin` folder to your `PATH` environment variable: `set PATH=%PATH%;[CORTICON_HOME]\Server\bin`

Compile a Decision Service from a Ruleflow

The `compile` option compiles a Ruleflow into a Decision Service `.eds` file that can then be deployed to a Corticon Server through the Web Console, a `.cdd` file, or other supported tools.

Table 5: usage: corticonManagement --compile

Argument	Description
<code>-i, --input file</code>	Required. The source Ruleflow <code>.erf</code> file to be compiled.
<code>-o, --output folder</code>	Required. Explicit path to the output folder. If the folder does not exist, it is created.
<code>-s, --service name</code>	Required. The Decision Service file name. (Do not add the <code>.eds</code> extension, it will be done for you.)
<code>-v, --version</code>	The major and minor version for the Decision Service as specified on the Ruleflow is appended to the <code>.eds</code> file name in the output folder as <code>service_vversionMajor_versionMinor.eds</code> .
<code>-e, --edc [R RW]</code>	Required when the Vocabulary has been mapped to a database. Sets the database access mode (read only or read write).
<code>-dj, --dependentjars dependentjar ...</code>	Required when using extensions. Explicit paths to JAR files required for this Decision Service, delimited by spaces.
<code>-ij, --includedjars includedjar ...</code>	Required when using extensions. Explicit paths to JAR files (that are specified as <code>dependentjars</code>) to include in the generated EDS file, delimited by spaces.

Any values that contain spaces must be in quotes. For example:

```
-ij "C:\Program Files\myExtensions.jar" "C:\Program Files\myCallouts.jar"
```

A complete command might look like this:

```
corticonManagement
  --compile
  --input C:\myProject\myRuleflow.erf
  --output C:\myProject\Output
  --service MyDS
  --edc R
  --version
  --dependentjars C:\myProject\myExtensions.jar C:\myProject\myCallouts.jar
  --includedjars C:\myProject\myExtensions.jar C:\myProject\myCallouts.jar
```

Create a CDD file

The `createcdd` option create a Deployment Descriptor file (.cdd) for the specified Decision Service that can then be deployed to a Corticon Server.

Table 6: usage: corticonManagement --createcdd

Argument	Description
<code>-a, --autoreload [true/false]</code>	auto reload
<code>-d, --datasource path.xml</code>	path to datasource config file
<code>-e, --edc [null/R/RW]</code>	enable EDC (none or read only or read write access mode) in the decision service
<code>-eds, --eds path to eds folder</code>	path to the .eds file to be added to cdd
<code>-el, --level2 [true/false]</code>	enable level 2 caching
<code>-ep, --edcproperties path to .properties</code>	path to the edc runtime properties
<code>-er, --entitiesreturn [ALL/IN]</code>	entities return setting
<code>-f, --file path to cdd</code>	path to the cdd file that will be created with the extension .cdd
<code>-h, --help</code>	print this message
<code>-m --messagestyle [HIER/FLAT/null]</code>	message style
<code>-n, --name</code>	name of the decision service
<code>-or, --onlymessages [true/false]</code>	response is only rulemessages
<code>-ri, --info [true/false]</code>	restrict info rulemessages
<code>-rv, --violation [true/false]</code>	restrict violation rulemessages
<code>-rw, --warning [true/false]</code>	restrict warning rulemessages
<code>-x, --max integer</code>	max pool size

A simple `-cdd` command might look like this:

```
corticonManagement --createcdd
  --file C:\outputStaging\myRules.cdd
  --eds C:\myProject\myEDS_v1_1.eds
  --name myDecisionService
```

Extract Diagnostics

The `extractDiagnostics` option creates a text file of metrics extracted from a specified server's log for the Decision Service version.

Table 7: usage: corticonManagement --extractDiagnostics

Argument	Description
<code>-ds, --decisionsservice <i>Decision Service name</i></code>	Extract metrics for the specified Decision Service
<code>-dsv, <i>Decision Service version</i></code>	Metrics for the specified Decision Service in <i>major.minor</i> format.
<code>-s --server</code>	Extract metrics for this server
<code>-i --input <i>file</i></code>	Log file to extract metrics from
<code>-o --output <i>file</i></code>	File to write in CSV format

Note: See "*Diagnose runtime performance*" in the *Server Guide*. for complete information on **diagnostic** data.

Encrypt a given String

The `encryptstring` option encrypts the String provided to be used in Datasource access.

Table 8: usage: corticonManagement --encryptstring

Argument	Description
<code>-i --input</code>	The String that will be encrypted

Generate WSDL and XSD schema files

The `schema` option generates WSDL and XSD schema files from either a Ruleflow (.erf) or Vocabulary (.ecore) file. This is the same functionality that is provided in the Studio Ruleflow and Vocabulary menu commands that export WSDL and export XSD. See [How to integrate Corticon Decision Services](#) on page 45 for more information on service contracts.

Table 9: usage: corticonManagement --schema

Argument	Description
-dj, --dependentJars <dependentJar>	Add jar files required by this Ruleflow.
-h, --help	Print this message.
-i, --input <i>file</i>	Required. The source Vocabulary (.ecore) file for a vocabulary-level schema, or Ruleflow (.erf) file for a Decision Service-level schema.
-m, --messagestyle [<i>FLAT HIER</i>]	Optional. Specifies whether the messaging style should be flat, hierarchical. When omitted, defaults to auto-detect where the schema generator determines the best option.
-n, --net <i>name</i>	Create a .NET schema.
-o, --output <i>folder</i>	Required. Explicit path to the output folder.
-s, --service <i>name</i>	Required for a Ruleflow. The name of the Decision Service for the schema.
-t, --type [<i>WSDL XSD</i>]	Required. Type of schema to generate.
-u, --url <i>address</i>	Required. Specifies the Server URL to set in the schema document. This URL should match the URL of the Decision Service when deployed so that clients using the schema have the correct server URL to substitute in WSDL schema.

Example usage:

```
corticonManagement --schema
-i C:\myRuleflow.erf
-t WSDL
-m HIER
-u http://myserver:5555/myservice
-o C:\Output
-s MyDS
```

```
corticonManagement -s
-i C:\MyVocab.ecore
-t XSD
-u http://myserver:5555/myservice
-o C:\Output
```

Testing a Decision Service with a Ruletest

The `test` option executes multiple Ruletest (.ert) files and their test sheets, and produces an output file with the test results.

Table 10: usage: corticonManagement --test

Argument	Description
<code>-i,--input file,...</code>	<p>Required. A comma-separated list of the source Ruletest .ert files to run.</p> <ul style="list-style-type: none"> If there are spaces in the filenames or paths, then the entire set needs to be in quotes. Whitespace surrounding the comma character is valid. For example: <pre>--input "C:\test\file1.ert , C:\test\file2.ert"</pre> Wildcards can be used in the filename to allow greater flexibility in specifying multiple files with similar names. The wildcards (? and *) can only be used in the filename portion of the path and not any other parts of the path. Wildcards can be used in combination with the comma separated list. For example: <pre>--input "C:\test\file?.ert , C:\test2*.ert"</pre> IMPORTANT: When the <code>input</code> option resolves to multiple files, then the <code>sheet</code> option cannot be used and the <code>all</code> option must be specified.
<code>-o,--output file</code>	<p>Required. Explicit path to the preferred output folder and existing file name (an XML file in the JUnit test output style that includes pass/fail, test suite, test file, and execution time.) The output file is never overwritten; instead, new test output is appended after test execution, thus enabling multiple executions of different test sets to log their output into a single report file.</p>
<code>-a,--all</code>	<p>Required unless <code>--sheet</code> is stated. Runs tests for all the testsheets in the specified Ruletest in the order that they are defined in the file. Overrides any specific testsheets listed in the <code>sheet</code> option.</p>
<code>-s,--sheet sheet_names</code>	<p>Required unless <code>--all</code> is stated. Runs tests for only the one or more (in a comma-separated list) specified testsheets in the Ruletest in the order that they are listed.</p>
<code>-dj,--dependentjars dependentJar1,...</code>	<p>Comma separated list of dependent JAR paths. These are extra jar files that are needed to run the tests, such as those for extended operators, SCOs, ADC, and REST.</p>
<code>-ll,--loglevel level</code>	<p>Sets the log level to the specified level of detail. Defaults to current server log level, typically <code>INFO</code>. Choosing <code>DEBUG</code> is verbose.</p>
<code>-lp,--logpath path</code>	<p>Explicit path to the folder where <code>CcManagement.log</code> will be saved. Defaults to the server's current log location, typically <code>[CORTICON_WORK_DIR]/logs</code>.</p>

Example usage:

```
corticonManagement --test -a
--input C:\MyTest.ert
-o C:\MyTest_out.xml

corticonManagement -t
-i "C:\MyTest.ert , C:\moreTests\*.ert"
-o C:\MyTest_out.xml
-a

corticonManagement -t -a
-i "C:\Users\me\workspace\Generic\add*.ert,C:\test bed\base?.ert"
-o C:\testOutput\Output.xml
-ll DEBUG
```

Compile multiple Decision Services

Using the Multiple Compilation feature, you can compile multiple Decision Services using directives specified in an XML file.

Table 11: usage: corticonManagement --multicompile

Argument	Description
<code>-i, --input file</code>	XML file containing directives for Ruleflow (.ert files) to compile

Example usage:

```
corticonManagement --multicompile
-i C:\precompile.xml
```

Note: For optimal performance, be sure that all the assets and projects that will be involved in the multiple compile processing have been upgraded to the same version.

Template

The following template, provided as `[CORTICON_HOME]\Server\bin\multipleCompilation.xml`, presents the settings for the logs and the pattern for each of several Ruleflows to compile:

```
<MultipleCompilation>
  <CompilationLogDirectory>
    **Fully qualified path to directory
    where log will be placed**
  </CompilationLogDirectory>
  <CompilationObjects>
  <CompilationObject>
  <DecisionServiceName>
    **Name of the Decision Service**
  </DecisionServiceName>
  <RuleflowPath>
    **Explicit path to the Ruleflow to compile**
  </RuleflowPath>
  <OutputDirectory>
    **Explicit path to output directory for the .eds file**
  </OutputDirectory>
```

```

<OverrideIfExists>
  **true/false: Determines whether to
  overwrite a matching file in the output directory**
</OverrideIfExists>
<DatabaseAccessMode>
  **empty value/R/RW: Determines if and
  how the Rules will be compiled for EDC compatibility**
</DatabaseAccessMode>
</CompilationObject>

<CompilationObject>
  ...
</CompilationObject>
</CompilationObjects>
</MultipleCompilation>

```

The following example of `multipleCompilation.xml` specifies two Ruleflows to compile, each as its own Decision Service.

```

<MultipleCompilation>
<CompilationLogDirectory>C:\Corticon\Compilation_logs</CompilationLogDirectory>
<CompilationObjects>
<CompilationObject>
  <DecisionServiceName>Cargo</DecisionServiceName>
  <RuleflowPath>C:\Corticon\staging\Ruleflows\cargo.erf</RuleflowPath>
  <OutputDirectory>C:\Corticon\staging\DecisionServices</OutputDirectory>
  <OverrideIfExists>true</OverrideIfExists>
  <DatabaseAccessMode>RW</DatabaseAccessMode>
</CompilationObject>
<CompilationObject>
<CompilationObject>
  <DecisionServiceName>GroceryStore</DecisionServiceName>
  <RuleflowPath>C:\Corticon\staging\Ruleflows\grocery.erf</RuleflowPath>
  <OutputDirectory>C:\Corticon\staging\DecisionServices</OutputDirectory>
  <OverrideIfExists>true</OverrideIfExists>
  <DatabaseAccessMode></DatabaseAccessMode>
</CompilationObject>
<CompilationObject>
</CompilationObject>
</CompilationObjects>
</MultipleCompilation>

```

Once the compilation objects are defined, launching `multipleCompilation.bat` compiles each of the Ruleflows into its target Decision Service.

Deploying a Decision Service

You can make scripted calls to the Web Console on Windows and Linux to deploy Decision Services. This combined with ability to build and test Decision Services from a script allow you to automate the deployment of your Decision Services. The scripting is a command line utility that makes REST calls to the Web Console to perform actions, and then returns codes that identify success or failure.

Note: Unless you are already in the **Corticon Command Prompt**, choose **Start > Progress > Corticon 6 .0 Command Prompt**.

In the **Corticon Command Prompt**, enter Web Console deployment commands in this general format:

```
corticonWebConsole {command} {command options}
```

Commands supported in this utility are as follows, where many commands and options allow either their short form or long form, denoted by double dashes:

corticonWebConsole -help

```
usage: corticonWebConsole
  -application,--application    Perform actions on an application
  -ds,--decisionsservice       Perform actions on a decision service
  -h,--help                     print this message
  -login,--login                initiate login to web console
  -logout,--logout              initiate logout from web console
```

Lists the syntax of the commands.

corticonWebConsole -login

You must first login to the Web Console before the other commands can be applied.

```
usage: login
  -h,--help                    print this message
  -n,--name <username>       Login username for the web console
  -p,--password <password>   Login password for the web console, if omitted
                              password will be requested through standard
                              input.
  -u,--url <url>             Url leading to the web console e.g
                              http://localhost:8850/corticon
  -v,--verbose                Include debugging output
```

Authenticates the user on the specified Web Console server. No other commands have any effect until this command executes successfully. Choosing to omit the password will prompt for its entry through standard input.

Note: The login command stores an encrypted login token in your work directory so that, when you later perform commands, you can do so without logging in. When using a batch process to perform deployment, you will need to have this login token available in the work directory of the Corticon install used by the batch process.

corticonWebConsole -logout

```
usage: logout
  -h,--help                    print this message
  -v,--verbose                Include debugging output
```

The logout command closes the connection to the Web Console.

corticonWebConsole -ds

```
usage: decisionsservice
  -add,--add                   Add a decision service to the web console
  -delete,--delete            Remove a decision service from the web console
  -h,--help                    print this message
```

corticonWebConsole -ds -add

```
usage: add
  -application,--application <application name>  Name of application that
                                                    the decision service will
                                                    be added to
  -datasource,--datasource <configuration file>  Path to datasource
                                                    configuration file
                                                    [optional]
  -dbaccessmode,--dbaccessmode <mode>           Database access mode to
                                                    use [optional]
  -dbreturnmode,--dbreturnmode <mode>           Database access return
                                                    entities mode to use
                                                    [optional]
  -deploy,--deploy                                When this flag is set the
                                                    decision service will be
                                                    deployed after being
                                                    added to the application
                                                    [optional]
  -enablecache,--enablecache                     When this flag is
                                                    present, database caching
                                                    will be enabled
                                                    [optional]
  -f,--file <eds file>                           Path to decision service
                                                    eds file to be added
  -h,--help                                       print this message
  -maxpool,--maxpool <max pool size>            Maximum pool size
                                                    [optional]
  -n,--name <name>                               Name given to the
                                                    decision service to be
                                                    added
  -overwrite,--overwrite                         When this flag is
                                                    present, the decision
                                                    service will overwrite an
                                                    existing decision service
                                                    in the application with a
                                                    name matching that of the
                                                    value of the name
                                                    argument. When this flag
                                                    is not present, and the
                                                    decision service exists
                                                    the deploy will fail.
                                                    [optional]
  -v,--verbose                                    Include debugging output
                                                    [optional]
  -xmlstyle,--xmlstyle <xmlstyle>              XML message style, ether
                                                    null, FLAT, or HIER
```

Adds the specified Decision Service to the specified application.

The database options (`--datasource`, `--dbaccessmode`, and `--dbreturnmode`) are used when the Decision Service is configured for database connectivity.

Adding `--deploy` will deploy the specified Decision Service to each Server or Server Group that includes the specified application.

Adding `--overwrite` to the command will replace a corresponding Decision Service that exists.

corticonWebConsole -ds -delete

```
usage: delete
  -application,--application <application name>  Name of application that
                                                    the decision service will
                                                    be removed from
  -h,--help                                       print this message
  -n,--name <name>                               Name of the decision
                                                    service to be removed
  -undeploy,--undeploy                          When this flag is set,
                                                    the decision service will
                                                    be undeployed after being
                                                    removed from the
                                                    application [optional]
  -v,--verbose                                   Include debugging output
                                                    [optional]
```

Removes a specified Decision Service from the Web Console server completely.

Adding `--undeploy` will undeploy the Decision Service from each Server or Server Group that includes the specified application.

corticonWebConsole -application

```
usage: application
  -deploy,--deploy      Deploy the specified application to its associated
                        server/server group
  -h,--help             print this message
  -undeploy,--undeploy  Undeploy the specified application to its
                        associated server/server group
```

corticonWebConsole -application -deploy

```
usage: deploy
  -h,--help           print this message
  -n,--name <name>   Name given to the application to be deployed
  -v,--verbose       Include debugging output [optional]
```

Deploys the specified application to its associated servers/server groups.

corticonWebConsole -application -undeploy

```
usage: undeploy
  -h,--help           print this message
  -n,--name <name>   Name given to the application to be undeployed
  -v,--verbose       Include debugging output [optional]
```

Undeploys the specified application from its associated servers/server groups.

Use Server API to compile and deploy Decision Services

Corticon provides a Java API that can be used in custom code to compile, deploy, and manage Decision Services. The API can be used in code running an in-process Corticon Server, or can be used to manage a remote Corticon Server through the server's SOAP interface.

For more information, see the *Corticon Server API* topics in the *Corticon Server* section.

Properties that impact Decision Service compilation

Corticon Server uses the following properties when compiling assets into a Decision Service through its packaging utilities. (Corticon Studio also uses these properties in its “Package and Deploy” wizard when compiling a Decision Service.) The following properties are settings you can apply to your Corticon Studio and Server installations by adding the properties and appropriate values as lines in its `brms.properties` file.

Note: Changing these properties can dramatically affect compilation time, especially with large Ruleflows. Compile time might be halved for Ruleflows with more than 1500 rules when you exclude the Ruleflow report from the compiled EDS file. Another 10% of compile time can be saved when WSDL is not generated. In prior releases, the default action was to automatically produce the WSDL and reports to add to the EDS. Given the techniques to produce WSDL and reports without having them in the EDS, the option to suppress the WSDL and reports in packaging unless explicitly requested, results in smaller packages and better compilation performance. Changing these properties can dramatically reduce compilation time, especially with large Ruleflows. Compile time might be halved for Ruleflows with more than 1500 rules when you exclude the Ruleflow report from the compiled EDS file. Another 10% of compile time can be saved when WSDL is not generated.

Compile option: This property lets you configure memory settings for compiling the Rule Assets into an EDS file.

Default value is `-Xms256m -Xmx1g`

```
com.corticon.ccservice.compile.memorysettings=-Xms256m -Xmx1g
```

Compile option: Add the Rule Asset's Report to the compiled EDS file. By having the Report inside the EDS file, any user can get the report for a deployed Decision Service through an in-process or a SOAP call to the Corticon Server. Including the Report in the EDS file will increase the EDS file significantly.

Default value is `false`

```
com.corticon.server.compile.add.report=true
```

Compile option: Add the Rule Asset's WSDL to the compiled EDS file. By having the WSDL inside the EDS file, any user can get the WSDL for a deployed Decision Service through an in-process or a SOAP call to the Corticon Server. Including the WSDL in the EDS file will increase the EDS file significantly.

Default value is `false`

```
com.corticon.server.compile.add.wsdl=true
```

Properties that are incorporated into Decision Services

The following properties are settings you can apply to your Corticon Server installation by adding the properties and appropriate values as lines in its `brms.properties` file. These settings are incorporated into the compiled Decision Service, and as such cannot be changed by resetting the value on a server where the Decision Service runs.

By default, null attributes generate a warning when on the right-hand side of an assignment expression. This value will prevent warning messages from being generated when an attribute's value is null. This is useful for when an extended operator is being used to generate a value and it is possible for some parameters to be null

```
com.corticon.reactor.rulebuilder.DisableWarningOnNullAttribute=false
```

By default, attributes are checked against a null value to prevent further rule evaluation. This value can disable the null checks on attribute parameters used in an extension call out thereby allowing null values to be passed into an extended operator call

```
com.corticon.reactor.rulebuilder.DisableNullCheckingOnExtensions=false
```

Specifies whether the rule engine uses Loop Container Strategy. Loop Container Strategy will create a Rule container object for rules that form a loop, just as when loops are enabled, so that when sequential rules are executed they are executed as if they are in a loop, but without looping.

```
com.corticon.reactor.rulebuilder.UseLoopContainerStrategy=false
```

For information about related properties

See also:

- [Properties that are incorporated into Decision Services](#) on page 43
- *"Server execution properties"* in the *Server Guide*.
- *"Server build properties"* in the *Server Guide*.
- [Properties that tune service contract output](#) on page 49

How to integrate Corticon Decision Services

Calling a Decision Service means making an execute call to, or invocation of, Corticon Server. These topics focus on the types of calls, their components, and the tools available to help you assemble them. Calls to deployed Decision Service are discussed in *How to invoke Corticon Server*.

The call/invocation/request (we will use these three terms interchangeably) consists of:

- Name and version of the Decision Service to execute
- Data or payload to be processed by the rules in the Decision Service
- Location (URL) of Corticon Server if deployed as a web service

The name and location of Corticon Server we want to call will be discussed in the *How to invoke Corticon Server* topics, since this information is concerned more with protocol than with content. The focus of this topic is on Decision Service name and data payload.

Service Contracts: Describing the call

A *service contract* defines the interface to a service, thus letting the consuming client applications know what they must send to it (the type and structure of the *input* data) and what they can expect to receive in return (the type and structure of the *output* data). If a service contract conforms to a standardized format, it can be analyzed by consuming applications, which can then generate, populate and send compliant service requests automatically.

While the data itself may vary for a given Decision Service from transaction to transaction and call to call, the **structure** of that data – how it is arranged and organized – must not vary. The data contained in each call must be structured in a way Corticon Server expects and can understand. Likewise, when Corticon Server executes a Decision Service and responds to the client with new data, that data too must be structured in a consistent manner. If not, then the client or calling application will not understand it. The payload must match the contract.

Web Services standards define two such service contract formats, the Web Services Description Language, or WSDL and the XML Schema known as an XSD because of its file extension, .xsd. Because both the WSDL and XSD are physical documents describing the service contract for a specific Web Service, they are known as *explicit* service contracts. A Java service may also have a service contract, or interface, but no standard description exists for an explicit service contract. REST services with JSON do not have a service contract.

The remaining sections of this content detail service contracts when Corticon is deployed as a SOAP service. See the "*Deploy Corticon Server in an Application*" guide content for details on using that type of deployment.

For details, see the following topics:

- [Service contract options](#)
- [Generate service contracts in Corticon Studio](#)
- [Generate service contracts in Corticon Web Console](#)

Service contract options

When creating a service contract you can specify the following options.

Decision Service name

The Decision Service name is used to identify a deployed Decision Service. By default, the name is the same as the Ruleflow used when the Decision Service was packaged into an EDS file. When deploying a Decision Service you can override this by specifying a different name.

Once deployed, the Decision Service will always be known, referenced and invoked in runtime by its name. Decision Service Names must be unique, although multiple *versions* of the same Decision Service Name may be deployed and invoked simultaneously. See [Versioning](#) for more details.

What type? WSDL or XSD?

- **Web Services Description Language (WSDL)** - A WSDL service contract differs from the XSD in that it defines both invocation payload and protocol. It is the easiest as well as the most common way to integrate with a SOAP Web Services Server. The WSDL file defines a complete interface, including SOAP binding parameters, the Decision Service name, the payload (XML data elements required inside the request message), XML data elements provided within the response message. For more information on WSDL, see https://www.w3schools.com/xml/xml_wsdl.asp

Important: The Web Services standard allows for two messaging styles between services and their callers: **RPC-style** and **Document-style**. Document-style (also called Message-style) interactions are more suitable for Decision Service invocations because of the richness and (potential) complexity common in business. RPC-style interactions are more suitable for simple services that require a fixed parameter list and return a single result. **Corticon Decision Service WSDLs are always Document-style!** If you intend to use a commercially available software toolset to import WSDL documents and generate request messages, be sure the toolset contains support for Document-style WSDLs.

- **XML Schema (XSD)** - The purpose of an XML Schema is to define the legal or valid structure of an XML document. This XML document will carry the data required by Corticon Server to execute a specified Decision Service. The XML document described by an XSD is the payload (the data and structure of that data) of a SOAP call to the Corticon Server or may also be used as the payload of a Java API call or invocation.

XSD, by itself, is only a method for describing payload structure and contents. It is not a protocol that describes how a client or consumer goes about invoking a Decision Service; instead, it describes what the data inside that request must look like. For more information on XML Schemas, see https://www.w3schools.com/xml/schema_intro.asp

What level? Vocabulary or Decision Service?

- **Vocabulary** - Often, the same payload structure flows through many decision steps in a business process. While any given Decision Service might use only a fraction of the payload's content (and therefore have a more efficient invocation), it is sometimes convenient to create a single master service contract from the Decision Service's Vocabulary. That simplifies the task of integrating the Decision Services into the business process because a request message conforming to the master service contract can be used to invoke all Decision Services that are built with that Vocabulary. This master service contract is referred to as **Vocabulary Level**.
- **Decision Service** - The issue with a Vocabulary-level service contract is its size. Any request message generated from a Vocabulary-level service contract will contain the XML structure for *every term* in the Vocabulary, even if a given Decision Service only requires a small fraction of that structure. Use of a Vocabulary-level service contract therefore introduces extra overhead because request messages generated from it may be unnecessarily large. In an application or process where performance is a higher priority than integration flexibility, using a **Decision Service Level** service contract is more appropriate. A Decision Service-level service contract contains the bare minimum structure necessary to call that specific Decision Service – no more, no less. A request message generated from this service contract will be the most compact possible, resulting in less network overhead and better overall system performance. But it may not be reusable for other Decision Services.

Which messaging style? Flat or hierarchical?

There are two structural styles the payload can take. Flat payloads have every entity instance at the top, or root, level with all associations represented by reference. Hierarchical payloads represent associations with child entity instances indented within the parent entity structure.

- **FLAT** - Entity names start with an upper-case character, associations are represented by `href` tags, and role names are in lowercase initial characters.
- **HIER** - Hierarchical style, an embedded entity is identified by the role name representing that nested relationship (again, starting with a lowercase letter). Role names are defined in the Vocabulary.

SOAP Server URL

The URL for the SOAP node that is bound to the Corticon Server is the SOAP Server URL. It is enabled only for WSDL service contracts. The default URL, `http://localhost:8850/axis/services/Corticon`, makes a Decision Service available to the Corticon Server's application server. This Deployment property's default value can be overridden in your `brms.properties` file as `com.corticon.deployment.soapbindingurl_1`.

Platform: Java or IIS?

Editing one line in a generated WSDL can make it conform to what IIS expects. Locate the line:

```
<xsd:attribute name="decisionServiceName" use="required" type="xsd:string" />
```

Replace it with the line:


```
<CorticonRequest> <DecisionServiceName>"decisionServiceName"</DecisionService>
```

Note: Your client SOAP UI might make it a good idea to review [Properties that tune service contract output](#) on page 49 and [Extended service contracts: newOrModified](#) on page 50.

Service contract output

The output from all the service contract types for an example Vocabulary and Ruleflow are as follows:

Figure 8: Service contract output files



Note: If you run any one of the reports again, the file will be overwritten.

Generic service contract

You can create a generic service contract for a Ruleflow. This is not an enforced contract but a description of the inputs expected and outputs produced by a Decision Service generated from the Ruleflow. This is useful to document the "API" of a Decision Service or for use with the underlying mechanism such as REST/JSON that does not have an enforced contract. The generic service contract is output as a .csv file such that you can view it in Microsoft Excel or reporting tools that support .csv format.

For example, the CSV file for the Tutorial's tutorial_example.erf looks like this:

```
Service Contract for Ruleflow
,,Datatypes,Masking,Input/Output

Cargo,,Cargo,,I/O
,needsRefrigeration,Boolean,,I
,volume,Integer,,I
,container,containerType{String},CDT,O
,weight,Integer,,I

Custom Data Types(CDT)
containerType,standard,oversize,heavyweight,reefer,
```

When `tutorial_example_ServiceContract.csv` is opened in Excel, the CSV file looks like this:

	A	B	C	D	E
1	Service Contract for Ruleflow				
2					
3			Datatypes	Masking	Input/Output
4					
5	Cargo		Cargo		I/O
6		needsRefrigeration	Boolean		I
7		volume	Integer		I
8		container	containerType{String}	CDT	O
9		weight	Integer		I
10					
11					
12	Custom Data Types(CDT)				
13	containerType	standard	oversize	heavyweight	reefer

Properties that tune service contract output

The following properties are settings for generating service contracts that you can apply to your Corticon Studio installation by adding the properties and appropriate values as lines in its `brms.properties` file, and then restarting Studio.

Controls whether `minOccurs="0"` or `"1"` for Attributes that are marked as mandatory inside the Vocabulary. By default, all mandatory Attributes have `minOccurs="1"`.

```
com.corticon.deployment.schema.attribute.mandatory.minOccurs=1
```

Controls whether `nillable="true"` or `"false"` for Attributes that are marked as mandatory inside the Vocabulary. By default, all Attributes are set to `nillable="true"`.

```
com.corticon.deployment.schema.attribute.mandatory.nillable=true
```

Controls whether `<choice>` or `<sequence>` tags are used for the `<WorkDocuments>` section of the generated XSD/WSDL. When `useChoice` is set to `true`, `<choice>` tags are used which results in more flexibility in the order in which entity instances appear in the XML/SOAP message. When `useChoice` is set to `false`, `<sequence>` tags are used which requires that entity instances appear in the same order as they appear in the `<WorkDocuments>` section of the XSD/WSDL. Some Web Services platforms do not properly support `<choice>` tags. For these platforms, this property should be set to `false`.

Default value is `true`.

```
com.corticon.deployment.schema.useChoice=true
```

Add default namespace declaration to the XSD Generation

Default value is `true`.

```
com.corticon.schemagenerator.addDefaultNamespace=true
```

Specifies whether the XSD and WSDL generators adds the usage attribute on the `CorticonRequest` and `CorticonResponse` definition. The "usage" is deprecated, and no longer used. However, to be backward compatible with customers that have already generated proxies from older Schemas or WSDLs, the user has the option to add the usage to the generated `.xsd` or `.wsdl`

Default value is `false`.

```
com.corticon.servicecontracts.append.usagelabel=false
```

Specifies whether the XSD and WSDL generators appends the word "Type" at the end of each `complexType` in the related XSD or WSDL file. This was the standard in earlier versions of the generators.

Default value is `false`.

```
com.corticon.servicecontracts.append.typelabel=false
```

The property `ensureComplianceWithDotNET` determines whether generated service contracts (WSDL/XSD) are compliant with Microsoft .NET requirements. This property must be set to `true` when the Corticon Server is deployed inside a Microsoft WCF container.

Default value is `false`

```
com.corticon.servicecontracts.ensureComplianceWithDotNET_WCF=false
```

Controlling date and time format masks in the CSV files

You can specify date and time formats that you prefer in a generated CSV service contract by setting properties in the `brms.properties` file. The default values are:

```
com.corticon.serviceContract.date.masking=MM/dd/yy
com.corticon.serviceContract.dateTime.masking=MM/dd/yy h:mm:ss a
com.corticon.serviceContract.time.masking=h:mm:ss a
```

Choose one or more masking properties you want to set, and then provide an appropriate mask value. See "*Formats for Date Time and DateTime properties*" in the *Rule Language Guide*. For example:

```
com.corticon.serviceContract.date.masking=MM-dd-yyyy
com.corticon.serviceContract.dateTime.masking=MM/dd/yyyy h:mm:ss a
com.corticon.serviceContract.time.masking=h:mm:ss a z
```

Add the lines you define to the `brms.properties` file on servers where you will be generating service contracts.

Extended service contracts: newOrModified

Corticon service contract structures may be extended with an optional `newOrModified` attribute that indicates which parts of the payload have been changed by the Corticon Server during execution.

```
<xsd:attribute name="newOrModified" type="xsd:boolean" use="optional" />
</xsd:complexType>
```

Any attribute (the Vocabulary attribute) whose value was changed by the Corticon Server during rule execution will have the `newOrModified` attribute set to `true`. Also,

In FLAT messages, the `newOrModified` attribute of an entity is `true` if:

- Any contained attribute is modified.
- Any association to that entity is added or removed.

In HIER messages, the `newOrModified` attribute of an entity is `true` if the entity, *or any of its associated entities*:

- Any contained attribute is modified.
- Any association to that entity is added or removed.

This attribute (XML attribute, not Vocabulary attribute) is enabled and disabled by the `enableNewOrModified` property in your `brms.properties` file.

In order to make use of the `newOrModified` attribute, your consuming application must be able to correctly parse the response message. Because this attribute adds additional complexity to the service contract and its resultant request and response messages, be sure your SOAP integration toolset can handle the increased complexity before enabling it.

Extended datatypes when `newOrModified`

If the `newOrModified` attribute is enabled, then the base XML datatypes must be extended to accommodate it. The following `complexType`s are included in service contracts that make use of the `newOrModified` attribute.

ExtBooleanType

```
<xsd:complexType name="ExtBooleanType">
  <xsd:simpleContent>
    <xsd:extension base="xsd:boolean">
      <xsd:attribute name="newOrModified" type="xsd:boolean"
use="optional" />
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
```

ExtStringType

```
<xsd:complexType name="ExtStringType">
  <xsd:simpleContent>
    <xsd:extension base="xsd:string">
      <xsd:attribute name="newOrModified" type="xsd:boolean"
use="optional" />
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
```

ExtDateTimeType

```
<xsd:complexType name="ExtDateTimeType">
  <xsd:simpleContent>
    <xsd:extension base="xsd:dateTime">
      <xsd:attribute name="newOrModified" type="xsd:boolean"
use="optional" />
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
```

ExtIntegerType

```
<xsd:complexType name="ExtIntegerType">
  <xsd:simpleContent>
    <xsd:extension base="xsd:integer">
      <xsd:attribute name="newOrModified" type="xsd:boolean"
use="optional" />
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
```

ExtDecimalType

```
<xsd:complexType name="ExtDecimalType">
  <xsd:simpleContent>
    <xsd:extension base="xsd:decimal">
      <xsd:attribute name="newOrModified"
type="xsd:boolean" use="optional" />
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
```

Generate service contracts in Corticon Studio


Corticon Studio can produce your preferred type of service contract for the project's Vocabulary or a Ruleflow that uses the Vocabulary. The output files are generated to the Studio's [WORK_DIR]\Reports directory.

Generating Vocabulary level service contracts


You can produce Vocabulary level service contracts as WSDL or XSD

Vocabulary-level WSDL


Select the Vocabulary you want. Open it in the editor. Choose the menu command **Vocabulary > Export WSDL**.



Its dialog box opens:




The **Messaging style** must be selected for the **Finish** button to be enabled. In the dropdown menu, choose **Flat** or **Hier**, as shown:




You can change the **To directory** to a preferred location. Click **Finish**. The report is generated and saved as *VocabularyName.wsd* in the **To Directory** location.

Vocabulary-level XSD

Select the Vocabulary you want. Open it in the editor. Choose the menu command **Vocabulary > Export XSD**.



Its dialog box opens:




In the **Messaging style** dropdown menu, choose **Flat** or **HierClick Finish**. The report is generated and saved as *VocabularyName.xsd* in the **To Directory** location.

Generating Decision Service level service contracts


You can produce Decision Service level service contracts as WSDL or XSD.

Decision-service-level WSDL

Select the Ruleflow you want. Open in the editor. Choose the menu command **Ruleflow > Export WSDL**.




This dialog box opens:




Click **Finish**. The report is generated and saved as *RuleflowName_0.wsd* in the **To Directory** location.

Decision-service-level XSD

With the Ruleflow you want open in its editor, choose the menu command **Ruleflow > Export XSD**.




Its dialog box opens:




Click **Finish**. The report is generated and saved as *RuleflowName_0.xsd* in the **To Directory** location.

Decision-service-level Service Contract CSV and Excel

With the Vocabulary you want open in its editor, choose the menu command **Service Contract**.




Its dialog box opens:



Click **Finish**. Two reports are generated and saved: *RuleflowName_ServiceContract.csv* and *RuleflowName_ServiceContract.xml* in the **Output Folder** location. These files provide the basis for defining a JSON/REST service contract. See [Generic service contract](#) on page 48

Generate service contracts in Corticon Web Console

The Corticon Web Console makes it easy to produce a WSDL output for a Decision Service. Just click on any managed or discovered Decision Service, and then click on the **/WSDL** button on the tool bar. The output you get for Cargo is illustrated:



The screenshot shows a window titled "WSDL" with a close button in the top right corner. The main area contains XML code defining a service named "Cargo". The code includes definitions for "CorticonRequest" and "CorticonResponse" elements, and "ExecutionProperties" and "WorkDocuments" complex types. It also specifies attributes for "decisionServiceName", "decisionServiceTargetVersion", and "decisionServiceEffectiveTimestamp".

```
<?xml version="1.0" encoding="UTF-8"?><definitions xmlns="http://schemas.xmlsoap.org/wsdl/" targetNamespace="urn:Corticon">
<types>
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" elementFormDefault="qualified" targetNamespace="urn:Corticon">
<xsd:element name="CorticonRequest" type="tns:CorticonRequest"/>
<xsd:element name="CorticonResponse" type="tns:CorticonResponse"/>
<xsd:complexType name="CorticonRequest">
<xsd:sequence>
<xsd:element minOccurs="0" name="ExecutionProperties" maxOccurs="1" type="tns:ExecutionProperties"/>
<xsd:element name="WorkDocuments" type="tns:WorkDocuments"/>
</xsd:sequence>
<xsd:attribute use="required" name="decisionServiceName" fixed="Cargo" type="xsd:string"/>
<xsd:attribute use="optional" name="decisionServiceTargetVersion" type="xsd:nonNegativeInteger"/>
<xsd:attribute use="optional" name="decisionServiceEffectiveTimestamp" type="xsd:dateTime"/>
</xsd:complexType>
<xsd:complexType name="CorticonResponse">
<xsd:sequence>
<xsd:element minOccurs="0" name="ExecutionProperties" maxOccurs="1" type="tns:ExecutionProperties"/>
<xsd:element name="WorkDocuments" type="tns:WorkDocuments"/>
<xsd:element name="Messages" type="tns:Messages"/>
</xsd:sequence>
<xsd:attribute use="required" name="decisionServiceName" fixed="Cargo" type="xsd:string"/>
<xsd:attribute use="optional" name="decisionServiceTargetVersion" type="xsd:nonNegativeInteger"/>
<xsd:attribute use="optional" name="decisionServiceEffectiveTimestamp" type="xsd:dateTime"/>
</xsd:complexType>
</types>
<service name="Cargo" targetNamespace="urn:Corticon">
<xsd:element name="CorticonRequest" type="tns:CorticonRequest"/>
<xsd:element name="CorticonResponse" type="tns:CorticonResponse"/>
</service>
</definitions>
```

At the bottom of the window, it displays "Cargo v0.16 WSDL URL:" followed by the URL <http://localhost:8850/axis/dswsdl/Cargo/0/16> and a "Close" button.

You can open the output file in a text editor, and then save it as `Cargo_0_16.wsd1`.

Request and response examples

For details, see the following topics:

- [JSON request and response messages](#)
- [XML request and response messages](#)

JSON request and response messages

You can construct and execute JSON request tests by using the Swagger implementation on your server that you access through your browser by entering `http://localhost:8850/axis/swagger`.

The following illustration shows the request section of **Decision Service: Execute Decision Service**.

Swagger UI interface showing the details for the **Execute Decision Service** endpoint. The endpoint is a **POST** request to `/execute`. The implementation notes state: "Executes a Decision Service. The Decision Service payload is enclosed in the message body as a JSON string."

The parameters section shows a table with columns: Parameter, Value, Description, Parameter Type, and Data Type.

Parameter	Value	Description	Parameter Type	Data Type
body	<pre>{ "name": "string", "majorVersion": "string", "minorVersion": "string", "effectiveTimestamp": "string", "Objects": [{}] }</pre>	JSON payload for Decision Service we are trying to execute	body	Model Example Value

The parameter content type is set to `application/json`. An example value is shown in a yellow box:

```
{
  "name": "string",
  "majorVersion": "string",
  "minorVersion": "string",
  "effectiveTimestamp": "string",
  "Objects": [
    {}
  ]
}
```

The following sections discuss the parameters in JSON/RESTful requests and responses.

About creating a JSON request message for a Decision Service

A JSON request message has a body that describes the parameters for handling the request payload, and the payload.

Parameters of a JSON Request

```
{
  "name": "string",
  "majorVersion": "string",
  "minorVersion": "string",
  "effectiveTimestamp": "string",
  "Objects": [
    {}
  ]
}
```

```
    ]
  }
```

where:

- `name` - the name of the Decision Service -String
- `majorVersion` - Major version number, optional - String, converted to an integer in Corticon
- `minorVersion` - Minor version number, optional - String, converted to an integer in Corticon
- `effectiveTimeStamp` - DateTime of the Decision Service, optional - String
- `Objects` - JSONArray of JSONObject that comprises the payload - String

Structure of JSON payload

A JSON payload is a standardized `JSONObject` that can be passed in to `ICcServer.execute(...)`. The payload contains:

- `"Objects": [<JSONArray>]` where the `JSONArray` must contain `JSONObject` that represent Root Entities of the payload.
- `__metadataRoot` (optional) - An optional Attribute inside the main `JSONObject` that can contain execution specific parameters. (Note that the initial characters are TWO underscores.) These parameters are used only for that execution and will override a Decision Service or CcServer level properties. The following example shows the supported properties:

```
{
  "Objects": [<JSONArray>
  ],
  "__metadataRoot": {
    "#restrictInfoRuleMessages": "true",
    "#restrictViolationRuleMessages": "true",
    "#restrictResponseToRuleMessagesOnly": "true",
    "#locale": "en-US"
  }
}
```

Root Level Entities

All `JSONObject` inside the `JSONArray` under `Objects` are **Root Level Entities**.

Every name-value in the `JSONObject` maps to a Corticon Vocabulary Entity name on the Root of the payload or as an Association Entity, each of which requires a `__metadata` String attribute with a value of a `JSONObject` that describes the Entity with name-value pairs.

Mandatory:

`#type`: The Entity type as defined in the Vocabulary.

Optional:

`#id`: A unique String value for each Entity.

Note:

The `#id` field can be used in a Referenced Association where an Association can point to an existing Entity that is in the payload. If Referenced Associations are going to be used in the payload, then a `#id` must be defined for that Associated Entity. Referenced Associations will be covered later in the document.

If #id is not supplied in the payload, during execution of rules, a unique value will be set for each Entity. This is done during initial translation from JSON to Corticon Data Objects (CDOs). This is needed because Corticon does not know whether the rules will manipulate the Associations in such a way that #id values are needed. The output returned to the user will always contain #id value regardless if it was originally part of the “__metadata”.

Example of Root Level Entity with __metadata:

```
{
  "Objects": [{
    "dMarketValueBeforeTrade": "10216333.000000",
    "price": "950.000000",
    "__metadata": {
      "#id": "Trade_id_1",
      "#type": "Trade"
    }
  }],
}
```

JSON Entity Attribute and Association name-value pairs

All Entities can contain Attribute name-value pairs along with Association Role name-value pairs.

Attribute name-value pairs

Each JSON Entity can have any number of Attribute name-value pairings. The Attribute names inside the JSON Entity correspond to what has been defined in the Vocabulary for that JSON Entity type. The Attribute name inside the JSON Entity is used to look up the corresponding Vocabulary Attribute for that Vocabulary Entity type. If JSON Entity Attributes don't match with any Vocabulary Entity Attribute, then the JSON Entity Attribute is ignored, and won't be used by the rules.

The JSON Datatypes that can be used as a *value* are `String`, `Boolean`, `Double`, `Int`, `Long`.


For a `Date` value, use a `String` to represent the `Date`, which will be converted into a proper `Date` object for rule processing.

The *value* associated with a *name* does not have to be a `String`. However, the *value* must be of proper form to be converted into the Datatype as defined in the Vocabulary Attribute's Datatype. If the *value* cannot be properly converted into the Vocabulary Attribute's Datatype, a `CcServerExecutionException` will be thrown informing the user that the `CcServer` failed to convert the JSON "values".

Example of Attribute name-value pairs

There is one Attribute, `price`, with a corresponding value. Based on the `__metadata : #type`, these Attribute values are looked up under the Vocabulary's `Trade` Entity.

```
{
  "Objects": [{
    "price": "950.000000",
    "__metadata": {
      "#id": "Trade_id_1",
      "#type": "Trade"
    }
  }],
}
```



Association name-value pairs

Each JSON Entity can have any number of Association name-value pairings. The Association names inside the JSON Entity correspond to a Vocabulary Entity Association Role Name, defined in the Vocabulary for that JSON Entity type. Like the Attribute, as described above, Association names inside the JSON Entity are used to look up the corresponding Vocabulary Association for that Vocabulary Entity type. Note that:

- The *value* associated with *name* can be either a `JSONObject` or a `JSONArray` (of other `JSONObject`s).
- If the original value was a `JSONObject`, a `JSONArray` could be in the output.
- If there is a rule that does a `+=` operator on the Association, the `JSONObject` will be converted into a `JSONArray` so that multiple `JSONObject`s can be associated with that name.
- If JSON Entity Association names don't match with any Vocabulary Entity Association Role Name, then the JSON Entity Association is ignored, and won't be used by the rules.
- In an Associated `JSONObject`, the *value*, can be a Referenced Associated Object, which points to another `JSONObject` in the payload. In this scenario, a `ref_id` is used to point to the intended Entity. As described above, the `#type` value is not needed when a Referenced Associated Object is used because the type can be inferred by the Rules Engine.

Example of Embedded Association name-value pairs:

In the following example, there is one Association, `transaction` that has corresponding JSON Object as a value. It is an Embedded Association -- an Entity under another Entity. The `Transaction` Entity, as defined by its `__metadata : #type = Transaction` is associated with `Trade` through a Role Name of `transaction`.

```

{
  "Objects": [{
    "dMarketValueBeforeTrade": "10216333.000000",
    "price": "950.000000",
    "transaction": [
      {
        "__metadata": {
          "#ref_id": "Transaction_id_1",
        }
      }
    ],
    "__metadata": {
      "#id": "Trade_id_1",
      "#type": "Trade"
    }
  }],
  {
    "maxPctHiYield": "35.000000",
    "__metadata": {
      "#id": "Transaction_id_1",
      "#type": "Transaction"
    }
  }
]

```

Example of Referenced Association name-value pairs:

```

{
  "Objects": [{
    "dMarketValueBeforeTrade": "10216333.000000",
    "price": "950.000000",
    "transaction": [
      {
        "maxPctHiYield": "35.000000",
        "__metadata": {
          "#id": "Transaction_id_1",
          "#type": "Transaction"
        }
      }
    ],
    "__metadata": {
      "#id": "Trade_id_1",
      "#type": "Trade"
    }
  }],
  {
    "maxPctHiYield": "35.000000",
    "__metadata": {
      "#id": "Transaction_id_1",
      "#type": "Transaction"
    }
  }
]

```

The screenshot shows a software interface with a tree view on the left and a properties panel on the right. The tree view shows a hierarchy of entities: FIM, Account, Security, SecurityPosition, Trade, dAccruedInterest, dMarketValueBeforeTrade, id, price, quantity, security (Security), transaction (Transaction), and Transaction. The 'transaction (Transaction)' entity is selected. The properties panel on the right shows the 'Basic Properties' for the selected entity, with the following table:

Property Name	Property Value
Association Role Name	transaction
Source Entity Name	Trade
Target Entity Name	Transaction
Cardinalities	1->*
Navigability	Bidirectional
Mandatory	No


Below the 'Basic Properties' section, there is an 'XML/JSON Properties' section with the following table:

Property Name	Property Value
transaction	transaction

XML Element Name overrides for Attributes and Association names


JSON Entity Attribute names are first matched against XML Name overrides, which are defined in the Vocabulary Attribute. If no XML Element Name is defined, then JSON Entity Attribute names are matched directly against the Vocabulary Attribute name.

```
{
  "Objects": [{
    "dMarketValueBeforeTrade": "10216333.000000",
    "price": "950.000000",
    "myQuantity": "100.000000",
    "_metadata": {
      "#id": "Trade_id_1",
      "#type": "Trade"
    }
  }],
}
```



Much like the Attribute's XML Element Name override, Associations also have an XML Element Override.

```
{
  "Objects": [{
    "price": "950.000000",
    "myTransaction": [
      {
        "maxPctHiYield": "35.000000",
        "_metadata": {
          "#id": "Transaction_id_1",
          "#type": "Transaction"
        }
      }
    ],
  }],
  "_metadata": {
    "#id": "Trade_id_1",
    "#type": "Trade"
  }
}],
}
```



How to pass null values in a JSON request

Passing a null value to any Corticon Server using JSON payloads is accomplished by either:

- Omitting the JSON attribute inside the JSON object
- Including the attribute name in the JSON Object with a value of `JSONObject.NULL`

JSON payloads with null values created by Rules

When Rules set a null value that propagates into the payload of a request, JSON treats the null as follows:

Assume that the incoming payload is...

```
Person
  Age : 45
  Name : Jack
```

... and that rule processing sets Age to a `JSONObject.NULL` object.

If `JSONObject.toString()` is called, the output would look like this:

```
Person
  Age : null
  Name : Jack
```

How to control the format of associations in a JSON response

Associations in JSON responses are, by default, expressed as a `JSONArray`. You can control the format of 1-1 associations in JSON responses by setting the property:

```
com.corticon.server.execution.json.association.singleton=JSONObject
```

in the `brms.properties` on the machine where the JSON requests are processed. When this property is set, 1-1 associations will be formatted as a single `JSONObject` instance, not as a `JSONArray` with one `JSONObject` inside it.

Sample JSON request and response messages

The following code excerpts the input and output of the `TradeAllocation` sample's `AllocateTrade` Tester.

JSON Input:

```

{
  "Objects": [{
    "dMarketValueBeforeTrade": "10216333.000000",
    "price": "950.000000",
    "transaction": [
      {
        "account": [{
          "maxPctHiYield": "35.000000",
          "dPositionHiYield": "330000.000000",
          "dPositionHiGrade": "819167.000000",
          "securityPosition": [
            {
              "quantity": "5000",
              "dMarketValue": "819167.000000",
              "security": [{
                "symbol": "PMBND",
                "yield": "6.000000",
                "daysInHolding": "23",
                "dMarketValue": "164.000000",
                "dProfile": "HI-GRD",
                "dAnnualInterestAmt": "60.000000",
                "price": "160.000000",
                "issuer": "Phillip Morris",
                "sin": "Y",
                "dAccruedInterest": "4.000000",
                "faceValue": "1000.000000",
                "rating": "A",
                "__metadata": {
                  "#id": "Security_id_1",
                  "#type": "Security"
                }
              }
            ],
            "__metadata": {
              "#id": "SecurityPosition_id_1",
              "#type": "SecurityPosition"
            }
          ],
          ...
        ],
        "__metadata": {
          "#id": "SecurityPosition_id_2",
          "#type": "SecurityPosition"
        }
      }
    ],
    "warnMargin": "3.000000",
    "name": "Boeing",
    "restricted": "false",
    "maxPctHiGrade": "75.000000",
    "number": "1640",
    "dMarketValue": "1149167.000000",
    "__metadata": {
      "#id": "Account_id_1",
      "#type": "Account"
    }
  }],
  "security": [{"__metadata": {"#ref_id": "Security_id_2"}}],
  "__metadata": {
    "#id": "Transaction_id_1",
    "#type": "Transaction"
  }
},
...
],
  "__metadataRoot": {
    "#restrictInfoRuleMessages": "true",
    "#restrictViolationRuleMessages": "true",

```

```

    "#restrictWarningRuleMessages": "false"
  }
}
JSON TRANSLATION = 78

```

JSON Output:

```

{
  "Messages": {
    "Message": [
      {
        "entityReference": "Trade_id_1",
        "text": "[AccountConstraint,5] A restricted account [ Sears ] can't be involved
in a trade.",
        "severity": "Warning",
        "__metadata": { "#type": "#RuleMessage" }
      },
      {
        "entityReference": "Trade_id_1",
        "text": "[AccountConstraint,4] No account [ Airbus ] involved in a trade can
exceed
its maximum percentage [ 70.000000 ] for High Yield securities [ 86.156842
].",
        "severity": "Warning",
        "__metadata": { "#type": "#RuleMessage" }
      },
      {
        "entityReference": "Trade_id_1",
        "text": "[AccountConstraint,4] No account [ Sears ] involved in a trade can exceed
its maximum percentage [ 65.000000 ] for High Yield securities [ 79.980241
].",
        "severity": "Warning",
        "__metadata": { "#type": "#RuleMessage" }
      },
      {
        "entityReference": "Trade_id_1",
        "text": "[AccountConstraint,4] No account [ Boeing ] involved in a trade can
exceed
its maximum percentage [ 35.000000 ] for High Yield securities [ 42.253808
].",
        "severity": "Warning",
        "__metadata": { "#type": "#RuleMessage" }
      }
    ],
    "__metadata": { "#type": "#RuleMessages" },
    "version": "0.0"
  },
  "Objects": [ {
    "dMarketValueBeforeTrade": 20432666,
    "price": "950.000000",
    "transaction": [
      {
        "dPositionHiGrade": 0,
        "dPositionHiYield": 269397.538944,
        "dAccruedInterest": 2249.666294,
        "dActualQuantity": 281.208287,
        "account": [ {
          "dPctHiYield": 42.253808,
          "dPositionHiYield": "330000.000000",
          "dNewPositionHiGrade": 819167,
          "maxPctHiGrade": "75.000000",
          "restricted": "false",
          "dMarketValue": "1149167.000000",
          "number": "1640",
          "dPositionHiGrade": "819167.000000",
          "maxPctHiYield": "35.000000",
          "dNewPositionHiYield": 599397.538944,

```

```

"name": "Boeing",
"warnMargin": "3.000000",
"securityPosition": [
  {
    "quantity": "5000",
    "dMarketValue": "819167.000000",
    "security": [{
      "symbol": "PMBND",
      "yield": "6.000000",
      "daysInHolding": "23",
      "dMarketValue": "164.000000",
      "dProfile": "HI-GRD",
      "dAnnualInterestAmt": "60.000000",
      "price": "160.000000",
      "issuer": "Phillip Morris",
      "sin": "Y",
      "dAccruedInterest": "4.000000",
      "faceValue": "1000.000000",
      "rating": "A",
      "__metadata": {
        {
          "#id": "Security_id_1",
          "#type": "Security"
        }
      }
    }],
    "__metadata": {
      "#id": "SecurityPosition_id_1",
      "#type": "SecurityPosition"
    }
  },
  ...
],
 "__metadataRoot": {
  "#restrictInfoRuleMessages": "true",
  "#restrictViolationRuleMessages": "true",
  "#restrictWarningRuleMessages": "false"
}
}

```

Testing a JSON request


Your Corticon Server installation implements Swagger. From your browser at <http://localhost:8850/axis/swagger/> you can use **Execute Decision Service** to set up the `dsname` and a sample request's JSON Objects to run against a deployed Decision Service. See *"Test the installed Corticon Server on Java" in the Web Services Guide* for more information.

XML request and response messages

This section illustrates with an example how the service contract is generated and what the input and output payload looks like.

The example used is from the *Corticon Studio Tutorial: Basic Rule Modeling*. A `FlightPlan` is associated with a `Cargo`. A `FlightPlan` is also associated with an `Aircraft`.

The Vocabulary is shown below.



Sample XML CorticonRequest content

A sample CorticonRequest payload is shown below. It is a Decision-Service-level message which means that only those Vocabulary terms used in the Decision Service are contained in the CorticonRequest. It is also HIER XML messaging style.

Notice the Decision Service Name in the CorticonRequest:

```
<CorticonRequest xmlns="urn:decision:tutorial_example"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  decisionServiceName="tutorial_example">
```

Optional execution properties can be set in the request to override default values on the server. The available execution properties, set here to other than their default value, are as follows:

```
<ExecutionProperties>
  <ExecutionProperty
    name="PROPERTY_EXECUTION_RESTRICT_RULEMESSAGES_INFO"
    value="true" />
  <ExecutionProperty
    name="PROPERTY_EXECUTION_RESTRICT_RULEMESSAGES_WARNING"
    value="true" />
  <ExecutionProperty
    name="PROPERTY_EXECUTION_RESTRICT_RULEMESSAGES_VIOLATION"
    value="true" />
  <ExecutionProperty
    name="PROPERTY_EXECUTION_RESTRICT_RESPONSE_TO_RULEMESSAGES_ONLY"
    value="true" />
  <ExecutionProperty
    name="PROPERTY_EXECUTION_LOCALE"
    value="fr-FR" />
  <ExecutionProperty
    name="PROPERTY_EXECUTION_TIMEZONE"
    value="America/Chicago" />
</ExecutionProperties>
```

Notice the unique id for every entity. If not provided by the client, Corticon Server will add them automatically to ensure uniqueness:

```
<WorkDocuments>
  <Cargo id="Cargo_id_1">
```

Attribute data is inserted as follows:

```
    <volume>40</volume>
    <weight>16000</weight>

  </Cargo>
</WorkDocuments>
</CorticonRequest>
```

How to pass null values in an XML request

Passing a null value to any Corticon Server using XML payloads is accomplished in the following ways:

Vocabulary Type	Passing a null in an XML message
An attribute of any type	Omit the XML tag for the attribute, or use the XSD special value of <code>xsi:nil='1'</code> as the attribute's value.
An attribute except String types	Include the XML tag for the attribute but do not follow it with a value, for example, <code><weight></weight></code> or simply <code><weight/></code> . If the type is String, this form is treated as an empty string (a string of length zero, which is not the same as null).
An association	Do not include an <code>href</code> to a potentially associable Entity (Flat model) or do not include the potentially associable role in a nested child relationship to its parent.
An entity	Omit the <code>complexType</code> from the payload entirely.

XML Payloads with null values created by Rules

When Rules set a null value that propagates into the payload of a request, XML treats the null as follows

Assume that the incoming payload is...

```
Person
  Age : 45
  Name : Jack
```

... and that rule processing sets `Age = null`.

The output would remove `Age` from the payload like this:

```
Person
  Name : Jack
```

Sample XML CorticonResponse content

Notice the *Decision Service Name* in the *CorticonResponse* – this informs the consuming application (which may be consuming several *Decision Services* asynchronously) which *Decision Service* is responding in this message:

```
<CorticonResponse decisionServiceName="tutorial_example"
xmlns="urn:Corticon" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <WorkDocuments>
    <Cargo id="Cargo_id_1">
      <volume>40.000000</volume>
      <weight>16000.000000</weight>
```

Notice that the optional *newOrModified* attribute has been set to true, indicating that container was modified by the Corticon Server. The value of *container*, *oversize*, is the new data derived by the Decision Service.

```
<container newOrModified="true">oversize</container>
  </Cargo>
</WorkDocuments>
</CorticonResponse>
```

The data contained in the *CorticonRequest* is returned in the *CorticonResponse*:

```
    <volume>400.000000</volume>
    <weight>160000.000000</weight>
  </cargo>
</FlightPlan>
</WorkDocuments>
<Messages version="1">
```

Notice the message generated and returned by the Server:

```
<Message>
  <severity>Info</severity>
  <text>Cargo weighing between 150,000 and 200,000 kilograms must be carried
    by a 747.</text>
```

The *entityReference* contains an *href* that associates this message with the *FlightPlan* that caused it to be produced

```
    <entityReference href="#FlightPlan_id_1"/>
  </Message>
</Messages>
</CorticonResponse>
```

Decision Service versioning and effective dating

Corticon Server can execute Decision Services according to the preferred version or the date of the request.

This section describes how the `Version` and `Effective/Expiration Date` parameters, when set, are processed by the Corticon Server during Decision Service invocation. Assigning Version and Effective/Expiration Dates to a Ruleflow is described in the topic *"Ruleflow versions and effective dates" in the Rule Modeling Guide*.

For details, see the following topics:

- [How to deploy Decision Services with identical Decision Service names](#)
- [How to invoke a Decision Service by version number](#)
- [How to invoke a Decision Service by date](#)
- [Summary of major version and effective timestamp behavior](#)

How to deploy Decision Services with identical Decision Service names

Typically, each Decision Service deployed to a Corticon Server has a unique Decision Service name that lets the rules engine handle the request when applications and clients invoke a Decision Service by its name.

However, the Decision Service Versioning and Effective Dating feature makes an exception to this rule. Decision Services with identical Decision Service Names can be deployed on the same Corticon Server provided that each has a different Major version number, or that each has the same Major yet a different Minor version number.

For example, you could deploy `Cargo_v0_16.eds`, `Cargo_v1.1.eds`, `Cargo_v1.2.eds`.

Note: An alternate approach is to rename the Decision Service when you compile it so that you have, say, `Cargo_v0_16.eds` and `Freight_v0_16.eds`.


How to invoke a Decision Service by version number

Both Corticon Server invocation mechanisms -- SOAP request message and Java method -- provide a way to specify Decision Service Major.Minor Version.

How to create samples of versioned Ruleflows


The Ruleflows we will use in this section are based on Rulesheet variations of a single rule. Notice that the only difference between the three Rulesheets is the threshold for the age-dependent rules (columns 2 and 3 in each Rulesheet). The age threshold is 35, 45, and 55 for Version 1, 2 and 3, respectively. This variation is enough to illustrate how the Corticon Server distinguishes Versions in runtime. The Vocabulary we will use is the `lifePolicy.ecore`, located in the `Training/Advanced` project.

Figure 9: Sample Vocabulary for demonstrating versioning




We know we want to have more than one Ruleflow with the same name and differing versions, so we first used **File > New Folder** to place a `Version1` folder in the project. Then we created a Rulesheet for defining our policy risk rating that considers age 35 as a decision point, as shown:

Figure 10: Rulesheet skydiver4.ers in folder Version1




We created a new Ruleflow and added the `Version1 skydiver4.ers` Rulesheet to it. Then we set the Major version to 1 and the Minor version to 0. The label `Thirty-five` was entered to express the version in natural language.

Figure 11: Ruleflow in folder Version1 and set as Version 1.0



After saving both files, right-click on the `Version1` folder in the **Projects** tab, and then choose **Copy**. Right-click **Paste** at the `Advanced` folder level, naming the folder `Version2`. Repeat to create the `Version3` folder. Your results look like this:

Figure 12: Folders that distinguish three versions



Note: In the examples in this section, the Ruleflows, Deployment Descriptor, and Decision Services names are elaborated as `_dates` and `_noDates` just so that we can deploy both versioned and effective-dated Decision Services at the same time.

We proceed to edit the Rulesheets and Ruleflows in the copied folders as shown, first for Version2:

Figure 13: Rulesheet skydiver4.ers in folder Version2





Figure 14: Ruleflow in folder Version2



And then for Version 3:

Figure 15: Rulesheet skydiver4.ers in folder Version3

Conditions		0	1	2	3	4
a	Person.skydiver		T	-	F	
b	Person.age		-	<= 55	> 55	
c						
d						
e						
Actions						
Post Message(s)			✉	✉	✉	
A	Person.riskRating		'high'	'low'	'medium'	
B						
C						
D						
Overrides						

Ref	ID	Post	Alias	Text
1		Warning	Person	A person that skydives is rated as high risk.
2		Info	Person	A person 55 years old or younger is rated as low risk.
3		Info	Person	A person over 55 years old that does not skydive is rated as medium risk.

Figure 16: Ruleflow in folder Version3

Rule Vocabulary:

Major Version:

Minor Version:

Version Label:

Effective Date: Time: : : AM

Expiration Date: Time: : : AM

Total Number of Rules:

How to specify a version in a SOAP request message

In the `CorticonRequest` complexType, notice:

```
<xsd:attribute name="decisionServiceTargetVersion" use="optional" type="xsd:decimal" />
```

In order to invoke a specific Major.Minor version of a Decision Service, the Major.Minor version number must be included as a value of the `decisionServiceTargetVersion` attribute in the message sample, as shown above.

As the `use` attribute indicates, specifying a Major.Minor version number is optional. If multiple Major.Minor versions of the same Decision Service Name are deployed simultaneously and an incoming request fails to specify a Major Version number, then Corticon Server will execute the Decision Service with *highest* version number.

If multiple instances of the same Decision Service Name and Major version number are deployed and an incoming request fails to specify a Minor version number, then Corticon Server will execute the live Decision Service with highest Minor version number of the Major version. For example, if you have 2.1, 2.2, and 2.3, and you specify 2, your request will be applied as 2.3. Note that this applies to LIVE Decision Services and not TEST Decision Services: they require a Major.Minor version.

Let's try a few invocations using variations of the following message:

```
<CorticonRequest xmlns="urn:decision:tutorial_example"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
decisionServiceName="skydiver4_noDates"
decisionServiceTargetVersion="1.0">
<WorkDocuments>
  <Person id="Person_id_1">
    <age>30</age>
    <skydiver>>false</skydiver>
    <ssn>111-11-1111</ssn>
  </Person>
</WorkDocuments>
</CorticonRequest>
```

Copy this text and save the file with a useful name such as Request_noDates_1.0.xml in a local folder.

Execute the request - Use your preferred SOAP API to execute the request. The Web Console provides a straightforward way to test executions. After it runs, you are directed to the output folder to see the result, which look like this:

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <ns1:CorticonResponse xmlns:ns1="urn:decision:tutorial_example"
xmlns="urn:decision:tutorial_example" decisionServiceName="skydiver4_noDates"
decisionServiceTargetVersion="1.0">
      <ns1:WorkDocuments>
        <ns1:Person id="Person_id_1">
          <ns1:age>30</ns1:age>
          <ns1:riskRating>low</ns1:riskRating>
          <ns1:skydiver>>false</ns1:skydiver>
          <ns1:ssn>111-11-1111</ns1:ssn>
        </ns1:Person>
      </ns1:WorkDocuments>
      <ns1:Messages version="1.0">
        <ns1:Message>
          <ns1:severity>Info</ns1:severity>
          <ns1:text>A person 35 years old or younger is rated as low risk.</ns1:text>
          <ns1:entityReference href="#Person_id_1" />
        </ns1:Message>
      </ns1:Messages>
    </ns1:CorticonResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

Note that the age stated is 35, which is what we defined version 1.0 of the Decision Service. This should be no surprise – we specifically requested version 1.0 in our request message. Corticon Server has honored our request.

Let's prove the technique by editing the request message to specify another version:

```
<CorticonRequest xmlns="urn:decision:tutorial_example"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
decisionServiceName="skydiver4_noDates"
decisionServiceTargetVersion="2.0">
```

```
<WorkDocuments>
  <Person id="Person_id_1">
    <age>30</age>
    <skydiver>>false</skydiver>
    <ssn>111-11-1111</ssn>
  </Person>
</WorkDocuments>
</CorticonRequest>
```

The only edit is to change the version from 1.0 to 2.0. Now execute the test.

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <ns1:CorticonResponse xmlns:ns1="urn:decision:tutorial_example"
xmlns="urn:decision:tutorial_example" decisionServiceName="skydiver4_noDates"
decisionServiceTargetVersion="2.0">
      <ns1:WorkDocuments>
        <ns1:Person id="Person_id_1">
          <ns1:age>30</ns1:age>
          <ns1:riskRating>low</ns1:riskRating>
          <ns1:skydiver>>false</ns1:skydiver>
          <ns1:ssn>111-11-1111</ns1:ssn>
        </ns1:Person>
      </ns1:WorkDocuments>
      <ns1:Messages version="2.0">
        <ns1:Message>
          <ns1:severity>Info</ns1:severity>
          <ns1:text>A person 45 years old or younger is rated as low risk.</ns1:text>
          <ns1:entityReference href="#Person_id_1" />
        </ns1:Message>
      </ns1:Messages>
    </ns1:CorticonResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

Corticon Server has handled our request to use version 2.0 of the Decision Service. The age threshold of 45 is our hint that version 2.0 was executed.

Default behavior with no target version

How does Corticon Server respond when no `decisionServiceTargetVersion` is specified in a request message? In this case, Corticon Server will select the *highest* Major.Minor Version number available for the requested Decision Service and execute it.

Consider a scenario where the following versions are deployed:

```
v1.0
v1.1
v1.2
v2.0
v2.1
```


When no Version Number or EffectiveTimestamp is specified, the Server executes against v2.1 (if its Effective/Expiration range is valid). However, when Major Version 1 is passed in without an EffectiveTimestamp specified, the Server executes against v1.2 (if its Effective/Expiration range is valid).

How to invoke a Decision Service by date

When multiple Major versions of a Decision Service also contain different Effective and Expiration Dates, we can also instruct Corticon Server to execute a Decision Service according to a date specified in the request message. This specified date is called the **Decision Service Effective Timestamp**.

How Corticon Server decides which Decision Service to execute based on the **Decision Service Effective Timestamp** value involves a bit more logic than the Major Version number. Let's use a graphical representation of the three **Decision Service Effective** and **Expiration Date** values to first understand how they relate.

Figure 17: DS Effective and Expiration Date Timeline




As illustrated, our three deployed Decision Services have Effective and Expiration dates that overlap in several date ranges: Version 1 and Version 2 overlap from July 1, 2013 through December 31, 2013. And Version 3 overlaps with both 1 and 2 in July-August 2013. To understand how Corticon Server resolves these overlaps, we will invoke Corticon Server with a few scenarios.

Modifying the sample Rulesheets and Ruleflows

First, let's extend or revise the Ruleflows that were specified in the previous section.

We edited the Version1 Ruleflow to set the date and time of the Effective Date and Expires Date, as shown:

Figure 18: Ruleflow in folder Version1 with dateTime set



We proceed to edit the other two Ruleflows as shown:

Figure 19: Ruleflow in folder Version2 with dateTime set

Figure 20: Ruleflow in folder Version3 with dateTime set

How to specify Decision Service effective timestamp in a SOAP request message

As with `decisionServiceTargetVersion`, the `CorticonRequest` complexType also includes an optional `decisionServiceEffectiveTimestamp` attribute. This attribute (again, we're talking about attribute in the XML sense, not the Corticon Vocabulary sense) is included in all service contracts generated from Corticon Studio. Refer to the topic [How to integrate Corticon Decision Services](#) on page 45 for full details of the XML service contracts supported (XSD and WSDL).

The relevant section of the XSD is shown below:

```
<xsd:attribute name="decisionServiceEffectiveTimestamp" use="optional"
type="xsd:dateTime" />
```

Updating `CorticonRequest` with `decisionServiceEffectiveTimestamp` according to the XSD, our new XML payload looks like this:

```
<CorticonRequest xmlns="urn:decision:tutorial_example"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
decisionServiceName="skydiver4_dates"
decisionServiceEffectiveTimestamp="8/15/2012">
<WorkDocuments>
  <Person id="Person_id_2">
```

```

    <age>42</age>
    <skydiver>true</skydiver>
    <ssn>111-22-1111</ssn>
  </Person>
</WorkDocuments>
</CorticonRequest>

```

Execute the request - Use your preferred SOAP API to execute the request. The response from Corticon Server is:

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <ns1:CorticonResponse xmlns:ns1="urn:decision:tutorial_example"
      xmlns="urn:decision:tutorial_example" decisionServiceEffectiveTimestamp="8/15/2012"
      decisionServiceName="skydiver4_dates">
      <ns1:WorkDocuments>
        <ns1:Person id="Person_id_2">
          <ns1:age>42</ns1:age>
          <ns1:riskRating>medium</ns1:riskRating>
          <ns1:skydiver>>false</ns1:skydiver>
          <ns1:ssn>111-22-1111</ns1:ssn>
        </ns1:Person>
      </ns1:WorkDocuments>
      <ns1:Messages version="1.0">
        <ns1:Message>
          <ns1:severity>Info</ns1:severity>
          <ns1:text>A person over 35 years old that does not skydive is rated as medium
            risk.</ns1:text>
          <ns1:entityReference href="#Person_id_2" />
        </ns1:Message>
      </ns1:Messages>
    </ns1:CorticonResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Corticon Server executed this request message using Decision Service version 1.0, which has the Effective/Expiration Date pair of 1/1/2012—12/31/2013. That is the only version of the Decision Service “effective” for the date specified in the request message’s Effective Timestamp. The version that was executed shows in the version attribute of the <Messages> complexType.

To illustrate what happens when an Effective Timestamp falls in range of more than one Major Version of deployed Decision Services, let’s modify our request message with a decisionServiceEffectiveTimestamp of 8/15/2013, as shown:

```

<CorticonRequest xmlns="urn:decision:tutorial_example"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  decisionServiceName="skydiver4_dates"
  decisionServiceEffectiveTimestamp="8/15/2013">
  <WorkDocuments>
    <Person id="Person_id_2">
      <age>42</age>
      <skydiver>true</skydiver>
      <ssn>111-22-1111</ssn>
    </Person>
  </WorkDocuments>
</CorticonRequest>

```

Send this request to Corticon Server, and then examine the response:

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">

```

```

<soapenv:Body>
  <ns1:CorticonResponse xmlns:ns1="urn:decision:tutorial_example"
xmlns="urn:decision:tutorial_example" decisionServiceEffectiveTimestamp="8/15/2013"
decisionServiceName="skydiver4_dates">
    <ns1:WorkDocuments>
      <ns1:Person id="Person_id_2">
        <ns1:age>42</ns1:age>
        <ns1:riskRating>low</ns1:riskRating>
        <ns1:skydiver>>false</ns1:skydiver>
        <ns1:ssn>111-22-1111</ns1:ssn>
      </ns1:Person>
    </ns1:WorkDocuments>
    <ns1:Messages version="3.0">
      <ns1:Message>
        <ns1:severity>Info</ns1:severity>
        <ns1:text>A person 55 years old or younger is rated as low risk.</ns1:text>
        <ns1:entityReference href="#Person_id_2" />
      </ns1:Message>
    </ns1:Messages>
  </ns1:CorticonResponse>
</soapenv:Body>
</soapenv:Envelope>

```

This time Corticon Server executed the request with version 3. It did so because whenever a request's `decisionServiceEffectiveTimestamp` value falls within range of more than one deployed Decision Service, Corticon Server chooses the Decision Service with the *highest* Major Version number. In this case, all three Decision Services were effective on 8/15/2013, so Corticon Server chose version 3 – the highest qualifying Version – to execute the request.

How to specify both major version and effective timestamp

Specifying both attributes in a single request message is allowed, only where the minor version identifier is not used.

```

ICcRulesMessages      execute(String astrDecisionServiceName,
                        Collection acolWorkObjs,
                        Date adDecisionServiceEffectiveTimestamp,
                        int aiDecisionServiceTargetMajorVersion)

ICcRulesMessages      execute(String astrDecisionServiceName,
                        Map amapWorkObjs,
                        Date adDecisionServiceEffectiveTimestamp,
                        int aiDecisionServiceTargetMajorVersion)

```

Default behavior with no timestamp

How does Corticon Server respond when *no* `decisionServiceEffectiveTimestamp` is specified in a request message? In this case, Corticon Server will assume that the value of `decisionServiceEffectiveTimestamp` is equal to the `DateTime` of invocation – the `DateTime` *right now*. Corticon Server then selects the Decision Service which is effective now. If more than one are effective then Corticon Server selects the Decision Service with the highest Major.Minor Version number (as we saw in the overlap example).

```

<CorticonRequest xmlns="urn:decision:tutorial_example"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
decisionServiceName="skydiver4_dates">
  <WorkDocuments>
    <Person id="Person_id_2">

```

```
<age>42</age>
<skydiver>true</skydiver>
<ssn>111-22-1111</ssn>
  </Person>
</WorkDocuments>
</CorticonRequest>
```

As expected, the current date (this document was drafted on 8/15/2013) was effective in all three versions. As such, the highest version applied and is noted in the reply:

```
<ns1:Messages version="3.0">
```

Summary of major version and effective timestamp behavior

Request Specifies Major Version?	Request Specifies Minor Version?	Request Specifies Timestamp?	Server Behavior
No	No	No	Execute the highest Major.Minor version Production Decision Service that is in effect based on the invocation timestamp
Yes	No	No	Execute the given Major version's highest minor version Production Decision Service that is in effect based on the invocation timestamp
Yes	Yes	No	Execute the given combined Major.Minor version <i>Production or Test</i> Decision Service that is in effect based on the invocation timestamp
Yes	Yes	Yes	Server error, see the figure, Server Error Due to Specifying Both Major.Minor Version and Timestamp , above.
No	No	Yes	Execute the highest Major.Minor version Production Decision Service that is in effect based on the specified timestamp
Yes	No	Yes	Execute the given Major version's highest minor version Production Decision Service that is in effect based on the specified timestamp

Enable Server handling of locales languages and time zones

By default, Corticon Server will parse input data and return output using the locale of the system where it is running. When deploying Decision Services that will be called by users or services running in different locales, you need to address issues with locale-dependent data formats and localized messages. When calling a Corticon Server in a different locale, you need to pass with the input payload the `locale` property. This property instructs Corticon how to parse locale dependent data such as dates and numbers in the input payload and how to format data returned. In addition to formatting of data returned, the `locale` property will cause rule messages to be returned in the specified locale if translations for those messages are defined in the Decision Service. When calling a Corticon Server in a different time zone, set the `timezone` property in the input payload so that the server can transform the payload's time calculations to the time zone of the server, run the rules, and return the output formatted for the submitter's specified time zone.

Note: Locale can be set in Studio for running Ruletest Testsheets in Studio and against a server. See *"How to set the locale for a Testsheet"* in the Quick Reference Guide. Also see *"How to localize Corticon Studio"* in the Quick Reference Guide.

For details, see the following topics:

- [How to handle requests and replies across locales](#)
- [Examples of cross-locale processing](#)
- [Example of cross-locale literal dates](#)
- [Example of requests that cross time zones](#)

How to handle requests and replies across locales

When a Corticon service request document provides data formats that are unsupported by the Server, the request throws an exception. The two most common issues are:

- Inconsistent parsing of the decimal delimiter - For example, a message is supplying a comma (such as "157,1") and the Server is expecting a period ("157.1")
- Inconsistent name of a literal month name - For example, a message is supplying a French name (such as "avril") and the Server is expecting an English name ("April")

An inbound message can provide the locale of the message payload in the form:

```
<ExecutionProperties>>  
  <ExecutionProperty name="PROPERTY_EXECUTION_LOCALE" value="language-country" />  
</ExecutionProperties>>
```

where *language-country* is a Java standard identifier, such as en-US for **English-United States**.


When the message's locale is specified, it is used at rule execution time regardless of the Server's default locale. If the Rulesheet has a matching locale, those rule statement messages are used. When rule processing is complete, the output response maps the results to the formats of the requestor's locale, and--when rule statement messages are available for the requestor's locale--messages for that locale are included.

Note: Matching a literal month name must have the appropriate case and diacritical marks, such as août, décembre and März.

Note: When the `locale` property is not set on an inbound request, the Corticon Server assumes the locale of the server machine, or the language that is set as an override in the Java startup of the server. That setting will use locale settings in Corticon Rulesheets for rulestatement messages so that a server running the Rulesheet's Decision Service would get rule statements that are specified for that locale.

Examples of cross-locale processing

If you have Decision Service that is called from English and German locales you would want to define translations for your rule statements as shown here:



The internationalization feature uses the English rule statements in replies to requests. When the Server is set to German, it uses the German rule statements in replies to requests.

When a request does not indicate its language and locale, and the request has decimal values or literal dates that are not consistent with the server's format, the request message throws an exception.

When a request includes the execution property `PROPERTY_EXECUTION_LOCALE` and a valid value, the provided locale is used to parse data values in the request document and to produce the response document. In the response document, the provided locale is used to format data values and to select the localized rule messages to return. Data types with locale dependencies are decimal and literal dates. If an invalid locale is provided, an exception is thrown. If localized rule messages were not defined, the default rule messages are used.

Using the example of the English-German rulesheet and if the Decision Service is running on a `en-US` system, consider the following messages:

The following request specifies German, `de-DE`, as its locale:

```
<CorticonRequest xmlns="urn:Corticon" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  decisionServiceName="Order_localeAware">
  <ExecutionProperties>
  <ExecutionProperty name="PROPERTY_EXECUTION_LOCALE" value="de-DE" />
  </ExecutionProperties>
  <WorkDocuments>
  <Order id="Order_id_1">
    <dueDate>08/25/14</dueDate>
    <total xsi:nil="1" />
    <myItems id="Item_id_1">
      <price>10,250000</price>
      <product>Ball</product>
      <quantity>20</quantity>
    </myItems>
  </Order>
  </WorkDocuments>
</CorticonRequest>
```

```

    </myItems>
  </Order>
  ...
</WorkDocuments>
</CorticonRequest>

```

The response specifies German, `de-DE`, as its locale. The messages are in German and the decimal values are delimited correctly:

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <ns1:CorticonResponse xmlns:ns1="urn:Corticon"
      xmlns="urn:Corticon" decisionServiceName="Order_localeAware">
      <ns1:ExecutionProperties>
        <ns1:ExecutionProperty name="PROPERTY_EXECUTION_LOCALE"
          value="de-DE" />
      </ns1:ExecutionProperties>
      <ns1:WorkDocuments>
        <ns1:Order id="Order_id_1">
          <ns1:dueDate>2014-09-25</ns1:dueDate>
          <ns1:shipped>true</ns1:shipped>
          <ns1:shippedOn>2014-04-30T23:00:00.000-05:00</ns1:shippedOn>
          <ns1:total>205,000000</ns1:total>
          <ns1:myItems id="Item_id_1">
            <ns1:price>10,250000</ns1:price>
            <ns1:product>Ball</ns1:product>
            <ns1:quantity>20</ns1:quantity>
            <ns1:subtotal>205,000000</ns1:subtotal>
          </ns1:myItems>
        </ns1:Order>
        ...
      </ns1:WorkDocuments>
      <ns1:Messages version="1.10">
        <ns1:Message>
          <ns1:severity>Info</ns1:severity>
          <ns1:text>die Zwischensumme der Posten für Pencil ist 5,000000.</ns1:text>
          <ns1:entityReference href="#Item_id_4" />
        </ns1:Message>
        <ns1:Message>
          <ns1:severity>Info</ns1:severity>
          <ns1:text>die Zwischensumme der Posten für Ball ist 205,000000.</ns1:text>
          <ns1:entityReference href="#Item_id_1" />
        </ns1:Message>
        ...
        <ns1:Message>
          <ns1:severity>Info</ns1:severity>
          <ns1:text>die Gesamt Paket versenden 05/01/14 12:00:00 AM</ns1:text>
          <ns1:entityReference href="#Order_id_1" />
        </ns1:Message>
      </ns1:Messages>
    </ns1:CorticonResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

This request specifies French, `fr-FR`, as its locale:

```

  <ns1:CorticonResponse xmlns:ns1="urn:Corticon" xmlns="urn:Corticon"
    decisionServiceName="Order_localeAware">
    <ns1:ExecutionProperties>
      <ns1:ExecutionProperty name="PROPERTY_EXECUTION_LOCALE"
        value="fr-FR" />

```

```
</ns1:ExecutionProperties>
...
```

The response specifies French as its locale but, while the messages default to English, the decimal values are processed and then delimited correctly:

```
<ns1:Messages version="1.10">
  <ns1:Message>
    <ns1:severity>Info</ns1:severity>
    <ns1:text>The subtotal of line item for Ball is 205,000000.</ns1:text>
    <ns1:entityReference href="#Item_id_1" />
  </ns1:Message>
  <ns1:Message>
    <ns1:severity>Info</ns1:severity>
    <ns1:text>The subtotal of line item for Pencil is 5,000000.</ns1:text>
    <ns1:entityReference href="#Item_id_4" />
  </ns1:Message>
  ...
```

Example of cross-locale literal dates

When a request provides dates in literal format, the date is transformed into a standard (or default format) YYYY-MM-DD form for processing and is returned in the same format; in other words, the date format in the request is lost. A `dateTime` attribute is returned in Zulu format.

If it is a requirement that the date format in the response be the same as it was in the request, you can stop the server from forcing `dateTime` request values in the response to Zulu format. You can set a server option that specifies that the `date` and `dateTime` formats in the response must be the same as those in the request.

Note: Attributes in a response that were not specified in its request message will have the standard `date` and `dateTime` formats for the locale.

To use literal names for input dates echoed in the response:

1. Stop the server.
2. Locate and edit the `brms.properties` text file.
3. Add (or update) the line
`com.corticon.ccserver.ensureComplianceWithServiceContract.lenientDateTimeFormat=true`
4. Save the edited file.
5. Start the server.

The following request from `de-DE` is like the one in the previous topic except that it submits literal month names, in this case `Sep` and `Okt`:

```
<?xml version="1.0" encoding="UTF-8"?>
<CorticonRequest xmlns="urn:Corticon" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  decisionServiceName="Order_localeAware">
  <ExecutionProperties>
    <ExecutionProperty name="PROPERTY_EXECUTION_LOCALE" value="de-DE" />
  </ExecutionProperties>
  <WorkDocuments>
    <Order id="Order_id_1">
```

```

    <dueDate>Sep 25, 2014</dueDate>
    <total xsi:nil="1" />
    <myItems id="Item_id_1">
      <price>10,250000</price>
      <product>Ball</product>
      <quantity>20</quantity>
    </myItems>
  </Order>
  <Order id="Order_id_2">
    <dueDate>Okt 9, 2014</dueDate>
    <myItems id="Item_id_4">
      <price>0,050000</price>
      <product>Pencil</product>
      <quantity>100</quantity>
    </myItems>
  </Order>
</WorkDocuments>
</CorticonRequest>

```

The response handles not only the decimal delimiter and German rule statements, it also adds a month to the dates so it calculates and then replies with Okt and Nov:

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <ns1:CorticonResponse xmlns:ns1="urn:Corticon" xmlns="urn:Corticon"
decisionServiceName="Order_localeAware">
      <ns1:ExecutionProperties>
        <ns1:ExecutionProperty name="PROPERTY_EXECUTION_LOCALE"
          value="de-DE" />
      </ns1:ExecutionProperties>
      <ns1:WorkDocuments>
        <ns1:Order id="Order_id_1">
          <ns1:dueDate>Okt 26, 2014</ns1:dueDate>
          <ns1:shipped>true</ns1:shipped>
          <ns1:shippedOn>05/01/14 12:00:00 AM</ns1:shippedOn>
          <ns1:total>205,000000</ns1:total>
          <ns1:myItems id="Item_id_1">
            <ns1:price>10,250000</ns1:price>
            <ns1:product>Ball</ns1:product>
            <ns1:quantity>20</ns1:quantity>
            <ns1:subtotal>205,000000</ns1:subtotal>
          </ns1:myItems>
        </ns1:Order>
        ...
      </ns1:WorkDocuments>
      <ns1:Messages version="1.10">
        <ns1:Message>
          <ns1:severity>Info</ns1:severity>
          <ns1:text>die Zwischensumme der Posten für Ball ist 205,000000.</ns1:text>
          <ns1:entityReference href="#Item_id_1" />
        </ns1:Message>
        ...
        <ns1:Message>
          <ns1:severity>Info</ns1:severity>
          <ns1:text>die Gesamt Paket versenden 05/01/14 12:00:00 AM</ns1:text>
          <ns1:entityReference href="#Order_id_2" />
        </ns1:Message>
      </ns1:Messages>
    </ns1:CorticonResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Similarly, the following fr-FR request is similar to the one in the previous topic except that it submits literal month names, in this case `avril` and `juillet`:

Note: Case is important.

```
<?xml version="1.0" encoding="UTF-8"?>
<CorticonRequest xmlns="urn:Corticon" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
decisionServiceName="Order_localeAware">
  <ExecutionProperties>
    <ExecutionProperty name="PROPERTY_EXECUTION_LOCALE"
      value="fr-FR" />
  </ExecutionProperties>
  <WorkDocuments>
    <Order id="Order_id_1">
      <dueDate>avril 25, 2014</dueDate>
      <total xsi:nil="1" />
      <myItems id="Item_id_1">
        <price>10,250000</price>
        <product>Ball</product>
        <quantity>20</quantity>
      </myItems>
    </Order>
    ...
  </WorkDocuments>
</CorticonRequest>
```

The response handles the decimal delimiter and uses English rule statements. It adds a month to the dates so it calculates and then replies with `mai` and `août` (Note that when diacritical marks are used, they must be written appropriately in the request.):

Note: When diacritical marks are used, they must be written appropriately in the request and are formatted correctly in replies.

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <ns1:CorticonResponse xmlns:ns1="urn:Corticon" xmlns="urn:Corticon"
decisionServiceName="Order_localeAware">
      <ns1:ExecutionProperties>
        <ns1:ExecutionProperty name="PROPERTY_EXECUTION_LOCALE"
          value="fr-FR" />
      </ns1:ExecutionProperties>
      <ns1:WorkDocuments>
        <ns1:Order id="Order_id_1">
          <ns1:dueDate>mai 26, 2014</ns1:dueDate>
          <ns1:shipped>true</ns1:shipped>
          <ns1:shippedOn>05/01/14 12:00:00 AM</ns1:shippedOn>
          <ns1:total>205,000000</ns1:total>
          <ns1:myItems id="Item_id_1">
            <ns1:price>10,250000</ns1:price>
            <ns1:product>Ball</ns1:product>
            <ns1:quantity>20</ns1:quantity>
            <ns1:subtotal>205,000000</ns1:subtotal>
          </ns1:myItems>
        </ns1:Order>
        ...
      </ns1:WorkDocuments>
      <ns1:Messages version="1.10">
        <ns1:Message>
```

```

        <ns1:severity>Info</ns1:severity>
        <ns1:text>The subtotal of line item for Pencil is 5,000000.</ns1:text>
        <ns1:entityReference href="#Item_id_4" />
    </ns1:Message>
    <ns1:Message>
        <ns1:severity>Info</ns1:severity>
        <ns1:text>The subtotal of line item for Ball is 205,000000.</ns1:text>
        <ns1:entityReference href="#Item_id_1" />
    </ns1:Message>
    ...
</ns1:Messages>
</ns1:CorticonResponse>
</soapenv:Body>
</soapenv:Envelope>

```

To complete the permutations, an en_US on a corresponding system, performs no special operations to the locale setting:

```

<?xml version="1.0" encoding="UTF-8"?>
<CorticonRequest xmlns="urn:Corticon" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
decisionServiceName="Order_localeAware">
  <ExecutionProperties>
    <ExecutionProperty name="PROPERTY_EXECUTION_LOCALE"
                        value="en-US" />
  </ExecutionProperties>
  <WorkDocuments>
    <Order id="Order_id_1">
      <dueDate>May 25, 2014</dueDate>
      <total xsi:nil="1" />
      <myItems id="Item_id_1">
        <price>10.250000</price>
        <product>Ball</product>
        <quantity>20</quantity>
      </myItems>
    </Order>
    ...
  </WorkDocuments>
</CorticonRequest>

```

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <ns1:CorticonResponse xmlns:ns1="urn:Corticon" xmlns="urn:Corticon"
decisionServiceName="Order_localeAware">
      <ns1:ExecutionProperties>
        <ns1:ExecutionProperty name="PROPERTY_EXECUTION_LOCALE"
                                value="en-US" />
      </ns1:ExecutionProperties>
      <ns1:WorkDocuments>
        <ns1:Order id="Order_id_1">
          <ns1:dueDate>June 25, 2014</ns1:dueDate>
          <ns1:shipped>true</ns1:shipped>
          <ns1:shippedOn>5/1/14 12:00:00 AM</ns1:shippedOn>
          <ns1:total>205.000000</ns1:total>
          <ns1:myItems id="Item_id_1">
            <ns1:price>10.250000</ns1:price>
            <ns1:product>Ball</ns1:product>
            <ns1:quantity>20</ns1:quantity>
            <ns1:subtotal>205.000000</ns1:subtotal>
          </ns1:myItems>
        </ns1:Order>

```

```

...
</ns1:WorkDocuments>
<ns1:Messages version="1.10">
  <ns1:Message>
    <ns1:severity>Info</ns1:severity>
    <ns1:text>The subtotal of line item for Pencil is 5.000000.</ns1:text>
    <ns1:entityReference href="#Item_id_4" />
  </ns1:Message>
  <ns1:Message>
    <ns1:severity>Info</ns1:severity>
    <ns1:text>The subtotal of line item for Ball is 205.000000.</ns1:text>
    <ns1:entityReference href="#Item_id_1" />
  </ns1:Message>
  ...
</ns1:Messages>
</ns1:CorticonResponse>
</soapenv:Body>
</soapenv:Envelope>

```

Example of requests that cross time zones

To call a Decision Service in another time zone, you need to specify the `timezone` property so dates and times are correctly handled.

Note: Time zone name strings are as presented in the TZ column of the table in [Wikipedia's TZ topic](#). Refer to the [Internet Assigned Numbers Authority \(IANA\)](#) for time zone changes and updated name assignments.

Consider the following example where the request originates in New York City (-5:00 offset from GMT) to a server in Los Angeles (-8:00 offset from GMT):

```

<?xml version="1.0" encoding="UTF-8"?>
<CorticonRequest xmlns="urn:Corticon" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  decisionServiceName="timezonetest">
  <WorkDocuments>
    <Entity_1 id="Entity_1_id_1"/>
  </WorkDocuments>
</CorticonRequest>

<?xml version="1.0" encoding="UTF-8"?>
<CorticonResponse xmlns="urn:Corticon"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" decisionServiceName="timezonetest">

  <WorkDocuments>
    <Entity_1 id="Entity_1_id_1">
      <Time1>16:24:35.000-08:00</Time1>
    </Entity_1>
  </WorkDocuments>
  <Messages version="1.0" />
</CorticonResponse>

```

When the request sets its time zone property, the response adjusts the time offset appropriately:

```

<?xml version="1.0" encoding="UTF-8"?>
<CorticonRequest xmlns="urn:Corticon" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  decisionServiceName="timezonetest">

```

```
<ExecutionProperties>
<ExecutionProperty name="PROPERTY_EXECUTION_TIMEZONE"
                    value="America/New_York" />
</ExecutionProperties>
<WorkDocuments>
  <Entity_1 id="Entity_1_id_1"/>
</WorkDocuments>
</CorticonRequest>

<?xml version="1.0" encoding="UTF-8"?>
<CorticonResponse xmlns="urn:Corticon"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" decisionServiceName="timezonetest">

  <ExecutionProperties>
    <ExecutionProperty name="PROPERTY_EXECUTION_TIMEZONE"
                      value="America/New_York" />
  </ExecutionProperties>
  <WorkDocuments>
    <Entity_1 id="Entity_1_id_1">
      <Time1>16:24:35.000-05:00</Time1>
    </Entity_1>
  </WorkDocuments>
  <Messages version="1.0" />
</CorticonResponse>
```

When that same server gets a request indicating that it is using Chicago's time, that time offset (-6:00 offset from GMT) is in the reply:

```
<?xml version="1.0" encoding="UTF-8"?>
<CorticonRequest xmlns="urn:Corticon" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
decisionServiceName="timezonetest">
  <ExecutionProperties>
    <ExecutionProperty name="PROPERTY_EXECUTION_TIMEZONE"
                      value="America/Chicago" />
  </ExecutionProperties>
  <WorkDocuments>
    <Entity_1 id="Entity_1_id_1"/>
  </WorkDocuments>
</CorticonRequest>

<?xml version="1.0" encoding="UTF-8"?>
<CorticonResponse xmlns="urn:Corticon"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" decisionServiceName="timezonetest">

  <ExecutionProperties>
    <ExecutionProperty name="PROPERTY_EXECUTION_TIMEZONE"
                      value="America/Chicago" />
  </ExecutionProperties>
  <WorkDocuments>
    <Entity_1 id="Entity_1_id_1">
      <Time1>15:24:35.000-06:00</Time1>
    </Entity_1>
  </WorkDocuments>
  <Messages version="1.0" />
</CorticonResponse>
```

Sample client applications

Corticon Server installations include sample applications demonstrating how to call a Decision Service. While the functionality of the samples is substantially identical, the contrast of SOAP and REST written in various languages -- Java, C#, JavaScript, Python -- provides developers a solid base to get started calling Decision Services. The source samples are heavily commented. The samples are in a Corticon Server installation's [CORTICON_WORK_DIR]\Samples\Clients directory.

To get started calling Corticon as a Web Service, see one of these samples:

- C-sharp
 - C-sharp\RESTClient
 - C-sharp\SOAPClient
- Java
 - Java\RESTClient
 - Java\SOAPClient
- JavaScript
 - JavaScript\RESTClient
- Python
 - Python\RESTClient

To get started calling Corticon in-process, see the Deploy Corticon Server in an Application content and the samples:

- In Process\C-sharp

- In Process\Java

For an example of more of the Corticon API in use see:

- REST\CcServerRestTest.java
- SOAP\CcServerApiTest.java