



# LoadMaster for Azure Classic Interface

## **Feature Description**

UPDATED: 27 July 2023

### Copyright Notices

**© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.**

These materials and all Progress® software products are copyrighted and all rights are reserved by Progress Software Corporation. The information in these materials is subject to change without notice, and Progress Software Corporation assumes no responsibility for any errors that may appear therein. The references in these materials to specific platforms supported are subject to change.

#1 Load Balancer in Price/Performance, 360 Central, 360 Vision, Chef, Chef (and design), Chef Habitat, Chef Infra, Code Can (and design), Compliance at Velocity, Corticon, Corticon.js, DataDirect (and design), DataDirect Cloud, DataDirect Connect, DataDirect Connect64, DataDirect XML Converters, DataDirect XQuery, DataRPM, Defrag This, Deliver More Than Expected, DevReach (and design), Driving Network Visibility, Flowmon, Inspec, Ipswitch, iMacros, K (stylized), Kemp, Kemp (and design), Kendo UI, Kinvey, LoadMaster, MessageWay, MOVEit, NativeChat, OpenEdge, Powered by Chef, Powered by Progress, Progress, Progress Software Developers Network, SequeLink, Sitefinity (and Design), Sitefinity, Sitefinity (and design), Sitefinity Insight, SpeedScript, Stylized Design (Arrow/3D Box logo), Stylized Design (C Chef logo), Stylized Design of Samurai, TeamPulse, Telerik, Telerik (and design), Test Studio, WebSpeed, WhatsConfigured, WhatsConnected, WhatsUp, and WS\_FTP are registered trademarks of Progress Software Corporation or one of its affiliates or subsidiaries in the U.S. and/or other countries.

Analytics360, AppServer, BusinessEdge, Chef Automate, Chef Compliance, Chef Desktop, Chef Workstation, Corticon Rules, Data Access, DataDirect Autonomous REST Connector, DataDirect Spy, DevCraft, Fiddler, Fiddler Classic, Fiddler Everywhere, Fiddler Jam, FiddlerCap, FiddlerCore, FiddlerScript, Hybrid Data Pipeline, iMail, InstaRelinker, JustAssembly, JustDecompile, JustMock, KendoReact, OpenAccess, PASOE, Pro2, ProDataSet, Progress Results, Progress Software, ProVision, PSE Pro, Push Jobs, SafeSpaceVR, Sitefinity Cloud, Sitefinity CMS, Sitefinity Digital Experience Cloud, Sitefinity Feather, Sitefinity Thunder, SmartBrowser, SmartComponent, SmartDataBrowser, SmartDataObjects, SmartDataView, SmartDialog, SmartFolder, SmartFrame, SmartObjects, SmartPanel, SmartQuery, SmartViewer, SmartWindow, Supermarket, SupportLink, Unite UX, and WebClient are trademarks or service marks of Progress Software Corporation and/or its subsidiaries or affiliates in the U.S. and other countries. Java is a registered trademark of Oracle and/or its affiliates. Any other marks contained herein may be trademarks of their respective owners.

Please refer to the NOTICE.txt or Release Notes – Third-Party Acknowledgements file applicable to a particular Progress product/hosted service offering release for any related required third-party acknowledgements.

# Table of Contents

---

<b>1 Introduction</b>	<b>4</b>
1.1 Load Balancing in Microsoft Azure	4
1.2 Known Issues/Limitations	7
<b>2 Installation Prerequisites</b>	<b>8</b>
<b>3 Creating a LoadMaster for Azure VM</b>	<b>9</b>
3.1 Create an SSH Key Pair	9
3.2 Bring Your Own License (BYOL)	12
3.3 Creating a LoadMaster for Azure VM	13
3.3.1 Recommended Pricing Tier	21
3.4 Licensing and Initial Configuration	21
<b>4 Creating Connected VMs</b>	<b>23</b>
4.1 Creating a Connected VM	23
<b>5 Creating Virtual Services</b>	<b>28</b>
<b>References</b>	<b>30</b>
<b>Last Updated Date</b>	<b>31</b>

# 1 Introduction

Microsoft Azure has two different models for deploying services: **Resource Manager** and **Classic**. The main body of this guide covers setting up the LoadMaster using the **Classic** method. For steps using the **Resource Manager** method, please refer to the [LoadMaster for Azure Resource Manager, Feature Description](#).


This document is intended to provide an overview of LoadMaster for Azure and to introduce some basic aspects of LoadMaster functionality.

## 1.1 Load Balancing in Microsoft Azure

Before we create a LoadMaster Virtual Machine (VM) in Azure, it is important to understand the traffic flow so that VMs in Microsoft Azure can be configured appropriately.

Microsoft Azure Infrastructure as a Service (IaaS) deployments accept traffic only on published endpoints. Any request to access Microsoft Azure workloads passes through the default load balancing layer of the Microsoft Azure platform. The figure below depicts the default deployment without the use of a Kemp LoadMaster in Azure.

## 1 Introduction



Any workload being published consists of a cloud service, which represents a single VM or multiple VMs. When a VM is created, if a cloud service exists, you have an option to connect the VM to an existing cloud service. As more VMs are connected to an existing VM (and thus to an existing Cloud Service), the built-in Microsoft Azure load balancer distributes connections when creating a load-balanced endpoint.


If you wish to use LoadMaster for Azure for your deployment, the following steps must be completed:

1. The LoadMaster for Azure needs to be deployed first, creating the required cloud service.
2. All the VMs that need to be load balanced using the LoadMaster can then be created and must be connected to the existing LoadMaster VM to create the required grouping.

## 1 Introduction

3. Finally, when creating endpoints, we cannot use the **Load-Balance traffic on an existing endpoint** option in Azure as we do not want to use the Microsoft Azure Load Balancer to load balance incoming connections.

The figure below depicts the flow when LoadMaster for Azure is deployed:



Notice that VM1, VM2 and VM3 in this example are grouped into a single cloud service and the endpoint for published Virtual Services is created only on the LoadMaster VM. By doing this, we receive all load balanced traffic on the LoadMaster VM and the logic of load balancing incoming connections are applied as per the configured Virtual Service on the LoadMaster for a given workload.

Also notice that VM1, VM2 and VM3 will not have any endpoints as they are not going to be published directly to the internet.

---

There may be exceptions to this rule for connections that require direct connectivity to the VM such as Remote Desktop Connections to Windows Server OS.

---

## 1.2 Known Issues/Limitations

There are a couple of known issue/limitation to be aware of:

- Transparency is not possible in the Azure LoadMaster. **Transparency** must be disabled in the Virtual Service settings on the LoadMaster (**Virtual Services > View/Modify Services > Modify > Standard Options**).
- Do not downgrade from firmware version 7.2.36 or higher to a version below 7.2.36. If you do this, the LoadMaster becomes inaccessible and you cannot recover it.

---

It is not possible to bond interfaces on Azure LoadMasters.

---

- Alternate default gateway support is not permitted in a cloud environment.

# 2 Installation Prerequisites

To support LoadMaster for Azure, the following are required:

- An active subscription of Microsoft Azure Virtual Machines
- A client computer running Windows 7 or newer
- Internet Explorer 9 or newer, or any modern browser
- A minimum of 2GB RAM on the cloud environment



# 3 Creating a LoadMaster for Azure VM

Please ensure that the prerequisites documented in the earlier section are met.


## 3.1 Create an SSH Key Pair

When creating a LoadMaster for Azure VM, there are two options for authentication - a password or an SSH public key. Kemp recommends using a password, but either way will work fine. If you choose to use a password, this section can be skipped and you can move on to the **Bring Your Own License (BYOL)** section to create the LoadMaster for Azure VM. If you choose to use an SSH public key, an SSH key pair will need to be created.

To create an SSH key pair, you will need to use a program such as the **PuTTYgen** or **OpenSSH**. As an example for this document, the steps in **PuTTYgen** are below:


1. Open PuTTYgen.

## 3 Creating a LoadMaster for Azure VM



2. Click **Generate**.

## 3 Creating a LoadMaster for Azure VM



3. Move the mouse over the blank area in the middle. This generates a random pattern that is used to generate the key pair.



4. Copy and save the public and private key as needed.

---

It is recommended to store SSH keys in a secure location.

---

## 3.2 Bring Your Own License (BYOL)

In addition to other licensing options for Azure, it is possible to “bring your own license”. To do this, follow the steps below:

1. Deploy the **BYOL and Free** version of the Virtual LoadMaster (follow the steps in the section below to do this).
2. Contact a Kemp representative to get a license.
3. Update the license on your LoadMaster to apply the license change (**System Configuration > System Administration > Update License**).

4. Kemp recommends rebooting after updating the license.

### 3.3 Creating a LoadMaster for Azure VM

The steps in this document reflect the steps in the Azure Marketplace (<http://portal.azure.com>).

Microsoft are recommending the use of the new Azure Resource Manager (ARM) portal, rather than the old classic interface. Please refer to the following Kemp knowledge base article on why Kemp recommends using the ARM mode of deployment: <https://support.kemptechnologies.com/hc/en-us/articles/115000520183>

The following procedure describes how to set up LoadMaster for Azure from the Windows Azure portal:

---


The steps below are carried out from <http://portal.azure.com> and not from <http://manage.windowsazure.com>.

---




1. From the Azure Management Portal dashboard, click **Marketplace**.

## 3 Creating a LoadMaster for Azure VM



2. In the **Marketplace** section, click **New**.

3 Creating a LoadMaster for Azure VM



3. Type **Kemp** in the search field and press **Enter** on the keyboard.

NAME	PUBLISHER	CATEGORY
 10 Gbps KEMP VLM for Azure (Hourly Billing)	Kemp Technologies Inc	Compute
 20 Mbps KEMP VLM for Azure (BYOL and Free)	Kemp Technologies Inc	Compute
 200 Mbps KEMP VLM for Azure (Hourly Billing)	Kemp Technologies Inc	Compute
 2 Gbps KEMP VLM for Azure (Hourly billing)	Kemp Technologies Inc	Compute
 5 Gbps KEMP VLM for Azure (Hourly Billing)	Kemp Technologies Inc	Compute

4. Select the appropriate Kemp Virtual LoadMaster image to deploy.

3 Creating a LoadMaster for Azure VM

Home

Virtual Services

Global Balancing

Statistics

Real Time Statistics

Historical Graphs

Real Servers

Rules & Checking

Certificates

System Configuration

LoadMaster

System Status

IP address: 192.168.65.130

Serial Number: 1027953

Boot Time: Mon Oct 12 15:56:50 UTC 2015

LoadMaster Version: 7.1-50-75

License: UJUD: 5c779e0d-a000-4509-a235-65c3b7a2a055

Activation date: Mon Oct 12 10:23:17 UTC 2015

Licensed until: November 12 2015

Support Level: Evaluation + WAF

Support Until: Wed Oct 12 04:00:00 UTC 2016

License Type: VLM-5000 ESP G60

License Status: Single Temp

Appliance Model: VLM-5000G+

CPU Load: 19%

TPS: Total 11 (5% 11)

WAF Stats: Total Handled: 0 Incidents: 0

NetLoad: MBits/sec

eth0: 0.4

eth1: 0.0

Upgrade

Copyright © 2002-2015 KEMP Technologies, Inc.

PUBLISHER

Kemp Technologies Inc

Product Information

How to deploy Virtual LoadMaster for Azure videos

Product DataSheet

Deployment Guide

High Availability Deployment for VLM-Azure

Solution Page

How to deploy and license LoadMaster for Azure

Licensing Feature Description

USEFUL LINKS

Select a deployment model


Classic

Create

5. Click **Create**.



## 3 Creating a LoadMaster for Azure VM



The screenshot shows a web form for creating a LoadMaster for Azure VM. It includes fields for Host Name (LM-HA1), User name (LMAdmin), Authentication type (Password selected), Password (masked with dots), Pricing Tier (Standard A1), Optional Configuration (Network, storage, diagnostics), Resource Group (Group-4), Subscription (Visual Studio Premium with MSDN), and Location (East US). There is a checkbox for 'Pin to dashboard' and buttons for 'Create' and 'View pricing summary'.

6. Provide details in the **Create VM** section. The details required to create new VM are:

a) **Host Name:** Provide a unique name for VM identification

---

Please contact Kemp for assistance with sizing.

---

b) **User Name:** This will not be used by LoadMaster for Azure. Provide a name of your choice. The default username to access the LoadMaster is **bal**.

c) Fill out the authentication details. There are two possible methods of authentication - using a password or an SSH key. Depending on what you select, complete the relevant step below:

- **Password:** Enter a password.

---

This password is used to access the LoadMaster WUI.

---

## 3 Creating a LoadMaster for Azure VM

- **SSH Public Key:** Paste the SSH public key which was created in the **Create an SSH Key Pair** section. The private key is needed to connect to the LoadMaster using SSH.

It is recommended to store SSH keys in a secure location.

d) Click Pricing Tier.

★ Recommended <a href="#">View all</a>		
A1 Standard ★	A3 Standard ★	A5 Standard ★
1 Core	4 Cores	2 Cores
1.75 GB	7 GB	14 GB
2 Data disks	8 Data disks	4 Data disks
2x500 Max IOPS	8x500 Max IOPS	4x500 Max IOPS
Load balancing	Load balancing	Load balancing
Auto scale	Auto scale	Auto scale
44.64 USD/MONTH (ESTIMATED)	178.56 USD/MONTH (ESTIMATED)	186.00 USD/MONTH (ESTIMATED)

e) Select from the recommended pricing tiers. Click **View all** if the recommended pricing tier is not meeting the recommended requirements (see the table in the **Recommended Pricing Tier** section for further information regarding what tier to select).

3 Creating a LoadMaster for Azure VM

Pricing Tier Standard A1	>
Optional Configuration Network, storage, diagnostics	>
Resource Group Group-4	>
Subscription Visual Studio Premium with MSDN	>
Location East US	>

7. Verify and change the settings related to network storage, resource group, subscription and location for the Virtual Machine, as needed.

Create

View pricing summary

8. Click **Create**.

3 Creating a LoadMaster for Azure VM

Offer details

20 Mbps KEMP VLM for Azure (BYOL and Free)  
by Kemp Technologies Inc  
Standard A1 VM

0.00 USD (Bring your own license)  
[Pricing for other VM sizes](#)

[Terms of use](#) and [privacy policy](#)

Pricing above does not include [Azure infrastructure costs](#) (e.g., virtual machine compute time or storage) and is based on the pricing tier you have selected. Neither Microsoft subscription credits nor monetary commitment funds may be used to purchase the above offering(s). These purchases are billed separately. If any Microsoft products are listed above (e.g., Windows Server or SQL Server), such products are licensed by Microsoft and not by any third party.

Terms of use

By clicking "Purchase," I (a) agree to the legal terms and privacy statement(s) associated with each offering above, (b) authorize Microsoft to charge or bill my current payment method on a quarterly basis for the fees associated with my use of the offering(s), including applicable taxes, until I discontinue use of the offering(s), and (c) agree that Microsoft may share my contact information with any third-party vendors, if listed above. Microsoft does not provide rights for third-party products or services. See the [Azure Marketplace Terms](#) for additional terms.

Purchase

9. In the **Purchase** section, click **Purchase** to start creation of the LoadMaster for Azure Virtual Machine.

### 3 Creating a LoadMaster for Azure VM

The creation of a VM may take a few minutes or more depending on the Azure portal's responsiveness and other factors. Ensure that the VM is created without any errors. Resolve any errors if needed.

End points are created automatically for port 22 and 8443. This is OK for a single LoadMaster unit. In a HA configuration, the end points will need to be changed. For instructions on how to configure HA in Azure, refer to the [HA for Azure, Installation Guide](#).

#### 3.3.1 Recommended Pricing Tier

When creating a LoadMaster for Azure Virtual Machine, you must select a pricing tier. The recommended pricing tiers are listed in the table below.

If the relevant pricing tier is not displayed, click **View all**.

VLM Model	Recommended Pricing Tier
VLM-200	A1, A2, A3
VLM-2000	A2, A3, A4
VLM-5000	A3, A4, A5
VLM-10G	A7, A8, A9

### 3.4 Licensing and Initial Configuration

The following procedure will help you set up LoadMaster for Azure by ensuring appropriate licensing and basic configuration before you can create a Virtual Service and publish the required workloads:

1. Using a supported web browser, navigate to **<https://<cloudserviceurl>:8443>**.

Substitute <cloudserviceurl> with the cloud service DNS name you created in previous section.

2. Take the appropriate steps to acknowledge notification about the self-signed certificate in order to proceed.
3. Before using the LoadMaster, it must be licensed. For instructions on how to license the LoadMaster, refer to the [Licensing, Feature Description](#).

When licensing a trial, you can usually only get a trial VLM-5000.

4. The LoadMaster requires you to log in before you can proceed any further. The password used to log in will vary depending on whether you choose to use **Password** authentication or **SSH Public Key** authentication when creating the VM in the **Bring Your Own License (BYOL)** section:

- **Password:** Provide the username **bal** and the password which was set in the **Bring Your Own License (BYOL)** section.

Click **Continue**.

- **SSH Public Key:** Provide the default username **bal** and password **1fourall** to proceed. You are required to change the default password soon after.

5. You are presented with the End User License Agreement (EULA). You must accept the EULA to proceed further. Click **Agree** to accept the EULA.

6. After accepting the EULA, you are presented with a password change screen. Provide a secure password of your choice. Click **Set Password** to commit changes. The new password is effective immediately.

7. On the password notification screen, click **Continue**.

8. The LoadMaster will require you to authenticate with a new password. Enter **bal** in the user field and the new password in the password field. Click **Ok** to proceed.

9. After successful authentication, you are presented with the main menu and home screen of the LoadMaster.

Before you can create Virtual Services, you should create VMs that you are load balancing through LoadMaster for Azure. Ensure that your network security group (NSG) is set up correctly depending on which services you are load balancing. The following section will provide some details on this topic.

# 4 Creating Connected VMs

While creating non-LoadMaster VMs is fundamentally not very different from what we covered in the **Creating a LoadMaster for Azure VM** section, we need to make sure that the VMs that need to be load balanced by LoadMaster for Azure are not stand-alone VMs. The following procedure provides an overview of creating a connected virtual machine.

## 4.1 Creating a Connected VM

To create a connected VM, follow the steps below in the Windows Azure portal:

---


The steps below must be carried out from  
<http://portal.azure.com> and not from  
<http://manage.windowsazure.com>.

---




1. From the Azure Management Portal dashboard, click **Marketplace**.

## 4 Creating Connected VMs



2. In the **Marketplace** section, click **New**.
3. In the **Virtual machines** section, select the appropriate options to deploy.
4. Click **Create**.

A screenshot of the 'Create VM' form. It has a light gray background. The first section is 'Host Name' with a text input field containing 'ExampleHostName' and a green checkmark icon. The second section is 'User Name' with a text input field containing 'ExampleUserName' and a green checkmark icon. The third section is 'Password' with a text input field containing ten black dots and a red exclamation mark icon. The bottom section is a light blue box labeled 'PRICING TIER' with 'Basic A1' below it and a right-pointing arrow.

5. Provide details in the **Create VM** section. The details required to create the new VM are:



4 Creating Connected VMs

- a) **Host Name:** Provide a unique name for VM identification
  - b) **User Name:** Provide a desired username
  - c) Enter the desired **Password**.
  - d) Click **Pricing Tier**.
6. Select the relevant pricing tier.

OPTIONAL CONFIGURATION Network, storage, diagnostics	>
RESOURCE GROUP Group-6	>
SUBSCRIPTION KEMPCorp	>
LOCATION North Europe	>

7. Click **Network, storage, diagnostics**.

OS SETTINGS Review default settings	>
AVAILABILITY SET Not configured	>
NETWORK Review default settings	>
STORAGE ACCOUNT examplehostname	>
DIAGNOSTICS Not configured	>
NEW RELIC PERFORMANCE MONITORING Not configured	🔒

8. Click **Review default settings**.

VIRTUAL NETWORK ExampleHostName	>
SUBNET Subnet-1 (172.19.0.0/24)	🔒
DOMAIN NAME examplehostname.cloudapp.net	>
IP ADDRESSES Virtual, instance, private	>

9. Click **VIRTUAL NETWORK**.

10. Select the existing virtual network that the LoadMaster is on.

11. Click **OK**.

12. Click **OK** again.

### 4 Creating Connected VMs

13. Make the appropriate selections for **Storage Account**, **Region/Affinity Group**/, and **Virtual Network Subnets** to meet your requirements.
14. Verify and change any of the other settings related to network storage, resource group, subscription and location for the Virtual Machine, as needed.
15. Make the appropriate selection for **Availability Set** to meet your requirements.
16. Click **Create** to start creation of the VM.

Create more VMs if needed and then proceed to the next step to create a Virtual Service.

# 5 Creating Virtual Services

The following steps describe how to create a Virtual Service on the LoadMaster for Azure.

1. Using a supported web browser, navigate to **https://<cloudserviceurl>:8443**. Substitute **<cloudserviceurl>** with the cloud service DNS name you created in the **Bring Your Own License (BYOL)** section.
2. Take the appropriate steps to acknowledge notification about the self-signed certificate to proceed further.

---

The certificate used by the WUI will take the public name used by Azure/AWS.

---

3. If prompted, log in to the WUI.
4. From the main menu, expand the **Virtual Services** section and click **Add New**.
5. In the Virtual Service parameters section, provide the following details:
  - a) **Virtual Address:** This field is pre-populated with the eth0 IP address:
    - i. If only one Network Interface Card (NIC) is present for the Virtual Machine - the LoadMaster is limited to a single IP. To create a Virtual Service, you must use the internal IP address of the LoadMaster VM. You can find the internal IP address from the VM's dashboard page.
    - ii. If more than one NIC is present in the Virtual Service, it is possible to use any of the internal IP addresses as the Virtual Service address.

---

Only the IP address on eth0 is connected to the public IP.

---

- b) **Port:** This must be the same port as the Private Port defined while creating the endpoint in earlier section.
  - c) **Service Name:** While optional, service name helps identify the purpose of the Virtual Service being created
  - d) **Protocol:** This must be the same as the protocol selected during creation of the endpoint in the earlier section.
6. Click the **Add this Virtual Service** button.

7. Expand the **Standard Options** section.

▼ <b>Standard Options</b>	
Force L7	<input checked="" type="checkbox"/>
Transparency	<input type="checkbox"/>
Subnet Originating Requests	<input type="checkbox"/>
Extra Ports	<input type="text"/> <b>Set Extra Ports</b>
Persistence Options	Mode: <input type="text" value="None"/>
Scheduling Method	<input type="text" value="round robin"/>
Idle Connection Timeout (Default 660)	<input type="text"/> <b>Set Idle Timeout</b>
Use Address for Server NAT	<input type="checkbox"/>
Quality of Service	<input type="text" value="Normal-Service"/>

8. Ensure that the **Transparency** check box is unticked.

---

Virtual Services in the LoadMaster for Azure must be non-transparent.

---

9. Configure the remaining virtual parameters as necessary. Use the Kemp LoadMaster guides from the Product Documentation section located on the Kemp website:  
<http://kemptechnologies.com/documentation>

10. Add VMs being load balanced in the **Real Servers** section of the Virtual Service.

Repeat the steps above as necessary to create more Virtual Services on LoadMaster for Azure.

# References

While the instructions above provide a basic overview of how to deploy and configure LoadMaster for Azure, it is not designed to be a comprehensive guide to configure every possible workload. This section identifies some of many guides published on our resources section of our website. Unless otherwise specified, the following documents can be found at <http://kemptechnologies.com/documentation>.

**Kemp LoadMaster, Product Overview**

**Web User Interface (WUI), Configuration Guide**

**CLI, Interface Description**

**RESTful API, Interface Description**

**Virtual Services and Templates, Feature Description**

**SubVSs, Feature Description**

**SSL Accelerated Services, Feature Description**

**Port Following, Feature Description**

**Content Rules, Feature Description**

**ESP, Feature Description**

**Quickstart Guide**

**LoadMaster for Azure Resource Manager, Feature Description**

**HA for Azure, Feature Description**

**Licensing, Feature Description**

You can find more documentation here: <http://kemptechnologies.com/documentation>

You can engage in community discussions on forums at: <http://forums.kemptechnologies.com/>

# Last Updated Date

This document was last updated on 27 July 2023.