



NTLM

Feature Description

UPDATED: 27 July 2023

Copyright Notices

© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.

These materials and all Progress® software products are copyrighted and all rights are reserved by Progress Software Corporation. The information in these materials is subject to change without notice, and Progress Software Corporation assumes no responsibility for any errors that may appear therein. The references in these materials to specific platforms supported are subject to change.

#1 Load Balancer in Price/Performance, 360 Central, 360 Vision, Chef, Chef (and design), Chef Habitat, Chef Infra, Code Can (and design), Compliance at Velocity, Corticon, Corticon.js, DataDirect (and design), DataDirect Cloud, DataDirect Connect, DataDirect Connect64, DataDirect XML Converters, DataDirect XQuery, DataRPM, Defrag This, Deliver More Than Expected, DevReach (and design), Driving Network Visibility, Flowmon, Inspec, Ipswitch, iMacros, K (stylized), Kemp, Kemp (and design), Kendo UI, Kinvey, LoadMaster, MessageWay, MOVEit, NativeChat, OpenEdge, Powered by Chef, Powered by Progress, Progress, Progress Software Developers Network, SequeLink, Sitefinity (and Design), Sitefinity, Sitefinity (and design), Sitefinity Insight, SpeedScript, Stylized Design (Arrow/3D Box logo), Stylized Design (C Chef logo), Stylized Design of Samurai, TeamPulse, Telerik, Telerik (and design), Test Studio, WebSpeed, WhatsConfigured, WhatsConnected, WhatsUp, and WS_FTP are registered trademarks of Progress Software Corporation or one of its affiliates or subsidiaries in the U.S. and/or other countries.

Analytics360, AppServer, BusinessEdge, Chef Automate, Chef Compliance, Chef Desktop, Chef Workstation, Corticon Rules, Data Access, DataDirect Autonomous REST Connector, DataDirect Spy, DevCraft, Fiddler, Fiddler Classic, Fiddler Everywhere, Fiddler Jam, FiddlerCap, FiddlerCore, FiddlerScript, Hybrid Data Pipeline, iMail, InstaRelinker, JustAssembly, JustDecompile, JustMock, KendoReact, OpenAccess, PASOE, Pro2, ProDataSet, Progress Results, Progress Software, ProVision, PSE Pro, Push Jobs, SafeSpaceVR, Sitefinity Cloud, Sitefinity CMS, Sitefinity Digital Experience Cloud, Sitefinity Feather, Sitefinity Thunder, SmartBrowser, SmartComponent, SmartDataBrowser, SmartDataObjects, SmartDataView, SmartDialog, SmartFolder, SmartFrame, SmartObjects, SmartPanel, SmartQuery, SmartViewer, SmartWindow, Supermarket, SupportLink, Unite UX, and WebClient are trademarks or service marks of Progress Software Corporation and/or its subsidiaries or affiliates in the U.S. and other countries. Java is a registered trademark of Oracle and/or its affiliates. Any other marks contained herein may be trademarks of their respective owners.

Please refer to the NOTICE.txt or Release Notes – Third-Party Acknowledgements file applicable to a particular Progress product/hosted service offering release for any related required third-party acknowledgements.

Table of Contents


1 Introduction	4
1.1 Intended Audience	6
2 Configure NTLM Authentication	7
2.1 Configure Internet Options on the Client Machine	7
2.2 Configure the LoadMaster	10
2.2.1 Configure the Server Side SSO Domain	10
2.2.2 Configure the Client Side SSO Domain	11
2.2.3 Configure the Virtual Service	12
2.3 Configure Firefox to Allow NTLM (if needed)	13
2.4 Troubleshooting	14
References	16
Last Updated Date	17

1 Introduction

NT LAN Manager (NTLM) is a Windows Challenge/Response authentication protocol that is often used on networks that include systems running the Windows operating system and Active Directory.

Kerberos authentication adds greater security than NTLM systems on a network and provides Windows-based systems with an integrated single sign-on (SSO) mechanism. While Kerberos is often the preferred authentication method, certain client/server scenarios may require NTLM, such as when a firewall is preventing access to Kerberos services.

NTLM credentials are based on data obtained during the interactive logon process and consist of a domain name, a user name. NTLM uses an encrypted challenge/response mechanism to authenticate a user without sending the user's password over the wire. Instead, the system requesting authentication must perform a calculation that proves it has access to the secured NTLM credentials. This process consists of three messages being exchanged, commonly referred to as Type 1 (negotiation), Type 2 (challenge) and Type 3 (authentication).



Interactive NTLM authentication over a network typically involves two systems: a client system, where the user is requesting authentication, and a domain controller, where information related to the user's password is kept. Non-interactive authentication, which may be required to permit an already logged-on user to access a resource such as a server application, typically involves three systems: a client, a server (typically an Exchange server) and a domain controller that does the authentication on behalf of the server.

The Edge Security Pack (ESP) on the Kemp LoadMaster supports multiple authentication methods including NTLM. This enables users to seamlessly authenticate to ESP-protected virtual services and be securely proxied to backend applications such as Microsoft Exchange and SharePoint. Document Purpose

The purpose of this document is to provide step-by-step instructions on how to configure the LoadMaster to use NTLM authentication.

1.1 Intended Audience

This document is intended to be used by customers who are interested in finding out how to configure the LoadMaster to use NTLM authentication and who already have some understanding of the NTLM protocol.


2 Configure NTLM Authentication

A number of steps are required in order to set up and configure NTLM authentication with Kemp LoadMaster and ESP. Refer to the sections below for step-by-step instructions.

2.1 Configure Internet Options on the Client Machine


The security site address needs to be added to the local intranet zone on the client machine. To do this, follow the steps below:

1. Click **Start** and select **Control Panel**.




2. Click **Internet Options**.

2 Configure NTLM Authentication




3. Select the **Security** tab.
4. Click **Local intranet**.
5. Click **Sites**.

2 Configure NTLM Authentication



6. Click **Advanced**.



7. Enter the address of the security site and click **Add**.

8. Click **Close**.

9. Click **OK**.

10. Click **OK** again.

2.2 Configure the LoadMaster

In order for NTLM to work with the LoadMaster, both a client and server SSO domain need to be created. For instructions on how to add these SSO domains on the LoadMaster, refer to the sections below.


2.2.1 Configure the Server Side SSO Domain

To configure the server side SSO domain, follow the steps below in the LoadMaster Web User Interface (WUI):

1. In the main menu, select **Virtual Services > Manage SSO**.



2. In the **Server Side Single Sign On Configurations** section, enter the name of the Single Sign On (SSO) domain in the **Name** text box and click **Add**.



3. Select **Kerberos Constrained Delegation** as the **Authentication Protocol**.
4. Enter the **Kerberos Realm** address and click **Set Kerberos realm**. Click **OK**.

The Kerberos realm is usually the domain. The Kerberos realm should be a name (not an IP address), such as **kemptech.local**. If an IP address is specified, authentication will not work. This field only accepts one name.

Double quotes are not allowed in this field.

5. Enter the **Kerberos Key Distribution Center name** and click **Set Kerberos KDC**. Click **OK**.

2 Configure NTLM Authentication

This field only accepts one Key Distribution Center. The Key Distribution Center address is usually the IP address of the Active Directory instance.

Double quotes are not allowed in this field.


6. Enter the **Kerberos Trusted User Name** and click **Set KCD** trusted user name. Click **OK**.

The **Kerberos Trusted User Name** needs to be the same as the LoadMaster host name. The trusted user represents the LoadMaster. Refer to the [Kerberos Constrained Delegation, Feature Description](#) document for some further key requirements relating to the trusted user account.

Double and single quotes are not allowed in the **Kerberos Trusted User Name** field.

7. Enter the **Kerberos Trusted User Password** and click **Set KCD** trusted user password. Click **OK**.

2.2.2 Configure the Client Side SSO Domain



Authentication Protocol:

LDAP Endpoint: [Manage LDAP Configuration](#)

Domain/Realm: [Set Domain/Realm Name](#)

Logon Format:

Logon Transcode:

Failed Login Attempts: [Set Failed Login Attempts](#)

Session Timeout:

Public - Untrusted Environment	Private - Trusted Environment
<input type="text" value="900"/> Set Idle Time	<input type="text" value="900"/> Set Idle Time
<input type="text" value="1800"/> Set Max Duration	<input type="text" value="28800"/> Set Max Duration

Use for Session Timeout:

Use LDAP Endpoint for Healthcheck ☒

The client side SSO domain can be created by going to **Virtual Services > Manage SSO > Add** (in the **Client Side Single Sign On Configurations** section) and filling out the details as needed. The **Authentication Protocol** must be set to **LDAP** for NTLM authentication to work.

2 Configure NTLM Authentication


For information on configuring an LDAP endpoint, refer to the following knowledge base article: [How to Configure an LDAP Endpoint](#).

2.2.3 Configure the Virtual Service

To configure a Virtual Service to use NTLM authentication, follow the steps below.

These steps assume that the Virtual Service has already been set up and configured as needed (apart from the ESP settings). For further information on Virtual Services in general, refer to the [Virtual Services and Templates, Feature Description](#). For further information on the different fields in the LoadMaster WUI, please refer to the [Web User Interface \(WUI\), Configuration Guide](#).

1. In the main menu of the LoadMaster WUI, go to **Virtual Services > View/Modify Services**.
2. Click **Modify** on the relevant Virtual Service.
3. Expand the **ESP Options** section.



▼ ESP Options

Enable ESP ☒

ESP Logging User Access: ☒ Security: ☒ Connection: ☒

Client Authentication Mode

SSO Domain

Available Domain(s) Assigned Domain(s)

Alternative SSO Domains

Allowed Virtual Hosts

Allowed Virtual Directories

Pre-Authorization Excluded Directories

Permitted Groups

Include Nested Groups ☐

Steering Groups

Server Authentication Mode

Server Side configuration

4. Select the **Enable ESP** check box to turn ESP on.
5. Select **NTLM** as the **Client Authentication Mode**.

2 Configure NTLM Authentication

6. Select the client-side SSO domain that was created in the **Configure the Client Side SSO Domain** section in the **SSO Domain** drop-down list.
7. Set any **Allowed Virtual Hosts** and **Allowed Virtual Directories**, as needed.
8. Select **KCD** as the **Server Authentication Mode**.
9. Select the server-side SSO domain that was created in the **Configure the Server Side SSO Domain** section in the **Server Side configuration** drop-down list.
10. Configure any of the other ESP settings as needed.

For further information on the ESP WUI options and ESP in general, please refer to the [Edge Security Pack \(ESP\), Feature Description](#).

2.3 Configure Firefox to Allow NTLM (if needed)

In many organizations, Internet Explorer is configured to allow NTLM on internal sites, but Firefox is not. To configure Firefox to allow certain sites, follow the steps below:

1. Open Firefox.
2. In the address bar, type **about:config**.
3. A warning may appear, click the button to continue.

Search: network.automatic			
Preference Name	Status	Type	Value
network.automatic-ntlm-auth.allow-non-fqdn	default	boolean	false
network.automatic-ntlm-auth.allow-proxies	default	boolean	true
network.automatic-ntlm-auth.trusted-uris	default	string	

4. In the **Search** text box, enter **network.automatic**.
5. Double-click the network.automatic-ntlm-auth.trusted-uris entry.
6. Enter the relevant site address(s).

Multiple sites can be added by separating them with a comma.

7. Click **OK**.

Firefox may need to be restarted for the changes to take effect.

2 Configure NTLM Authentication


In some environments, the following three parameters might need to be updated:

- network.automatic-ntlm-auth.trusted-uris
- network.negotiate-auth.delegation-uris
- network.negotiate-auth.trusted-uris

Also, the **signon.autologin.proxy** may need to be changed to **true** (double-click the parameter to change the value).

2.4 Troubleshooting

When troubleshooting problems with NTLM authentication in the LoadMaster, it can be useful to look at the ESP logs.



The screenshot shows the 'ESP Options' configuration page. It includes the following settings:

- Enable ESP:** ☒
- ESP Logging:** User Access: ☒ Security: ☒ Connection: ☒
- Client Authentication Mode:** NTLM
- SSO Domain:** ESPTEST.LOCAL
- Alternative SSO Domains:** Available Domain(s): None Available; Assigned Domain(s): None Assigned. Includes a 'Set Alternative SSO Domains' button.
- Allowed Virtual Hosts:** mail.kemptech.net auto. Includes a 'Set Allowed Virtual Hosts' button.
- Allowed Virtual Directories:** /owa*. Includes a 'Set Allowed Directories' button.
- Pre-Authorization Excluded Directories:** (empty). Includes a 'Set Excluded Directories' button.
- Permitted Groups:** (empty). Includes a 'Set Permitted Groups' button.
- Include Nested Groups:** ☐
- Steering Groups:** (empty). Includes a 'Set Steering Groups' button.
- Server Authentication Mode:** KCD
- Server Side configuration:** KCD.ESPTTEST.LOCAL

Various levels of ESP logs can be enabled per-Virtual Service by enabling the check boxes in the **ESP Logging** section.

2 Configure NTLM Authentication

File	Action	Selection
ESP Connection Log	View	▶
ESP Security Log	View	▶
ESP User Log	View	▶
WAF Audit Logs	View	▶
SSOMGR Audit Logs	View	▶
Clear Extended Logs	Clear	▶
Save Extended Logs	Save	▶

These logs can then be viewed by going to **System Configuration > Logging Options > Extended Log Files**. For further information on the ESP logging, refer to the [Edge Security Pack \(ESP\), Feature Description](#).

References

Unless otherwise specified, the following documents can be found at <http://kemptechnologies.com/documentation>.

Edge Security Pack (ESP), Feature Description

Web User Interface (WUI), Configuration Guide

Virtual Services and Templates, Feature Description

Kerberos Constrained Delegation, Feature Description

Last Updated Date

This document was last updated on 27 July 2023.