



Custom Authentication Form

Technical Note

UPDATED: 27 July 2023

© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.

These materials and all Progress® software products are copyrighted and all rights are reserved by Progress Software Corporation. The information in these materials is subject to change without notice, and Progress Software Corporation assumes no responsibility for any errors that may appear therein. The references in these materials to specific platforms supported are subject to change.

#1 Load Balancer in Price/Performance, 360 Central, 360 Vision, Chef, Chef (and design), Chef Habitat, Chef Infra, Code Can (and design), Compliance at Velocity, Corticon, Corticon.js, DataDirect (and design), DataDirect Cloud, DataDirect Connect, DataDirect Connect64, DataDirect XML Converters, DataDirect XQuery, DataRPM, Defrag This, Deliver More Than Expected, DevReach (and design), Driving Network Visibility, Flowmon, Inspec, Ipswitch, iMacros, K (stylized), Kemp, Kemp (and design), Kendo UI, Kinvey, LoadMaster, MessageWay, MOVEit, NativeChat, OpenEdge, Powered by Chef, Powered by Progress, Progress, Progress Software Developers Network, SequeLink, Sitefinity (and Design), Sitefinity, Sitefinity (and design), Sitefinity Insight, SpeedScript, Stylized Design (Arrow/3D Box logo), Stylized Design (C Chef logo), Stylized Design of Samurai, TeamPulse, Telerik, Telerik (and design), Test Studio, WebSpeed, WhatsConfigured, WhatsConnected, WhatsUp, and WS_FTP are registered trademarks of Progress Software Corporation or one of its affiliates or subsidiaries in the U.S. and/or other countries.

Analytics360, AppServer, BusinessEdge, Chef Automate, Chef Compliance, Chef Desktop, Chef Workstation, Corticon Rules, Data Access, DataDirect Autonomous REST Connector, DataDirect Spy, DevCraft, Fiddler, Fiddler Classic, Fiddler Everywhere, Fiddler Jam, FiddlerCap, FiddlerCore, FiddlerScript, Hybrid Data Pipeline, iMail, InstaRelinker, JustAssembly, JustDecompile, JustMock, KendoReact, OpenAccess, PASOE, Pro2, ProDataSet, Progress Results, Progress Software, ProVision, PSE Pro, Push Jobs, SafeSpaceVR, Sitefinity Cloud, Sitefinity CMS, Sitefinity Digital Experience Cloud, Sitefinity Feather, Sitefinity Thunder, SmartBrowser, SmartComponent, SmartDataBrowser, SmartDataObjects, SmartDataView, SmartDialog, SmartFolder, SmartFrame, SmartObjects, SmartPanel, SmartQuery, SmartViewer, SmartWindow, Supermarket, SupportLink, Unite UX, and WebClient are trademarks or service marks of Progress Software Corporation and/or its subsidiaries or affiliates in the U.S. and other countries. Java is a registered trademark of Oracle and/or its affiliates. Any other marks contained herein may be trademarks of their respective owners.

Please refer to the NOTICE.txt or Release Notes – Third-Party Acknowledgements file applicable to a particular Progress product/hosted service offering release for any related required third-party acknowledgements.

Table of Contents

1 Introduction	4
1.1 Document Purpose	4
1.2 Intended Audience	4
2 Customizing the Login Form	5
2.1 SSO Greeting Message	5
2.2 SSO Image Set	8
2.2.1 Custom SSO Image Set Guidelines	10
2.2.2 Uploading a Custom SSO Image Set	13
2.3 Backing Up and Restoring a Custom SSO Image Set	14
References	15
Last Updated Date	16

1 Introduction

With Kemp's Edge Security Pack (ESP), it is possible to specify how clients, which are connecting to the LoadMaster, are authenticated. One of the options is **Form Based** authentication. When this option is selected, clients must enter their user details within a form to be authenticated on the LoadMaster.

When **Form Based** authentication is enabled, it is possible to customize the login form that the user sees.

For more information on ESP, and the various methods of authentication, refer to the [ESP, Feature Description](#).

1.1 Document Purpose

This document describes how to customize the login form when **Form Based** authentication is selected as the **Client Authentication mode**.

1.2 Intended Audience

This document is intended to be read by anyone who is interested in finding out how to customize the Kemp ESP authentication form.

2 Customizing the Login Form

There are two ways to customize the ESP login form:

- Using the SSO Greeting Message text box
- Using a Single Sign On (SSO) image set

The **SSO Greeting Message** text box is an easy way of adding some text to the login form.

The SSO image set option should be used for further customizations, such as configuring the form to have a desired look and feel.

Refer to the relevant section below to find out more.

2.1 SSO Greeting Message

The login form can be customized by adding text. To do this, follow the steps below in the LoadMaster Web User Interface (WUI):

1. In the main menu of the WUI, select **Virtual Services** and **View/Modify Services**.
2. Click **Modify** on the relevant Virtual Service.
3. Expand the **ESP Options** section.

2 Customizing the Login Form

ESP Options

Enable ESP

ESP Logging

User Access:

Security:

Connection:

Client Authentication Mode

SSO Domain

Available Domain(s)

Assigned Domain(s)

Alternative SSO Domains

Set Alternative SSO Domains

Allowed Virtual Hosts

Set Allowed Virtual Hosts

Allowed Virtual Directories

Set Allowed Directories

Pre-Authorization Excluded Directories

Set Excluded Directories

Permitted Groups

Set Permitted Groups

Permitted Group SID(s)

Set Permitted Group SIDs

Include Nested Groups

Set Steering Groups

Steering Groups

Set Steering Groups

Verify Bearer Header

SSO Image Set

Set SSO Greeting Message

SSO Greeting Message

Set SSO Logoff String

Logoff String

Set SSO Logoff String

Display Public/Private Option

Disable Password Form

Enable Captcha

Use Session or Permanent Cookies

Set Password Change URL

User Password Change URL

Set Dialog Message

User Password Change Dialog Message

Set Dialog Message

User Password Expiry Warning

Server Authentication Mode


4. Ensure that ESP is enabled.
5. Ensure that the Client Authentication mode is set to Form Based.
6. Enter the text that you would like to appear on the form within the **SSO Greeting Message** text box.
7. Click the Set SSO Greeting Message button.

The message can have up to 255 characters.

2 Customizing the Login Form




An example Exchange login form with an SSO greeting message is shown in the screenshot above.



The SSO Greeting Message field accepts HTML code, so you can insert an image if required.

However, there are several characters that are not supported. These are the grave accent character (`) and single quotes ('). If a grave accent character is used in the SSO Greeting Message, the character will not display in the output, for example a ` b ` c becomes abc. If a single quote is used, users will not be able to log in.

2.2 SSO Image Set



▼ ESP Options

Enable ESP ☒

ESP Logging User Access: ☒ Security: ☒ Connection: ☒

Client Authentication Mode Form Based ▼

SSO Domain ESPTTEST.LOCAL ▼

Alternative SSO Domains Available Domain(s) None Available Assigned Domain(s) None Assigned Set Alternative SSO Domains

Allowed Virtual Hosts Set Allowed Virtual Hosts

Allowed Virtual Directories Set Allowed Directories

Pre-Authorization Excluded Directories Set Excluded Directories

Permitted Groups Set Permitted Groups

Permitted Group SID(s) Set Permitted Group SIDs

Include Nested Groups ☐

Steering Groups Set Steering Groups

SSO Image Set Exchange ▼

SSO Greeting Message SO Greeting Message

Logoff String SO Logoff String

Display Public/Private Option Français Canadien - Blank

Disable Password Form Français Canadien - Exchange

Use Session or Permanent Cookies Português do Brasil - Blank

User Password Change URL Português do Brasil - Exchange Password Change URL

User Password Change Dialog Message Raymond Blanc Set Dialog Message

Server Authentication Mode None ▼

The **SSO Image Set** option is only available if **Form Based** is selected as the **Client Authentication mode**. The SSO image sets available are:


- Blank
- Dual Factor Authentication
- Exchange

2 Customizing the Login Form

- French Canadian - Blank
- French Canadian - Exchange
- Brazilian Portuguese - Blank
- Brazilian Portuguese - Exchange
- Any custom SSO image sets which have been uploaded


When using the Exchange image set, you must select the image set in the **LM_Auth_Proxy**, **OWA**, and **ECP** SubVSs.

Exchange Form

A screenshot of the Exchange authentication form. It features the Kemp logo at the top left. Below the logo are two yellow input fields for 'Username:' and 'Password:'. To the right of the password field is a 'Log On' button. At the bottom, there is a blue bar with the Kemp logo and text that reads 'Secured by Kemp LoadMaster' and '© 2002-2019 Kemp Technologies Inc. All rights reserved.'

The **Exchange Form** contains the Kemp logo.

Blank Form

A screenshot of the Blank authentication form. It features two yellow input fields for 'Username:' and 'Password:'. To the right of the password field is a 'Log On' button. At the bottom, there is a blue bar with the Kemp logo and text that reads 'Secured by Kemp LoadMaster' and '© 2002-2019 Kemp Technologies Inc. All rights reserved.'

The **Blank Form** does not contain the large Kemp logo.

Dual Factor Authentication



The **Dual Factor Authentication** form contains four fields - two for the remote credentials and two for the internal credentials.

Remote Credentials are credentials that are used to authenticate against remote authentication servers such as RADIUS, before allowing the user to authenticate against Domain Servers such as Active Directory servers.

Internal Credentials are credentials that are used to authenticate against the internal domain servers such as Active Directory Servers.

If the **Authentication Protocol** of the relevant **SSO Domain** is set to **RADIUS and LDAP**, the **SSO Image Set** must be set to **Dual Factor Authentication**.

2.2.1 Custom SSO Image Set Guidelines

It is possible to add your own SSO image set to customize the look and feel of the login form. The custom SSO image set must be in the format of a .tar file. Template .tar files are available from the

Kemp Documentation site: <https://kemptechnologies.com/loadmaster-documentation/>. There is one template for regular login forms and one for dual factor authentication.

These templates can be modified to gain the desired look and feel. Guidelines on the tar file are below:

- The .tar file should have the following folder structure:

```
imagesets/
    <IMAGESETNAME>/
        lm_initial.html
        lm_logout.html
        MANIFEST
        ...
```

When compressing the .tar file, please ensure to compress the **imagesets** folder, not the folder above or beneath it.

- Multiple image sets can be included:

```
- imagesets/<IMAGESETNAME_1>/<files>
    /<IMAGESETNAME_2>/<files>
```

- The name that you specify as **<IMAGESETNAME_*>** is the name that will appear in the **SSO Image Set** drop-down list in the WUI. This name can contain Unicode characters.

If the name of the custom SSO image set is the same as one of the default SSO image set names, the default one has precedence.

- All image set resources should contain non-encoded characters, that is, ASCII.
- The full list of required files for the image set is as follows:

```
# Default manifest of all files that are part of the logon
# screens.
#ident "$Id: EN-Blank.manifest,v 1.1.2.2 2014/01/30 08:57:05 phil
Exp $ phil"
#
# Format is "filename filetype".
# The first file is the initial login screen
# The second file is the logout screen.
#

lm_initial.html
lm_logout.html
lm_sso.js
espblank.gif
espbottom.gif
favicon.ico
kmgerror.gif
kmgexleft.gif
kmgexlogo.gif
kmgexright.gif
kmgleft.gif
kmgright.gif
kmgstyle.css
|
```

- A file called **MANIFEST** is mandatory. This file should contain a list of files that exist in the directory that should be loaded as part of the set. If the **MANIFEST** file does not exist, the image set will not work. Lines in this file can be commented out by adding # to the start of the line. Blank lines are ignored. The last line of the MANIFEST file must be a new line.
- The first uncommented line should contain the file for the main login page
- The second uncommented line should contain the file for the logout page
- All other files defined in the file, for example image, CSS or Javascript files, can be used by the login and logout pages
- If a listed file is missing, it will simply not be present on the page. For example, if a line in the **MANIFEST** refers to **image.jpg** and that image file is missing from the tar, it will be a broken image on the page.

The logical format of the main login page cannot be changed. If the format is not maintained, problems will occur. The formatting and any CSS can be changed at will.

- A file called **INFO** is read. This is a simple text file which contains a description of the image set and perhaps a version number. The contents of this file are displayed on the admin WUI to help identify which package/version has been installed. For example, this could contain version information.

The **INFO** file is not mandatory. If it does not exist or if it is blank, only the installed date is displayed in the WUI.

- The maximum size restriction on images is approximately 100 MB. This is dependent on the amount of space on /tmp for storing the file as it is being downloaded. There is also an additional limit for how much space is available on the flash (the 512 MB boot partition). Multiple large image sets can cause problems.
- Image file names can be a maximum of 31 characters long.
- The syntax for adding an image to a custom authentication form is as follows:

Replace **URL** with the URL of the image.
Replace **NN** for **width** and **height** with the desired values.
- If a package is installed multiple times, the older packages are overwritten.
- It is the responsibility of the package builder to verify that all components included are valid. A missing file will not be displayed. Broken pages may cause problems.

2.2.2 Uploading a Custom SSO Image Set

To upload the custom SSO image set to the LoadMaster, follow the steps below in the LoadMaster WUI:

1. In the main menu, select **Virtual Services** and **Manage SSO**.
2. Click **Choose File**.
3. Browse to and select the .tar file.
4. Click **Add Custom Image Set**.

After adding the file, the supplied image set(s) is listed on this page. It will also be available to select in the **SSO Image Set** drop-down list in the **ESP Options** section of the Virtual Service modify screen.

2.3 Backing Up and Restoring a Custom SSO Image Set

Any custom SSO image sets that exist on the LoadMaster are contained in any LoadMaster backups that are taken. They are restored when **VS Configuration** is selected when restoring a backup file.

References

Unless otherwise specified, the following documents can be found at <http://kemptechnologies.com/documentation>.

ESP, Feature Description

Custom SSO Image Set Template

<https://support.kemptechnologies.com/hc/en-us/articles/360048332092>

Last Updated Date

This document was last updated on 27 July 2023.