



# MobileIron

## Deployment Guide

UPDATED: 30 July 2023

**© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.**

These materials and all Progress® software products are copyrighted and all rights are reserved by Progress Software Corporation. The information in these materials is subject to change without notice, and Progress Software Corporation assumes no responsibility for any errors that may appear therein. The references in these materials to specific platforms supported are subject to change.

#1 Load Balancer in Price/Performance, 360 Central, 360 Vision, Chef, Chef (and design), Chef Habitat, Chef Infra, Code Can (and design), Compliance at Velocity, Corticon, Corticon.js, DataDirect (and design), DataDirect Cloud, DataDirect Connect, DataDirect Connect64, DataDirect XML Converters, DataDirect XQuery, DataRPM, Defrag This, Deliver More Than Expected, DevReach (and design), Driving Network Visibility, Flowmon, Inspec, Ipswitch, iMacros, K (stylized), Kemp, Kemp (and design), Kendo UI, Kinvey, LoadMaster, MessageWay, MOVEit, NativeChat, OpenEdge, Powered by Chef, Powered by Progress, Progress, Progress Software Developers Network, SequeLink, Sitefinity (and Design), Sitefinity, Sitefinity (and design), Sitefinity Insight, SpeedScript, Stylized Design (Arrow/3D Box logo), Stylized Design (C Chef logo), Stylized Design of Samurai, TeamPulse, Telerik, Telerik (and design), Test Studio, WebSpeed, WhatsConfigured, WhatsConnected, WhatsUp, and WS\_FTP are registered trademarks of Progress Software Corporation or one of its affiliates or subsidiaries in the U.S. and/or other countries.

Analytics360, AppServer, BusinessEdge, Chef Automate, Chef Compliance, Chef Desktop, Chef Workstation, Corticon Rules, Data Access, DataDirect Autonomous REST Connector, DataDirect Spy, DevCraft, Fiddler, Fiddler Classic, Fiddler Everywhere, Fiddler Jam, FiddlerCap, FiddlerCore, FiddlerScript, Hybrid Data Pipeline, iMail, InstaRelinker, JustAssembly, JustDecompile, JustMock, KendoReact, OpenAccess, PASOE, Pro2, ProDataSet, Progress Results, Progress Software, ProVision, PSE Pro, Push Jobs, SafeSpaceVR, Sitefinity Cloud, Sitefinity CMS, Sitefinity Digital Experience Cloud, Sitefinity Feather, Sitefinity Thunder, SmartBrowser, SmartComponent, SmartDataBrowser, SmartDataObjects, SmartDataView, SmartDialog, SmartFolder, SmartFrame, SmartObjects, SmartPanel, SmartQuery, SmartViewer, SmartWindow, Supermarket, SupportLink, Unite UX, and WebClient are trademarks or service marks of Progress Software Corporation and/or its subsidiaries or affiliates in the U.S. and other countries. Java is a registered trademark of Oracle and/or its affiliates. Any other marks contained herein may be trademarks of their respective owners.

Please refer to the NOTICE.txt or Release Notes – Third-Party Acknowledgements file applicable to a particular Progress product/hosted service offering release for any related required third-party acknowledgements.

# Table of Contents

---

<b>1 Introduction</b>	<b>4</b>
1.1 Document Purpose	4
1.2 Intended Audience	4
<b>2 MobileIron Templates</b>	<b>5</b>
<b>3 Create MobileIron Virtual Services</b>	<b>7</b>
3.1 Create a MobileIron Sentry Virtual Service	7
3.2 Create a MobileIron VSP Virtual Service	8
<b>References</b>	<b>10</b>
<b>Last Updated Date</b>	<b>11</b>

# 1 Introduction

MobileIron Sentry is a key component of the MobileIron Platform. Sentry is an in-line gateway which manages, encrypts, and secures traffic between a mobile device and back-end enterprise systems.

MobileIron Sentry interacts with a company's ActiveSync server, such as a Microsoft Exchange Server. The ActiveSync server allows employees to access email, contacts, calendar, tasks, and notes from their mobile devices. MobileIron Sentry, with input from the Virtual Smartphone Platform (VSP), protects the ActiveSync server from unauthorized access. MobileIron VSP provides end-to-end security and management for apps, documents, and devices. IT can now establish a virtual perimeter to secure business data without compromising the privacy of data, even on employee-owned smartphones and tablets.

A Kemp LoadMaster can be used to load balance the MobileIron workload.

## 1.1 Document Purpose

This document is intended to provide guidance on how to deploy MobileIron with a Kemp LoadMaster. The Kemp Support Team is available to provide solutions for scenarios not explicitly defined.

## 1.2 Intended Audience

This document is intended to be used by anyone deploying MobileIron with a Kemp LoadMaster.

## 2 MobileIron Templates

Kemp have developed templates containing our recommended settings for MobileIron. These templates can be installed on the LoadMaster and used when creating each of the Virtual Services. Using a template automatically populates the settings in the Virtual Services. This is quicker and easier than manually configuring each Virtual Service. If needed, changes can be made to any of the Virtual Service settings after using the template.

Released templates can be downloaded from the **Templates** section on the Kemp documentation page: <http://kemptechnologies.com/documentation/>.


---

If you create another Virtual Service using the same template, ensure to change the Service Name to a unique name.

---

For more information and steps on how to import and use templates, refer to the **References**.

For steps on how to manually add and configure each of the Virtual Services, refer to the **Create MobileIron Virtual Services** section.



# 3 Create MobileIron Virtual Services

Refer to the two sections below for step-by-step instructions on how to create and configure the MobileIron Virtual Services.

## 3.1 Create a MobileIron Sentry Virtual Service

The following lists the steps involved and values required to set up a MobileIron Sentry Virtual Service:

1. In the main menu of the LoadMaster Web User Interface (WUI), go to **Virtual Services > Add New**.

Please Specify the Parameters for the Virtual Service.

Virtual Address	<input type="text" value="10.154.11.81"/>
Port	<input type="text" value="443"/>
Service Name (Optional)	<input type="text" value="MobileIron Sentry"/>
Protocol	<input type="text" value="tcp"/>

2. Enter a valid IP address in the **Virtual Address** text box.
3. Enter **443** in the **Port** text box.
4. Enter a recognizable **Service Name**, for example **MobileIron Sentry**.
5. Click **Add this Virtual Service**.
6. Configure the settings as recommended in the following table:

Section	Option	Value	Comment
Standard Options	Transparency	Disabled	
	Extra Ports	8443, 9090	Click <b>Set Extra Ports</b> .

Section	Option	Value	Comment
	Persistence Mode	Source IP Address	
	Timeout	1 Hour	Click <b>Set Idle Timeout</b> .
	Scheduling Method	Weighted Response Time	
	Idle Connection Timeout	900	Click <b>Set Idle Timeout</b> .
<b>Advanced Properties</b>	Add a Port 80 Redirector VS	https://%h%s	Click the <b>Add HTTP Redirector</b> button.
<b>Real Servers</b>	Real Server Check Parameter URL	HTTPS Protocol /mics	Click <b>Set URL</b> .

## 3.2 Create a MobileIron VSP Virtual Service

The following lists the steps and values required to set up a MobileIron VSP Virtual Service:

1. In the main menu of the LoadMaster Web User Interface (WUI), go to **Virtual Services > Add New**.

Please Specify the Parameters for the Virtual Service.

Virtual Address

10.154.11.82

Port

443

Service Name (Optional)

MobileIron VSP

Use Template

Select a Template ▼

Protocol

tcp ▼



## 3 Create MobileIron Virtual Services

2. Enter a valid IP address in the **Virtual Address** text box.
3. Enter **443** in the **Port** text box.
4. Enter a recognizable **Service Name**, for example **MobileIron VSP**.
5. Click **Add this Virtual Service**.
6. Configure the settings as recommended in the following table:

Section	Option	Value	Comment
<b>Standard Options</b>	Transparency	Disabled	
	Extra Ports	<b>8080, 8443, 9090, 9997</b>	Click <b>Set Extra Ports</b> .
	Persistence Mode	Source IP Address	
	Idle Connection Timeout	1 Hour	Click <b>Set Idle Timeout</b> .
	Scheduling Method	Fixed Weighting	
	Idle Connection Timeout	1800	Click <b>Set Idle Timeout</b> .
<b>Real Servers</b>	Real Server Check Parameter	HTTPS Protocol	Click the <b>Add HTTP Redirector</b> button.
	URL	/mics	Click <b>Set URL</b> .

# References

Unless otherwise specified, the following documents can be found at

<http://www.kemptechnologies.com/documentation>.

**Virtual Services and Templates, Feature Description**

# Last Updated Date

This document was last updated on 30 July 2023.