

Virtual Services and Templates

Feature Description

UPDATED: 27 July 2023

© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.

These materials and all Progress® software products are copyrighted and all rights are reserved by Progress Software Corporation. The information in these materials is subject to change without notice, and Progress Software Corporation assumes no responsibility for any errors that may appear therein. The references in these materials to specific platforms supported are subject to change.

#1 Load Balancer in Price/Performance, 360 Central, 360 Vision, Chef, Chef (and design), Chef Habitat, Chef Infra, Code Can (and design), Compliance at Velocity, Corticon, Corticon.js, DataDirect (and design), DataDirect Cloud, DataDirect Connect, DataDirect Connect64, DataDirect XML Converters, DataDirect XQuery, DataRPM, Defrag This, Deliver More Than Expected, DevReach (and design), Driving Network Visibility, Flowmon, Inspec, Ipswitch, iMacros, K (stylized), Kemp, Kemp (and design), Kendo UI, Kinvey, LoadMaster, MessageWay, MOVEit, NativeChat, OpenEdge, Powered by Chef, Powered by Progress, Progress, Progress Software Developers Network, SequeLink, Sitefinity (and Design), Sitefinity, Sitefinity (and design), Sitefinity Insight, SpeedScript, Stylized Design (Arrow/3D Box logo), Stylized Design (C Chef logo), Stylized Design of Samurai, TeamPulse, Telerik, Telerik (and design), Test Studio, WebSpeed, WhatsConfigured, WhatsConnected, WhatsUp, and WS_FTP are registered trademarks of Progress Software Corporation or one of its affiliates or subsidiaries in the U.S. and/or other countries.

Analytics360, AppServer, BusinessEdge, Chef Automate, Chef Compliance, Chef Desktop, Chef Workstation, Corticon Rules, Data Access, DataDirect Autonomous REST Connector, DataDirect Spy, DevCraft, Fiddler, Fiddler Classic, Fiddler Everywhere, Fiddler Jam, FiddlerCap, FiddlerCore, FiddlerScript, Hybrid Data Pipeline, iMail, InstaRelinker, JustAssembly, JustDecompile, JustMock, KendoReact, OpenAccess, PASOE, Pro2, ProDataSet, Progress Results, Progress Software, ProVision, PSE Pro, Push Jobs, SafeSpaceVR, Sitefinity Cloud, Sitefinity CMS, Sitefinity Digital Experience Cloud, Sitefinity Feather, Sitefinity Thunder, SmartBrowser, SmartComponent, SmartDataBrowser, SmartDataObjects, SmartDataView, SmartDialog, SmartFolder, SmartFrame, SmartObjects, SmartPanel, SmartQuery, SmartViewer, SmartWindow, Supermarket, SupportLink, Unite UX, and WebClient are trademarks or service marks of Progress Software Corporation and/or its subsidiaries or affiliates in the U.S. and other countries. Java is a registered trademark of Oracle and/or its affiliates. Any other marks contained herein may be trademarks of their respective owners.

Please refer to the NOTICE.txt or Release Notes – Third-Party Acknowledgements file applicable to a particular Progress product/hosted service offering release for any related required third-party acknowledgements.

© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.

Table of Contents

1 Introduction **4**

1.1 Document Purpose 4

1.2 Intended Audience 4

2 Create a Simple Virtual Service **5**

3 View/Modify a Virtual Service **8**

4 Virtual Service Templates **11**

5 Virtual Service Permissions **13**

References **14**

Last Updated Date **15**

© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.

1 Introduction

Kemp leads the industry in driving the price/performance value proposition for application delivery and load balancing to levels that our customers can afford. Our products' versatile and powerful architecture provide the highest value, while enabling our customers to optimize their businesses that rely on Internet-based infrastructure to conduct business with their customers, employees and partners.

Kemp products optimize web and application infrastructure as defined by high-availability, high-performance, flexible scalability, security and ease of management. They maximize the total cost-of-ownership for web infrastructure, while enabling flexible and comprehensive deployment options.

1.1 Document Purpose

This document describes how to create Virtual Services. It also outlines the templates feature of the Kemp LoadMaster.

1.2 Intended Audience


This document is intended to help anyone who wishes to learn about or create Virtual Services within the Kemp LoadMaster.

© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.

2 Create a Simple Virtual Service

This section outlines the steps required to create a simple Virtual Service that has two Real Servers.

To begin the process of creating a new Virtual Service, first select the **Virtual Services** and **Add New** in the main menu.




This opens the Virtual Service parameters page which prompts to enter the Virtual IP (VIP) address of the Virtual Service, the port and the name to give the service and the protocol.

> In addition to the usual alphanumeric characters, the following 'special' characters can be used as part of the Service Name:
> . @ - _
> You cannot use a special character as the first character of the Service Name.

The port number is usually 80 for HTTP services. The protocol may be TCP or UDP, but in the vast majority of cases TCP is the one used.


Click **Add This Virtual Service** to open the Virtual Service properties screen.

© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.



In this document, we are not concerned with most of these values and will create a Virtual Service with no persistence, no content switching and Round Robin as the scheduling method, which are the default settings.

The final action to be performed is adding Real Servers or Sub-Virtual Services (SubVSs). This document refers to the creation of Real Servers. For further information on SubVSs, refer to the **SubVS, Feature Description** document on the Kemp Documentation Page. To get to the Real Server parameters page, expand the **Real Servers** sections and click **Add New...** Here we specify the IP address of the Real Server we wish to add, the port and forwarding method it is to use and its relative weight.



Enter the **Real Server IP address** Click **Add This Real Server** to finish. Click **OK** to the message.


© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.

The **Add a Real Server** screen appears again. To add another Real Server, repeat the process but with a different Real Server IP address.

All changes are made in real-time. To see a summary of Virtual Services created; select the **View/Modify Services** link in the **Virtual Services** section of the main menu on the left. The Virtual Service table should now list the Real Servers just created.

© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.

3 View/Modify a Virtual Service



From this screen, you can **Add** or **Modify** a Virtual Service. You can also filter the Virtual Services based on **Virtual IP Address**, **Name**, and **Status** using the filter text box.

Filter By

You can filter the Virtual Services based on the option selected from the drop-down list. The filter option available are:

- Virtual IP Address
- Name
- Status

By default, the Virtual IP Address option is selected.

If you enter any text in the text box that is contained in the **Virtual IP Address**, **Name**, or **Status** (depending on what is selected in the drop-down), the list is instantly filtered to show results that match. If you enter any text that does not match (based on the option selected in the drop-down), the text box flashes red and the text that does not match is deleted.

The Virtual Services table displays a list of Virtual Services on the LoadMaster, summarizing the main properties of each and giving the options to modify or delete services, or create a new service. You can sort the entries by **Virtual IP Address**, **Name**, **Certificate Installed**, and **Status** by using the up/down arrow options in the table header.

- For **Virtual IP Address**, entries can be sorted first by IP version (IPv4 followed by IPv6), then by IP address (in ascending order) or the opposite.

© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.

> The list will not re-sort if the Virtual Service changes while you are viewing the page. Also, the sorting does not apply to SubVSs.

- For **Name**, the order of sorting first shows blank entries, followed by special characters, and the remaining entries are shown alphabetically (or the opposite of this).
- For **Certificate Installed**, the order of sorting is as follows (or the opposite of this):
  - Numeric values
  - Special characters
  - Alphabetical order
  - SSL-based Virtual Services that a certificate must be added to
  - Virtual Services without a certificate (and **SSL Acceleration** is disabled)
- For **Status**, the order of sorting is as follows:
  - Up/Unchecked (both are at same level)
  - FailMsg
  - Redirect
  - Sorry
  - WAF Misconfigured
  - Security Down
  - Down
  - Disabled

  In reverse order:
  - Disabled
  - Down
  - Security Down
  - WAF Misconfigured
  - Sorry


© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.

- Redirect
- FailMsg
- Up/Unchecked (both are at same level)

You can see what sort is currently applied by checking which arrow is darker in color. Only one sort can be applied at any one time. Click one of the lighter color arrows to apply a new sort.

CAUTION
Delete is permanent, there is no UNDO feature. **Use with care.**

Each configured Virtual Service may be changed by clicking the **Modify** button or deleted by clicking the **Delete** button.



If you try to delete a Virtual Service containing SubVSs, a confirmation warning appears. Click **OK** to confirm the deletion. For more information on Virtual Services, refer to the Web User Interface (WUI), Configuration Guide.


© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.

4 Virtual Service Templates

Adding Virtual Services can be both repetitive and prone to error when being performed over multiple LoadMasters. Kemp have developed a general template mechanism that will allow consistency and ease of use when creating Virtual Services.

Using templates to set up and configure a Virtual Service is a two-stage process. Initially the templates must be imported into the LoadMaster. When imported, the templates can then be used when adding a new Virtual Service.

Templates can be imported and installed on the LoadMaster through the **Manage Templates** screen. For more information regarding this screen, please refer to the **Web User Interface (WUI), Configuration Guide** document on the Kemp Documentation Page.



When adding a new Virtual Service, a template can be selected from the list of available templates in the **Use Template** drop-down list. Selecting a template may fill in the port and protocol of the Virtual Service. The values prepopulated by the template can be overridden, but may be ignored depending on the template. When the **Add this Virtual Service** button is clicked**,** the Virtual Service is created and a number of other attributes of the Virtual Service are automatically configured by the template. Once loaded, the Virtual Service may be modified in the same way as manually created Virtual Services.

> If you create another Virtual Service using the same template, ensure to change the **Service Name** to a unique name.

> When using SNMP monitoring of ESP-enabled Virtual Services that were created using a template, ensure to monitor each SubVS directly rather than relying on the master service. This is because the Authentication Proxy sub-service will always be

© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.


> marked as up and, as a consequence, so will the master service.

Templates released by Kemp can be downloaded from the Kemp documentation page, http://kemptechnologies.com/documentation.

It is also possible to create your own templates by exporting Virtual Service settings. To do this, go to **Virtual Services > View/Modify Services**, click **Modify** on the relevant Virtual Service and then click the **Export Template** button. The template is exported as a .txt file. It is possible to bundle multiple template files into one gzipped, tar file. This allows multiple templates to be imported at the same time.

> When exporting a Virtual Service template in which the Virtual Service uses a custom **Cipher Set**, the LoadMaster on which the template is imported must include the same custom **Cipher Set**.

When you export a Virtual Service as a template, it is provided with a default name and comment. If desired, the template text file can be modified to include a more useful name and comment. Template names can be up to 126 characters long. Template comments can be up to 1023 characters long.



There is a **Kemp Certified** column on the **Manage Templates** screen. The **Certified** column will indicate whether the template was supplied by Kemp or not. If a template is certified, it has been provided by Kemp. If a template is not certified, it might be a template created by you (by exporting a Virtual Service).

© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.

5 Virtual Service Permissions

There are varying levels of permissions that you can assign to users regarding Virtual Service operations. For further information, refer to the **User Management Feature Description** on the Kemp Documentation Page.

© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.

References

Unless otherwise specified, the following documents can be found at http://kemptechnologies.com/documentation.

SubVS, Feature Description

Web User Interface (WUI), Configuration Guide

© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.

Last Updated Date

This document was last updated on 27 July 2023.

© 2022 Progress Software Corporation and/or one of its subsidiaries or affiliates. All rights reserved.