



Deployment Guide AD FS v2

24 July 2024

Copyright

Visit the following page online to see Progress Software Corporation's current Product Documentation Copyright Notice/Trademark Legend: [Product Documentation Copyright Notice & Trademarks | Progress](#)

Table of Contents

Chapter 1: Introduction. 4

Document Purpose. 4

Intended Audience. 5

Chapter 2: Load Balancing AD FS. 6

Chapter 3: Example Environment Setup. 10

Chapter 4: Prerequisites. 13

DNS. 13

AD FS SSL Certificate Import on LoadMaster. 14

Chapter 5: Virtual Service (VS) Configuration. 15

Template. 15

Configure an AD FS Internal Farm Virtual Service. 16

Configure an AD FS Proxy Farm Virtual Service. 18

Chapter 6: References. 20

Introduction

Introduction

Active Directory Federation Services (AD FS) is a Microsoft identity access solution. It was an optional component of Microsoft Windows Server® 2003 R2. It is now built into Windows Server® 2008 and Windows Server® 2012. AD FS helps to establish trust relationships and reduces the need for provisioning and managing user accounts. Its implementation provides clients (internal or external to the trusted internal LAN) with simplified access to systems and applications relying on claims-based authorization. AD FS also supports web Single-Sign-On (SSO) technologies to improve UX across multiple protected applications.

Trust relationships are used to project a user's digital identity and access rights to trusted partners and can be deployed in multiple organisations to facilitate business-to-business (B2B) transactions between trusted partner organisations.

Related Links

- [Document Purpose](#)
- [Intended Audience](#)

Document Purpose

Document Purpose

This documentation is intended to provide guidance on how to configure LoadMaster products to provide high availability for an AD FS 2.0 environment. This documentation is created using a representative sample environment described later in the document. As this documentation is not intended to cover every possible deployment scenario it may not address unique setup or requirements. The Progress Kemp Support Team is always available to provide solutions for scenarios not explicitly defined.

Intended Audience

Intended Audience

It is assumed that the reader is a server/network administrator or a person otherwise familiar with networking and general computer terminology and is familiar with AD FS technology.


Load Balancing AD FS

Load Balancing AD FS

The core components of AD FS as follows:

- An AD FS server which is responsible for issuance of claims and user authentication. This server must be able to connect to a Domain Controller. It authenticates users from multiple domains by using Windows Trust. The AD FS server can be set up in a cluster to ensure high availability.
- An AD FS proxy server which protects the AD FS server from internet-based threats. The AD FS proxy server also authenticates users from the internet. Again, the AD FS proxy server can be set up in a cluster to ensure high availability.
- An AD FS configuration database which can be stored in an SQL database or Windows Internal Database (maximum of 5 servers) but not both at the same time. This database stores the following items:
 - Relying Party Trust
 - Certificates
 - Claim Provider Trust
 - Claims description
 - Service configuration
 - Attributes

The diagram below shows a common authentication process flow for applications located in a resource organization and secured with AD FS, of which Office 365 is a popular example. The steps, which correspond to the numbers in the diagram, are outlined as follows.



1. The internal user tries to access the AD FS-enabled resource.
2. The client is redirected to the resource's Federation Service.
3. If the resource's federation service is configured as a trusted partner, the client is redirected to the organisation's internal Federation Service.
4. The AD FS server uses the Active Directory to authenticate the user.
5. The AD FS server sends an authorization cookie to the client. This contains the signed security token and a set of claims for the resource partner.
6. The client connects to the resource partner's Federation Service where the token and claims are verified. If appropriate, the resource partner may send a new security token.
7. The client presents the new authorisation cookie with the security token to the resource in order to access it.

Example Environment Setup

Example Environment Setup

In our example deployment, “Kemp Demo” has deployed AD FS 2.0 in their environment to facilitate claims-based authentication for their Exchange 2010 infrastructure and allow for SSO capabilities across applications. The deployment contains the following:


- Two AD FS 2.0 Servers
- Two AD FS 2.0 Proxy Servers
- Two Exchange 2010 Multi-Role Servers
- A LoadMaster High Availability (HA) Cluster


A name space of **owaADFS.Kempdemo.com** is used for access to the Microsoft Exchange environment. A name space of **myADFS.Kempdemo.com** is used for access to the AD FS environment. Split DNS is implemented, which allows these name spaces to be used both internally and externally in the environment.

The following scenarios are defined:

- Internal access to Outlook Web App (OWA) using the internal AD FS farm, both of which are being load-balanced by the LoadMaster
- External access to OWA using the Proxy Farm and Internal Farm all three of which are being load-balanced by the LoadMaster

The following diagrams represent the respective environments:





Prerequisites

Prerequisites

There are some prerequisites to be aware of before deploying the LoadMaster with AD FS.

It is assumed that the AD FS 2.0 environment is already set up and the LoadMaster has been installed. We recommend reviewing the [LoadMaster Web User Interface \(WUI\), Configuration Guide](#).

At a minimum, the following actions should be completed:

- Implemented Active Directory, AD FS, Domain Name System (DNS), Federation Server Proxy (FSP), and other Microsoft requirements
- Configured the application servers to support claims-based authentication
- Installed the LoadMaster on the same network as the servers
- Established access to the LoadMaster WUI

Related Links

- [DNS](#)
- [AD FS SSL Certificate Import on LoadMaster](#)

DNS

DNS

Access to the DNS used in the environment must be available. This is needed to set up name resolution of the AD FS services to the virtual service IP addresses that will be configured on the LoadMaster.

AD FS SSL Certificate Import on LoadMaster

AD FS SSL Certificate Import on LoadMaster

The AD FS SSL certificate has to be imported into the LoadMaster before deployment. To import the certificate, follow the steps below:

- 1. Log in to the relevant Virtual Load Master (VLM).
- 2. In the main menu, click **Certificates & Security** and **SSL Certificates**.

Certificate Configuration

Import CertificateAdd Intermediate

Identifier	Common Name(s)	Virtual Services	Assignment	Operation
kemp	Example [Expires: Aug 24 09:11:21 2016 GMT]		Available VSs 10.154.11.51:80 Assigned VSs None Assigned Save Changes	New CSR Replace Certificate Delete Certificate Reencryption Usage

- 3. Click the **Import Certificate** button.

Please specify the name of the file that contains the certificate. The file can also hold the private key. If the file does not contain the private key, then the file containing the private key must also be specified. The certificate can be in either .PEM or .PFX (IIS) format.

Certificate File

Choose Fileexample.crt

Key File (optional)

Choose FileNo file chosen

Pass Phrase

.....

Certificate Identifier

ADFScertificate

CancelSave

- 4. Click **Choose File** next to the **Certificate File** field.
- 5. Browse to and select the certificate file.
- 6. Click **Open**.
- 7. Browse to and select the **Key File** if needed.
- 8. Enter the **Pass Phrase** of the certificate.
- 9. Enter a name for the certificate in the **Certificate Identifier** field.
- 10. Click **Save**.
- 11. If it works a success message will be displayed. Click **OK**.

Note: Despite the fact that clients establish a single Transmission Control Protocol (TCP) connection with the AD FS server to request and receive a security token, certain applications can suffer from multiple login redirections if persistence is not enabled on the load balancer. For this reason, a Layer 7 service is used, along with SSL bridging, to allow for the more intelligent forms of persistence that are not available at Layer 4 or when SSL traffic is not terminated at the LoadMaster.

14

Deployment Guide AD FS v2

Virtual Service (VS) Configuration

Virtual Service (VS) Configuration

Steps on how to configure the AD FS Virtual Services that can be used are outlined in the sections below.

Related Links

- [Template](#)
- [Configure an AD FS Internal Farm Virtual Service](#)
- [Configure an AD FS Proxy Farm Virtual Service](#)

Template

Template

Progress Kemp has developed a template containing our recommended settings for this workload. You can install this template to help create Virtual Services (VSs) because it automatically populates the settings. You can use the template to easily create the required VSs with the recommended settings. For some workloads, additional manual steps may be required such as assigning a certificate or applying port following. These steps are covered in the document, if needed.

You can remove templates after use and this will not affect deployed services. If needed, you can make changes to any of the VS settings after using the template.

Download released templates from the following page: [LoadMaster Templates](#).

For more information and steps on how to import and use templates, refer to the [Virtual Services and Templates, Feature Description](#).

Configure an AD FS Internal Farm Virtual Service

Configure an AD FS Internal Farm Virtual Service

Follow the steps below to configure a VS:

- 1. Log in to the relevant VLM.
- 2. In the main menu, click **Virtual Services** and select **Add New**.

Please Specify the Parameters for the Virtual Service.

Virtual Address

10.154.11.55

Port

443

Service Name (Optional)

ADFS Internal Farm

Use Template

Select a Template

Protocol

tcp

Cancel

Add this Virtual Service

- 3. Enter the **Virtual Address**.

Note: This is the Virtual IP address used for the service and must be unique and not in use by any other device on the network.

- 4. Enter **443** in the **Port** field.
- 5. Enter a name for the VS in the **Service Name (Optional)** field.
- 6. Ensure that **tcp** is selected as the **Protocol**.
- 7. Click **Add this Virtual Service**.
- 8. Configure the settings as recommended in the following table:

Section	Option	Value	Comment
SSL Properties	SSL Acceleration	Enabled	
	Cipher Set	Default	
	Reencrypt	Enabled	Set the Reencryption SNI Hostname if required. ADFS 3.0 requires the Reencryption SNI Hostname to be set.

Section	Option	Value	Comment
Standard Options	Persistence Mode	Super HTTP	
	Timeout	1 Hour	
	Scheduling Method	least connection	ESP can be enabled if an ESP license is in place. For more information on ESP, refer to the ESP, Feature Description.

9. Expand the **Real Servers** section.
10. In the first **Real Server Check Parameters** field, select **HTTPS Protocol**.
11. Enter **/federationmetadata/2007-06/federationmetadata.xml** in the URL text box and click the **Set URL** button.
12. Select the **Use HTTP/1.1** check box.
13. Select **GET** as the **HTTP Method**.
14. Click the **Add New...** button.
15. Enter the IP address of the server to be added to the real server pool. Click **Add This Real Server**. A success message will be displayed after adding. Click **OK**. Repeat this for any other real servers that need to be added.
16. In the main menu, click **Certificates & Security** and select **SSL Certificates**.
17. Locate the certificate that was added earlier. In the **Available VSs** field, select the Virtual Service that has just been added and click the right arrow button to assign it.
18. In the main menu, click **Virtual Services** and select **View/Modify Services**.
19. Confirm that the service is listed with a **Status** of **Up** and that all added member servers are listed in non-bold font.
20. Test access to the AD FS Internal Farm by opening a browser and going to **https://<AD FS URL>/ADFS/ls/idpinitiatedsignon.aspx** and following the instructions to log in.
21. Once all other Microsoft-defined AD FS prerequisites and application configurations are complete, test access to the application to ensure authentication success. To do this, open a browser and go to **https://owAD FS/<AD FS URL>/owa**.

A successful login will result in access to the protected application.

Note: Login experience is dependent upon the parameters set in the web.config file located on the AD FS servers.

Configure an AD FS Proxy Farm Virtual Service

Configure an AD FS Proxy Farm Virtual Service

The steps to set up an AD FS Proxy Farm are almost identical to the ones listed above in the [Configure an AD FS Internal Farm Virtual Service](#) section. The only difference is, you should give the Virtual Service a different name and follow the steps below:

1. Expand the **Advanced Properties** section.

Advanced Properties

Content Switching	Disabled		
HTTP Selection Rules	Show Selection Rules		
HTTP Header Modifications	Show Header Rules		
Response Body Modification	Show Body Modification Rules		
Response Code Modification	<input type="checkbox"/>	Show Text & Mappings	
Enable Caching	<input checked="" type="checkbox"/>	Maximum Cache usage	25% <input type="text"/> Current usage assigned 25%
Enable Compression	<input checked="" type="checkbox"/>		
Detect Malicious Requests	<input type="checkbox"/>		
Enable Multiple Connect	<input type="checkbox"/>		
Reschedule on every HTTP Request	<input type="checkbox"/>		
Add Header to Request	<input type="text"/>	:	<input type="text"/> Set Header
Copy Header in Request	<input type="text"/>	To Header	<input type="text"/> Set Headers
Add HTTP Headers	Legacy Operation(X-Forwarded-For) <input type="text"/>		
"Sorry" Server	<input type="text"/>	Port	<input type="text"/> Set Server Address
Not Available Redirection Handling	Error Code:	<input type="text"/>	
	Redirect URL:	<input type="text"/>	Set Redirect URL
Default Gateway	<input type="text"/>	Set Default Gateway	
Service Specific Access Control	Access Control		

2. Select **Enable Caching**.
3. Select **Enable Compression**.

Note: The maximum cache usage should be configured dependent upon the number of services on the LoadMaster that are leveraging this feature.

4. Expand the **Real Servers** section.

▼ Real Servers

Real Server Check Parameters

HTTPS Protocol	Checked Port	Set Check Port
URL:	/adfs/ls/idplinitiatedSignon.aspx	Set URL
Status Codes:		Set Status Codes
Use HTTP/1.1:	<input checked="" type="checkbox"/>	
HTTP/1.1 Host:		Set Host
HTTP Method:	GET	
Reply 200 Pattern:		Set Pattern
Custom Headers:	Show Headers	
Enhanced Options:	<input type="checkbox"/>	

5. In the first **Real Server Check Parameters** drop-down list, select **HTTPS Protocol**.
6. Enter `/adfs/ls/idplinitiatedSignon.aspx` in the **URL** text box and click **Set URL**.
7. Select **GET** as the **HTTP Method**.
8. Continue from the [Click the Add New... button](#). step in the [Configure an AD FS Internal Farm Virtual Service](#) section.

References

References

Unless otherwise specified, the following documents can be found at <https://docs.progress.com/>.

ESP, Feature Description

LoadMaster Web User Interface (WUI), Configuration Guide